

CIRCULATION LARGER THAN THAT OF ANY OTHER RADIO PUBLICATION

RADIO NEWS

REG. U.S. PAT. OFF.

25 Cents


OCTOBER

Over 200
Illustrations

Edited by H. GERNSBACK

Beginning

The LIFE and WORK
of LEE DE FOREST



THE 100% RADIO MAGAZINE



EXPERIMENTER PUBLISHING COMPANY, NEW YORK, PUBLISHERS OF

SCIENCE and INVENTION

PRACTICAL ELECTRICS

MOTOR CAMPER & TOURIST

Cunningham



RADIO TUBES

Bring World Events to Far-Distant Vacation Lands

BACK-COUNTRY isolation melts into world contact as you tune-in on music, drama, and the final battles of the Presidential Campaign.

Make your camp, your cottage, your yacht the center of hospitality and entertainment.

Perfected Radio will do it, and Perfected Radio means the use of Cunningham Radio Tubes. The Cunningham dry battery detector and amplifier tube, type C-299, makes it possible for you to treble your vacation pleasure by use of a portable receiving set. The special filament in this tube, using a current so low that it may receive its supply from standard No. 6 dry batteries or even from ordinary flashlight batteries, makes possible this far-reaching application of Radio.

The receiving set you now have can be readily adjusted to use this tube and be a source of use and pleasure on your vacation trip. Your dealer can give you useful suggestions for the purchase or construction of a highly efficient portable set.

E. J. Cunningham Inc.

CUNNINGHAM TUBE PRICES

C-301A—5 Volts $\frac{1}{4}$ Ampere filament\$4.00
C-299—3 Volts .06 amp. Dry Battery Det. and Amp.\$4.00
C-300—5 Volts Gas Content Detector\$4.00
C-11—1.1 Volts .25 amp. Dry Battery Det. and Amp. Special Base\$4.00
C-12—Similar to C-11 with standard base\$4.00

PATENT NOTICE

Cunningham tubes are covered by patents dated 2-18-08, 2-18-12, 12-30-13, 10-23-17, 10-23-17, and others issued and pending. Licensed only for amateur, experimental and entertainment use in radio communication.

Any other use will be an infringement.

DATA BOOK

Cunningham 40-page Data Book fully explaining care and operation of Radio Tubes now available by sending 10c. in stamps to San Francisco office.

Branch
CHICAGO

182 Second Street, San Francisco

Branch
NEW YORK



at Last!



TOWER'S Scientific

Cello-Tone Headset

Perfect Tone Mates

Now \$2.95

Plus a few cents Postage



Frank S. Tower

TOWER'S GIFT TO THE WORLD! Reproduction of All Radio in Cello-tones

For years Frank S. Tower played the cello, the richest-toned instrument in the world, giving concerts and recitals throughout Europe and America. With the soft, sweet "cello-tone" clearly in mind, he has successfully manufactured the TOWER'S scientific headset, which accurately reproduces all radio in the same liquid tones.

TOWER'S scientific, lightest of all in weight, offers higher resistance, with elimination of distortion. Longer cord (full 5 ft.). Every set tested and approved by licensed radio operators. Every set covered with our money-back guarantee.

Order today by post card and we will ship immediately by Parcel Post C. O. D.

Our \$200,000.00 company stands squarely back of every headset.

THE TOWER MFG. CO.

98 Dept. U Brookline Ave., Boston, Mass.



RADIO NEWS

Published by EXPERIMENTER PUBLISHING COMPANY, INC.,
 Publishers of "Radio News," "Science and Invention," "Practical Electrics" and
 "Motor Camper & Tourist."
 Editorial and General Offices: 53 Park Pl., N. Y. C.
 H. GERNSBACK, President. S. GERNSBACK, Treasurer. R. W. DEMOTT, Secretary.

MEMBER: AUDIT BUREAU OF CIRCULATIONS

VOL. 6 CONTENTS FOR OCTOBER NO. 4 1924

	Page		Page
Editorial	By Hugo Gernsback 461	Hamitorial—If You Are To Know It At All, Know It Well.....	488
Music from Your Lamp Socket By R. D. Duncan, Jr.	462	A Three-Wave Transmitter. By John M. Baldwin	489
The Life and Work of Lee DeForest.....	464	Government Extends Radio Channels for Ama- teurs	489
Induction and Modulation.... By A. P. Peck	466	Automatic Sending Key and Time Relay for Tube Transmitters..... By A. A. Kubiak	490
A Radio Frequency Solodyne Receiver By G. V. Dowding and K. D. Rogers	468	A Universal Two-Step R. F. Receiving Set By Paul G. Watson	491
Crystodyne Receivers and Amplifiers By I. Podliasky	470	Notes on the Super-Heterodyne By Prof. Grover Ira Mitchell	492
Esperanto or Ilo—Which?..... By O. C. Roos	471	Reflex Radio Receivers In Theory and Prac- tice, Part II..... By John Scott Taggart	494
An Interview With Secretary H. C. Hoover By S. R. Winters	472	Non-Radiating Regenerative Receivers By Clyde J. Fitch	496
Duet with Singers 3,000 Miles Apart To Be Broadcast	478	Awards of the \$50 Radio Wrinkle Contest....	497
Radio in South America.... By John English	479	Standard Hook-Ups	499
Davy Jones Speaking..... By J. Farrell	480	Radio Humor—Radiotics.....	501
KDKA to Broadcast for Polar Ship "Arctic"....	481	Correspondence from Readers.....	502
Pilot Interviewed by Radio While Flying By A. M. Jacobs	482	New Radio Patents..... By John B. Brady	503
"Roxy"—The Story of a Dreamer Whose Dreams Come True.. By Golda M. Goldman	484	Radio News Laboratories.....	504
The Wail of the Lonesome Shrine By Robert Francis Smith	485	The Log of a Lightning Jerker By J. E. Brockway	506
Soup Modulation..... By Willard Wilson	486	I-Want-To-Know	507
With the Amateurs.....	487	Calls Heard	574
		Glossary of Radio Terms Compiled by Lester Maxwell	599
		Index to Advertisers.....	444

RADIO NEWS is published on the 10th of each preceding month. There are 12 numbers per year. Subscription price is \$2.50 a year in U. S. and possessions. Canada and foreign countries, \$3.00 a year. U. S. Coin as well as U. S. Stamps accepted (no foreign coins or stamps). Single copies, 25 cents each. A sample copy will be sent gratis on request. Checks and money orders should be drawn to order of EXPERIMENTER PUBLISHING CO., INC.

All communications and contributions to this journal should be addressed to Editor, RADIO NEWS, 53 Park Place, New York, N. Y. Unaccepted contributions cannot be returned unless full postage has been included. All accepted contributions are paid for on publication. A special rate is paid for novel experiments; good photographs accompanying them are highly desirable.

RADIO NEWS. Monthly. Entered as second-class matter at the Post Office, at New York, N. Y., with additional entry at Long Island City, N. Y., under the act of March 3, 1879. Title registered U. S. Patent Office. Copyright, 1923, by E. P. Co., Inc., New York. The Experimenter Publishing Co., 53 Park Place, New York. The Contents of this magazine are copyrighted and must not be reproduced without giving full credit to the publication. Copyright in Germany. Publication and reproduction of articles in Germany is reserved for Radio, Berlin 42, Germany.

New York City
General Advertising Dept.
53 Park Place

Western Advertising Representatives
Finucan & McClure
720 Cass St., Chicago, Ill.

Pacific Coast Advertising Representatives
A. J. Norris Hill Co.
Hearst Bldg., San Francisco, Calif.

Kansas City Advertising Representatives
George F. Dillen
Republic Building, Kansas City, Mo.

RADIO NEWS is for sale at all newsstands in the United States and Canada, also at The International News Co., Ltd., Bream's Building, London, E. C. 4, England, and at Brentano's, 37 Avenue de l'Opera, Paris.

HOW TO SUBSCRIBE FOR RADIO NEWS. Send your name, address and remittance to Experimenter Publishing Co., 53 Park Place, New York. Mention the name of the magazine you are ordering. We also publish SCIENCE AND INVENTION, PRACTICAL ELECTRICS and MOTOR CAMPER & TOURIST. Write early.

RATES AND TERMS. The subscription rate for RADIO NEWS is \$2.50 per year. (12 numbers). When remitting do so by check, money order, or registered letter if cash is enclosed. Avoid sending cash through the mail if possible. Subscriptions for less than one year are not accepted. Subscription may be made in combination with SCIENCE AND INVENTION or PRACTICAL ELECTRICS.

POSTAGE. We prepay postage in all parts of the United States, Mexico and island possessions. For foreign or Canadian subscriptions we require 50 cents in addition to the subscription price for additional postage charges.

CHANGE OF ADDRESS. Notify us as far in advance as possible. It requires several weeks to make an address change on our records. Always write clearly.

ON EXPIRATION of your subscription we enclose a renewal blank in our last number to you; we stop our delivery to you on expiration.



THE GREBE SYNCHROPHASE

TRADE MARK

"It is only when the cold season comes that we know the pine and cypress to be evergreens."

—Confucius

In the coming cold season be not surpassed by thy neighbor—set the pace with your Grebe Synchronphase.

Doctor W. J. W.


A BROADCAST Receiver that marks another long step forward in radio design and establishes a new set of standards in craftsmanship.

Write for literature

A. H. GREBE & COMPANY, INC.

Van Wyck Blvd., Richmond Hill, N.Y.

Western Branch: 451 East 3rd St., Los Angeles, Cal.



Index to Advertisers

A	Page	D	Page	L	Page	R	Page		
Ackerman Brothers Co., Inc.	594	Dubilier Condenser & Radio Corp.	528	Leisax, Inc.	580-585	Rauce Corp.	612		
Acme Apparatus Company	565	Durkee-Thomas Products Co.	554	Lego Corp.	624	Randolph & Co.	615		
Acorn Radio Mfg. Co.	610	E			Liberty Electric Corp.	594	Randolph Radio Corp.	509	
Adams-Morgan Co.	550	E. I. Company	446	Liberty Mail Order House,	608-618-626	Rarhoun Mfg. Co., Inc.	591		
Adams Radio Mfg. Co., The	538	E-Z-Toon Radio Co.	618	Liederman, Earle E.	629	Rauland Mfg. Co.	540		
Alden Mfg. Company	592-598	Eastern Coil Corporation	620	Lincoln Mfg. Co., The	518	Real Equity Shop, The	552		
Allen, Inc., L. B.	524	Eisemann Magneto Corp.	577	Lincoln Typewriter Company	600	Reichmann Company	611		
Allen-Bradley Co.	632	Electrad, Inc.	599	Listen-In Publishing Company	631	Reliable Parts Mfg. Co., The	576		
Ambler-Holman	561	Electrical Research Laboratories	551	M			Remy Radio Mfg. Co.	597	
American Art Mache Co.	580	Electric Service Supplies Co.	578	Magnavox Company, The	539	Resas, Inc.	588		
American Brand Corporation	520	Electric Specialty Company	558	Main Radio Batteries	524	Richardson Radio, Inc.	526		
American Hard Rubber Co.	590	Electric Storage Battery Co., The	553	Manhattan Radio Co.	544	Rolls Royce Tube Company	584		
American Radio Exposition Co.	591	Elgin Radio Supply Company	532	Marle Engineering Company	566	Ryder, Frank A.	530		
American Radio Mfg. Co.	520-532	Empire Radio Supply Co.	615	Marshall Radio Products, Inc.	447	S			
American Radio Tube Works	613	Erie Fixture Supply Co.	524	Martin-Copeland Company	552	S & H Battery Supply Co.	564		
American Specialty Co.	544	Evans & Company, Victor J.	615	Marvel Radio Specialty Company	597	Saturn Mfg. & Sales Co., Inc.	524		
American Transformer Co.	564	Experimenters Information Service, Inc.	567	Mazda Radio Mfg. Co., The	586	The Scientific Research Labs.	621		
Amplex Instrument Laboratories	536	Express Body Corporation	576	Mecky Co., The A.	550	Service Battery Co.	622		
Andra, Inc., F. A. D.	563	F			Mercury Radio Corp.	559	Shamrock Mfg. Co.	535	
Andrews Radio Company	512	Fahnestock Electric Company	604	Michigan Radio Corporation	522	Shepard-Potter Company, Inc.	560		
Aragon Radio Co.	595	Fansteel Products Company, Inc.	513	Midwest Radio Company, The	602	Shipman-Ward Mfg. Co.	606		
Atlantic & Pacific Radio Co., Greater	516	Faraway Electric Co., The	623	Miller Rubber Company of New York	572	Sidbenel Radio Equipment Mfg. Co.	628		
Atwater-Kent Mfg. Co.	541	Federal Telephone & Telegraph Company	593	Modern Electric Mfg. Co., The	628	Simplex Radio Sales Co.	538		
Atwood-King, Inc.	540	Ferbend Electric Company	528	Montgomery Ward & Co.	572	Smith & Heminway Company, Inc.	620		
Automatic Electrical Devices Co., The	579	Ferry & Co.	548	Montrose Mfg. Co.	528	Smith Typewriter Sales Co.	592		
Autotype Company, The	616	Flint Radio Co.	564	Mozart Grande Company, The	613	Spaulding Fibre Co., Inc.	533		
B			Fornica Insulation Company, The	452-453	Multiple Electric Products Company, Inc.	583	Specialty Service Company	625	
B-Metal Refining Co.	615	Fox Mfg. Co.	528	Munn & Company	614	Springfield Wire & Tinsel Company	584		
Bakelite Corporation	536	Freshman Company, Inc., Chas.	601	Mu-Rad Laboratories, Inc.	603-607	Stamm-Lawson Radio Mfg. Co.	589		
Baldwin Pacific & Company	544	Friedlander-Kopple Radio Ser.	601	Murdock Company, Wm. J.	529	Standard Radio Tubes	627		
Barawik Company, The	448-449-450-451	Frost, Inc., Herbert H.	619	Music Master Corporation	545	Stanley Radio Supply Company, The	524		
Barkeley Electric Mfg. Co., The	618	Fulton Radio Shop	562	Myers Co., Ltd., E. B.	554	Steger & Sons Piano Mfg. Co.	608		
Bel-Canto Mfg. Co.	620	G			National Airphone Corporation	523	Steinite Laboratories	613	
Bell Mfg. Co.	578	Gardiner & Hepburn, Inc.	610	National Carbon Company, Inc.	537	Sterling Mfg. Co., The	599		
Benjamin Electric Mfg. Co.	626	General Electric Co.	546	National Radio Institute	459	Stevens & Co.	592		
Benson Engineering Co.	594	General Radio Co.	568	National Transformer Mfg. Co.	558	Stone Electric Co.	520		
Blue Seal Mfg. Co.	628	General Radio Winding Co.	626	Neumade Products Corp.	574	Stransky, John A.	522		
Boice, W. & J.	618	Gillfillan Bros., Inc.	543	Newman-Stern Co., The	608	Stromberg-Carlson Telephone Mfg. Co.	598		
Boonton Rubber Mfg. Co.	560	Golden-Leutz Corp.	605	Newton Mfg. Co.	595	Strongfort, Lionel	631		
Brach Mfg. Co., L. S.	626	Goldschmidt Corp., Th.	525	New York Institute of Photography	621	T			
Brady, John B.	614	Gordon, Milton	592	Niagara School of Music	580	Telephone Maintenance Company	550		
Brandes, Inc., C.	533	Gould Storage Battery Co.	616	Nordeu, Hauck & Co.	612	Teree Electric & Mfg. Company	624		
Branston, Inc. Chas. A.	618	Graham Company, Alfred	566	Nutron Mfg. Co.	571	Thompson Mfg. Co., R. E.	520		
Bremmer-Tully Mfg. Co.	538	Great Lakes Radio Company	558	O			Thor Radio Company	625	
Bristol Company, The	627	Grebe & Company, Inc., A. H.	443	Ohio Radio Sales	622	Torrington Mfg. Company, The	560		
Brooklyn Radio Service Co., The	556	Grewol Mfg. Co.	608	Ohio Rubber & Textile Co.	530	Lower Mfg. Company, The	441		
Brown & Company, Thos.	540	H			Omnigraph Mfg. Co., The	552	Tresco Sales, Inc.	606	
Brownlie & Co., Roland	518	H & H Radio Company	542	Operadio Corp.	595	Triangle Rubber & Supply Company	621		
Bunnell & Company, J. H.	566	Hafner Mfg. Company	582	Owen, Ricahrd B.	616	Trimm Radio Mfg. Company	518		
C			Halldorson Company, The	562-628	Ozarka, Inc.	460	Tuska Company, The C. D.	555	
Cannon & Miller Company, Inc.	622	Hammer Radio Company, S.	548	P			U		
Carter Radio Company	566	Hardsocg Mfg. Co.	626	Pacent Electric Company, Inc.	562	U. S. Tool Company, Inc.	606		
Central Radio Laboratories	568	Harvard Radio Laboratories	605	Pacific Arms Corp.	550	Uncle Sam Electric Company	600		
Chalfonte-Haddon Hall	612	Hayden Radio & Research Co., A. C.	626	Parker, C. L.	617	Union Radio Corporation	514		
Chemical Institute of New York, Inc.	581	Haynes-Griffin Radio Service, Inc.	544	Perry-Fay Co., The	604	United Distributors, Ltd.	600		
Chicago Electric Devices Co.	595	Heath Radio & Electric Corp.	609	Pfanstiehl Radio Service	517	United Electric Store	520		
Chicago Salvage Stock Store	575	Holtzer-Cabot Electric Co., The	548	Phenix Aircraft Prod. Co.	532	Unity Mfg. Co.	526		
Chicago Solder Company	562-595	Hommel & Company, Ludwig	620	Phenix Radio Company	549	Utility Supply Co.	631		
Christian Science Monitor, The	530	Hudson-Ross,	530-548-618-624-626-628	Philadelphia Storage Battery Co., The	515	V			
Clapp-Eastham Company	522	Hull & Company, S. W.	618	Pioneer Radio Corporation	566	Valley Electric Co.	624		
Clark & Tilson, Inc.	536	I			Pollard Bros.	590	Valley Forge Chemical Co.	628	
Cleveland Engineering Lab. Co., The	578	International Correspondence Schools	596	Polymet Mfg. Corp.	624	Vesco Radio Company	601		
Consolidated Instrument Co. of America	611	International Heating Co.	582	Portable Globe Aerial Co., The	616	Vibrar Motor Co.	586		
Consrad Company, Inc.,	512-587-596-604-610-622-629	Inter-State Signal Company	598	Precision Coil Co.	544	W			
Continental Fibre Company, The	600	J			Press Guild, Inc., The	602	Walbert Mfg. Co.	615	
Cosmopolitan Plusiformer Corp.	556	Jewell Electrical Instrument Co.	564	Primary Mfg. Corp.	580	Walnat Electric Mfg. Company	618		
Coto-Coil Co.	600	Jones, Howard B.	628	Putt Electric Shop, The	532	Wayne Radio Tube Lab.	619		
Coyne Electrical School	514	Jordan Battery Co.	598	Pyramid Products Company	546	West Angus Show Card Service, Ltd.	530		
Crosley Radio Corporation, The	547	K			R			Western Coil & Electrical Company	588
Cruver Mfg. Co.	608	K Electric Co.	604	Radiall Company	625	Western Radio Mfg. Company	526		
Cunningham, Inc., E. T., Inside Front Cover		Karas Electric Co.	527	Radio Association of America	618	Western Rubber Mold Company	560		
Cutler-Hammer Mfg. Co., The, Inside Back Cover-454-455		Kellogg Switchboard & Supply Co.	584	Radio Corporation of America, Back Cover		Westinghouse Union Battery Co.	557		
D			Keystone Electric & Radio Co.	612	Radio Doctors, Inc.	582	Weston Electrical Instrument Co.	566	
D. R. V. Importing Company	578	Keystone Products Co., The	620	Radio Electro Labs.	582	Willard Storage Battery Company	519		
D. X. Instrument Co.	531	Kimley Electric Company, Inc.	624	Radiogem Corporation, The	597	Windsor Furniture Co.	511		
Davenport Radio Labs	627	Klaus Radio & Electric Company	594	Radio Industries Corp.	521	Workrite Mfg. Company, The	573		
Dayton Fan & Motor Company, The	593	Lacey & Lacey	616	Radio Institute of America	510	World Battery Company	616-631		
DeRoy Radio Corp.	574	Lambert, Leon	617	Radiolamp Co.	457	Y			
Dey's Radio Service	596	Lancaster & Allwine	617	Radio Printers	548	Y. M. C. A. Radio Institute	628		
Diamond Electric Specialties Corp.	546	Lee Electric & Mfg. Co.	606	Radio Rahat Company, The	570	Yaxley Co.	631		
Diamond State Fibre Company	542	L			Radio Receptor Company	586	Young Mfg. Co.	590	
Dictograph Products Co.	586	Liederman, Earle E.	629	Radio Shack, The	602	R			
Dieterich, Albert E.	617	Lincoln Mfg. Co., The	518	Radio Specialty Co.	569	Radio Association of America	618		
Don-Mac Co., The	617	Lincoln Typewriter Company	600	Radio Tube Exchange	576-610	Radio Corporation of America, Back Cover			

RADIO NEWS READERS' BUREAU

Time and Postage Saver

IN every issue of RADIO NEWS you undoubtedly see numerous articles advertised about which you would like to have further information. To sit down and write an individual letter to each of these respective concerns, regarding the article on which you desire information, would be quite a task.

As a special service to our readers, we will write the letters for you, thus saving your time and money.

Just write the names of the products about which you want information, and to avoid error the addresses of the manufacturers, on the coupon below and mail it to us.

If the advertiser requires any money or stamps to be sent to pay the mailing charges on his catalogue or descriptive literature, please be sure to enclose the correct amount with the coupon.

We will transmit to the various advertisers your request for information on their products.

This service will appear regularly every month on this same page in RADIO NEWS.

If there is any Manufacturer not advertising in this month's issue of RADIO NEWS, from whom you would like to receive literature, write his name, address and the product in the special section of the coupon below.

TEAR ALONG THIS LINE

READERS' SERVICE BUREAU,
Experimenter Publishing Co., Inc., 53 Park Place, New York, N. Y.

RN-10

Please advise the firms listed below that I would like to receive detailed information on their product as advertised in the issue of RADIO NEWS.

NAME	ADDRESS (Street — City — State)	List here specific article on which you wish literature.	If Catalogue of complete line is wanted, check in this column
.....
.....
.....
.....
.....
.....
.....


Do Not Use This Coupon for Technical Questions

Use this space if you desire information from a manufacturer whose advertisement does not appear in this month's issue.

.....
.....
.....

Your own name here

If you are dealer check here. Address
City State



Book No. 1

Many men fall in building their Radio sets because of some trivial error that could easily have been corrected before it was too late. The E. I. Company has compiled a book that will help you avoid all the common pitfalls while building your Radio sets.

PRICE 25c



Book No. 2

The man who wants to build only those PRACTICAL Radio Sets that are guaranteed to give good results when properly constructed will need this book. Gives the principal successful hookups of practical Radio Construction.


PRICE 25c



Book No. 3

Question No. 1—What is Radio? This is the nature of the questions that this book answers. Then it answers questions on all the principal parts of a Radio Receiver. It is a handy book to keep in your radio file.


PRICE 25c



Book No. 4

Distance lends enchantment—and its Radio Frequency Amplification that brings in the distance on your Radio Receiver. If you contemplate adding any Radio Frequency to your set you will want this book at your side.

PRICE 25c




Book No. 6

Don't struggle in the dark, looking for stations—here is an inexpensive book that gives you detailed instructions on just how to handle your Radio set. You will be surprised at the increased results that can be obtained through proper tuning.

PRICE 25c

The complete set of E. I. Company Books shown on this page make up a library that covers practically every important detail of Radio Receiving Sets. The low cost of the complete set as compared with the amount of valuable information contained in it is the Reason why many Radio Set builders have a complete library at home that is constantly referred to. Size of each book is 7 1/2 inches by 5 1/4 inches, contains 52 pages and printed with a handsome two-color cover. You can obtain these books separately or all together from your Radio Dealer or by writing to us direct enclosing the price of each book.



One Radio Book Everybody Needs

The Instant Reference book giving essential Radio Information, List of Broadcast Stations, Log Record, Etc.

No Radio Book on the market today is just like this new book of the E. I. Company. It is not only a complete, practical book of those essential Radio facts that everyone who owns a radio should know, but it is also a handy log record for those who want to keep a record of the stations they receive.

The book is enclosed in a handsome two-color cover, bound in Loose-leaf fashion, so that new pages can be inserted if necessary. It contains 80 pages, each one containing information more valuable than the last. The following is a brief summary of the information contained in this book:

- Information for the Broadcast Listener:
- Vacuum Tube Table: Meter wave lengths:
- Radio Batteries: Wireless code chart:
- Station log Chart:

Complete List of Broadcast Stations of the United States, giving Power, wave length, and Time of Operation each day of the week.

Log Sheets for tabulating the dial settings of the stations you receive on your radio.

This book is the most valuable record ever prepared for the Radio Set owner.


Copies can be obtained from your Radio Dealer or direct from us on receipt of 50c.

Postage Paid



Can you imagine a better book for your work bench? Gives diagrams, hookups, and details on Radio Hookups galore. One of the most complete hookup books published. Authentic, and up-to-date in every respect.

PRICE 25c



Book No. 7

Everyone who constructs a radio set should know, before he starts, the simple fundamentals of the various parts that go to make up the set. The E. I. Company has set these forth in a compact little book that is valuable at all times.


PRICE 25c



Book No. 8

The Vacuum Tube is a marvelous piece of apparatus. A short study of it as given in this book gives you the principal on which every Vacuum Tube Radio Receiver operates.


PRICE 25c



Book No. 9

Everybody knows the famous Neutrodyne hookup. One of the finest Radio Receivers in use today. This 52-page E. I. Company book gives an explanation of every detail of the Neutrodyne and how it all works.


PRICE 25c



Book No. 10

Anyone with this handy book as a guide can repair and keep in order his own radio set. Covers every detail of the modern radio sets and tells how to locate and repair any trouble.

PRICE 25c




Book No. 12

E. I. Company
233 FULTON STREET

Consrad Company
Selling Agents
NEW YORK CITY

Marshall **The Greatest Advance yet made in**
RADIO
 3-4 and 5 Tube Sets



Sold Mahogany Cabinet of unique and artistic design

Sold with or without the Loud Speaker Combination

This Beautiful Marshall 4 Tube Non-Oscillating Receiver
Complete with all accessories **only \$5.00 DOWN**

WRITE TODAY for full particulars of this most exceptional offer. Marshall Sets embody the very latest improvements known to radio. They are licensed under Pfanstiehl Patents Pending, and utilize the wonderfully efficient Pfanstiehl Non-Oscillating System. This discovery of Carl Pfanstiehl is the big sensation of the 1924-25 radio season. It brings the first real improvement over the Neutrodyne, Superhetrodyne, Regenerative, and Reflex circuits. It is positively non-regenerative. It brings to radio a new degree of musical quality. Its selectivity will delight the experienced radio operator. Yet it is so easy to tune that the novice will handle it like an expert.

Easy Monthly Payments—2 Weeks Free Trial

This is the remarkable offer we are prepared to make you! Two weeks to prove that the outfit you select is everything we have said for it. If it doesn't make good our claims, back it comes, and your deposit will be cheerfully refunded. But if it fulfills all your expectations, you may pay for it in easy monthly installments. You don't risk a cent when ordering from us. You *must* be satisfied, or we don't do business. Is it any wonder that radio buyers the country over are rushing to take advantage of such an offer? If YOU are interested, figure on getting your order in early, while prompt shipment can be made. Everyone predicts a serious shortage of radio supplies this season. Send for full particulars today.

Beautiful Solid Mahogany Cabinets

Just compare the beautiful outfit pictured above with the usual radio box and horn! The speaker cabinet appears as part of the combination unit. Designed by a master designer—fashioned of the finest solid mahogany, it will harmonize with the furnishings of the finest homes. Yet through our different way of merchandising, this exceptional cabinet value—plus the unequalled mechanical qualities of the Marshall Set—plus easy terms—costs you actually less money than the ordinary sets sell for on a cash basis.

Complete Outfits If Desired

In buying from Marshall, you have the choice of a set complete with all accessories, or the set alone. You have choice of dry cell or storage battery outfits. Unless you already own the accessories, you can buy them from us at less-than-market prices, with your set, on easy terms. Your outfit will come all ready to set up and operate within a few minutes,—saving time and trouble—and saving money, too.

MARSHALL RADIO PRODUCTS, INC.
 Marshall Blvd. and 19th Street, Dept. 59-47, Chicago

Send Coupon for Special Offer!

If you have any idea of buying a radio set this year, don't let this chance slip by. Our terms and liberal guarantees have set a new pace in the radio business. The low prices we will make you on a 3, 4, or 5 tube Marshall set will surprise you. A letter, postcard, or just coupon will do. But send it today.

We also have a most favorable offer for radio dealers. Write.

Marshall Radio Products, Inc.

Marshall Blvd. and 19th St., Dept. 59-47, Chicago

Please send me your special offer price, terms and full description of Marshall Radio Outfits. Though I may change my mind on receiving your proposition, my preference now is for a:

.....3 Tube4 Tube5 Tube (Please check)

Name

Address

IT IS EASY TO BUILD YOUR OWN RADIO SET

OUR SPECIAL VARIOMETER

F410 Variometer. Each \$2.10
Accurate wood frame thoroughly seasoned. Plenty of large sized wire insures highest efficiency. A high grade instrument that will give you lasting service. 3/16 inch shaft. Range 180 to 650 meters.




OUR SPECIAL VARIOCOUPLER

F418 Variocoupler. Each \$1.80
The most efficient type of coupler. Primary and secondary windings on bakelite tubes. Primary tapped for fine tuning. 3/16 inch shaft. Range 180 to 650 meters.



SUPER MOULDED VARIOMETER

F412 Each \$2.48
Polished black moulded rotor and stator forms. Maximum inductance with greatest efficiency and minimum distributed capacity. A high grade instrument that will get the best results. Wave length 180 to 600 meters.



SUPERIOR 180° VARIOCOUPLER

F521 Each \$1.10
A wonderful value. Produces excellent results. Green silk windings on black fibroid tubes. Rigid mounting support. Primary tapped for fine tuning. 1/4 inch shaft. Range 200 to 600 Meters.



SUPERIOR VARIOMETER

F523 Each \$3.68
Forms moulded of red bakelite. A neat handsome instrument. Green silk windings calculated for highest efficiency. 1/4 inch shaft. Noiseless pigtail connections. Produces superior results in any type circuit 180 to 650 meters. F527 Variocoupler. Same style. Primary tapped for fine tuning. Each \$3.68



SUPERIOR VARIOCOUPLER

F523 Each \$3.35
Stator tube and rotor ball of moulded red brown bakelite. Large size green silk windings insure highest efficiency. 1/4 inch shaft. Superior results in circuits for 180 to 650 meters. Tapped primary for finest tuning. Noiseless contacts. F526 Special type for single circuit Regenerative Hook up. Each \$3.75



EXCEL MOULDED VARIOMETER

F524 Each \$3.95
A wonderful value at our price. Polished black bakelite rotor and stator forms. Large size green silk wire insures greatest efficiency. 1/4 inch shaft. Noiseless pigtail connection. Split stator winding.




PHUSIFORMER

F546 Each \$6.85
A new device especially designed for tuned radio frequency circuits. Consists of primary and secondary inductively coupled coils connected with variable condenser, all enclosed in moulded case with binding posts and with dial on shaft of condenser. Size about 4 1/2 inch square, 2 in. thick. Three such units occupy small space and can be used to make up a very efficient 5 tube set at low cost.



SWITCH LEVERS

Very neat polished black composition knob. Exposed metal parts polished nickel finish. Fitted with panel bushing and two set nuts. A high grade switch. F361 1 1/4" Radius. Each 14c



INDUCTANCE SWITCH

F285 Price including knob and dial \$1.18
Mounts switch points and contact lever behind panel. Only one hole needed to mount. 12 switch points, any number of which may be used.



SPIDER WEB COILS

F290 - 25 turn 39c F292 - 50 turn 47c
F291 - 35 turn 42c F293 - 75 turn 54c
F294 - 100 turn. Each 68c
A new popular type of inductance of highest efficiency. Lowest distributed capacity and lowest high frequency resistance. Firm green silk windings with fibre mounting strips. F299 Form for winding spider web coils 15c



Over 50,000 Barawik Radio Sets Are Operated All Over the World

All of these sets were built with Barawik Standard Radio Parts mostly by persons without any previous radio experience. These home-made sets equal in results the best factory made sets—many are even superior and at a cost only a fraction of the cost of the factory made sets. You can easily equal these results.

INDUCTANCE COILS (Honeycomb)

Carefully made—fine looking coils. Low resistance—high self inductance. Very firm impregnation. Mounted coils have standard plug mountings. Specify when ordering whether mounted or unmounted type is wanted.



Tns	Art	Not	Trns	Art	Not
25 F301	.28	\$.75	200 F307	\$.66	\$.20
35 F302	.30	.90	500 F311	1.06	1.57
50 F303	.32	.96	1000 F314	1.64	2.18
75 F304	.37	1.02	1250 F315	1.86	2.35
100 F305	.52	1.07	1500 F316	2.10	2.50

INDUCTANCE COIL MOUNTINGS

F340 3 Coil \$2.75
F341 2 Coil 2.35
Made of polished black bakelite. Mount on front of panel.
Back of Panel Mounting Mounts back of panel. with knobs or dials on front of panel. F342 Each \$3.25

COIL MOUNTING PLUGS

Moulded of genuine bakelite. F344 Plug for mounting "Honeycomb" coil 36c
F345 Plug to fasten mounted coil station to panel 42c
F346 Movable plug to fasten mounted coil to panel so it can be rotated 89c
F343 Fibre strip to hold coils for mounting. Two foot piece 15c



BAKELITE TUBING

Best grade genuine bakelite tubing. Pieces 3 inches long only. F985 Inside dia. 2 1/2 in. 29c
F986 Inside dia. 3 in. 38c
F987 Inside dia. 3 1/2 in. 42c
F988 Inside dia. 4 in. 47c


MAGNET WIRE

Insulated copper wire. Best quality even drawn wire, one piece to a spool. Prices quoted are for 8 oz. spools unless otherwise stated. Note, our prices are prepared.

Double Cotton White	Enam- eld	Wire Size	Single Silk Green	Double Silk Green
F990	F992	F991	F993	
39c	31c	18	54c	75c
43c	35c	20	80c	82c
49c	39c	22	70c	95c
57c	45c	24	85c	\$1.05
70c	50c	26	95c	1.30
95c	55c	28	\$1.15	1.60
\$1.15	60c	30	4oz. .80	4oz. 1.10
1.49	65c	32	4oz. .95	4oz. 1.30
	85c	36	4oz. 1.95	4oz. 2.60

COIL WINDER

F548 Each \$1.90
For the set builder. Makes better coils in less time, saves its cost in short time. Clamps to table or bench. Has three adjustable fingers to hold tubes up to 4 inches diameter. Spring in handle prevents unwinding of coil when tension is released.



ENCLOSED DETECTOR

One of the finest crystal detectors on the market. Super-sensitive galena crystal enclosed in heavy glass shield. Quick, positive adjustment. Brass parts polished nickel finish. F730 Each 89c



GALENA DETECTOR

Easy fine adjustment. Crystal mounted in cup. Moulded base and knob. Brass parts polished nickel finish. An unequalled value. F732 Each 59c



DETECTOR CRYSTALS

F736 Galena, Arlington tested, piece 19c
F738 Silicon, Arlington tested, piece 19c
F735 Tested, Galena, Mounted, piece 9c
F737 Tested, Silicon, per piece 9c
F739 Genuine million point crystal. Ea. 29c
F733 Meteorite crystal. Each 12c
F734 Silver Clay crystal. Each 23c
F746 Ductor Crystal. Each 27c

STANDARD BRAND FIXED CRYSTAL DETECTORS

The latest developments in Crystal Detectors. Give better results and more reliable than old style. Used in Reflex circuits. F742 Grovol Detector. Each \$1.48
F743 B Metal Detector. Each 1.39
F744 B Metal Crystal. Each45
F747 RW Detector 1.29
F749 Brownlie Detector 1.79
F750 Brownlie Renewal69

PANEL MOUNTING VARIABLE CONDENSERS

These are especially high grade condensers and we guarantee them to be mechanically and electrically perfect. Fine polished end plates of heavy bakelite. Shafts 1/2 inch diameter.

Sturdy, heavy aluminum alloy plates perfectly spaced to insure smooth, even reliable capacity. Our low prices save you money. F815 3 plate 58c
F816 5 plate 97c
F814 11 plate .0025 mfd. \$1.13
F817 17 plate .0055 mfd. 1.20
F813 21 plate .0095 mfd. 1.27
F812 43 plate .001 mfd. 1.40

VERNIER VARIABLE CONDENSERS

Including Dial and Knobs. These condensers are of the very best make and are not to be compared with many inferior, cheap condensers offered. We guarantee them to please you or your money back. One separately controlled vernier plate which permits of the best tuning. F825 14 plate .0025 mfd. \$1.95
F824 22 plate .0005 mfd. 2.30
F826 43 plate .001 mfd. 2.45



LOW LOSS VARIABLE CONDENSERS

The latest type condensers. Reduce current losses increasing efficiency of set. Heavy aluminum plates. Vernier type has single vernier plate controlled by lever. 1/4 inch shaft. 3 inch dial required for vernier type.

Vernier Type (No dial included)
F833 11 plate .0025 mfd. \$2.28
F834 23 plate .0005 mfd. 2.95
F835 43 plate .001 mfd. 3.80

Plain Type (No dial included)
F836 11 plate .0025 mfd. \$1.90
F837 23 plate .0005 mfd. 2.12
F838 43 plate .001 mfd. 2.90

ENCLOSED VARIABLE CONDENSERS

One of the best made condensers. Rigid, accurately spaced aluminum plates. Formica ends. Engraved scale. Knob and pointer. F806 43 plate .001 mfd. \$2.80
F808 21 plate .0005 mfd. 2.45




COTO VARIABLE CONDENSERS

F784 .0025 mfd. \$3.90
F785 .0005 mfd. 4.18
F786 .001 mfd. 4.98
An unusually high grade condenser. Copper plates, soldered connections. Low loss type. Friction type vernier controlled by separate knob. Complete with dial.



REMLER VARIABLE CONDENSERS

F820 .00015 mfd. Ea. \$4.25
F821 .0005 mfd. Ea. 4.25
A new type of condenser. Each set of plates mounted on separate shafts which are geared to dial shaft. Plates fold into each other complete revolution of dial varies capacity from almost absolute zero to maximum rated. No other condenser has such a range and this feature especially adapts it to superheterodyne and other sensitive circuits. Complete with dial.



ACME LOWEST LOSS CONDENSERS

F816 Each \$5.10
Designed by Acme engineers for long service and efficient operation. Losses reduced to a minimum. Rotor plates supported on east aluminum shaft. Enclosed in dustproof celluloid case. Friction vernier with knob. 1/4 inch shaft. Requires 3 inch dial. Maximum capacity .0005 mfd.



ONE HOLE MOUNT

F832 Each \$2.00
Only a shaft hole need be drilled in panel for mounting variable condensers when using this device. Saves drilling and permits easy secure adjustment in any position.



FRESHMAN CRYSTAL DETECTOR

F760 Each \$1.10
A double adjustable crystal detector especially suitable for reflex and other sets requiring a high grade detector. For front or back of panel mounting.




DUBILIER MICAON TYPE 601

F502 .0001...28c F507 .0025...32c
F503 .00025...28c F508 .003...40c
F504 .0005...28c F509 .001...40c
F505 .001...32c F510 .005...48c
F506 .002...32c F511 .006...60c

DUBILIER MICAON 601G

Same style condenser as above with mounting for tubular grid leak. No grid leak included. F581 .0025 mfd. Ea. 36c
F582 .005 mfd. Ea. 36c



DUBILIER MICAON 601T

Consists of a Type 601 condenser with brackets designed to fit over terminals on audio frequency transformers, binding posts, etc. F583 .001 mfd. 40c
F584 .002 mfd. 40c
F585 .0025 mfd. 40c

FRESHMAN MICA CONDENSERS

F518 .0001 25c
F512 .00025 25c
F513 .0005 26c
F514 .001 31c
F515 .002 31c
F519 .0025 38c
F520 .005 60c
F516 .006 60c
F517 .01 80c
F529 .015 \$1.15



FRESHMAN VARIABLE GRID LEAKS

F177 Freshman back of panel style 59c
F178 Freshman back of panel style with .0025 Condenser 79c
F171 Freshman base mounting type with .0025 Condenser 79c



C R L VARIABLE GRID LEAK

F173 Without condenser but arranged to take any standard grid condenser \$1.05
F175 With .0025 condenser 1.35
A high grade article. Turning knob varies resistance from 1/4 to 8 meg-ohms.

BRADLEY LEAK

F168 Without condenser. Resistance 1/4 to 10 megohms \$1.74
F169 With .0025 condenser 1.95


TUBULAR GRID LEAKS

Cut shows leak mounted. Leaks and mountings quoted separately. F645 Grid leaks (can be used with Dubilier 801G condensers). Each 10c
Resistances—1/4, 1, 1 1/2, 2, 3, 5, 7 and 10 megohms. Specify resistance wanted. Mountings, Bakelite base. F640 Single mounting. Each 15c
F642 Double mounting. Each 27c
F644 Triple mounting. Each 39c



SUPERIOR RADIO JACKS

Finest grade jacks. Improved design. Best materials. Phosphor bronze springs. Silver contact points. Nickel finish. Mount on panels 1/2 to 3/4 in. F390 Open circuit. Each 32c
F391 Closed circuit. Each 39c
F392 Two circuit. Each 49c
F393 Single circuit filament control. 46c
F394 Two circuit filament control. 59c




STANDARD JACKS

F387 Open circuit jack. Each 22c
F388 Two circuit jack. Each 28c
Well made, durable, smooth working, nickel finished frame. Well insulated.


NEW STYLE JACKS

F379 Single circuit 24c
F380 Double circuit 49c
Occupy less space than ordinary jacks. Binding posts make soldering unnecessary. Well made, insulated.




JACK SWITCHES

Compact and durable radio switches. Mount on panel same as jacks. Purchased complete with On and Off name plate, knob and pointer. F280 Two springs. Usually used as "A" battery switch. Each 57c
F281 Three springs. For switching from long to short wave, from one battery to another, etc. Each 65c



RADIO SWITCH

F287 Each 25c
Cuts current on and off instantly by a push or pull. Very neat. Well made. Durable. Saves tubes and batteries.



SUPERIOR RADIO SWITCH

F283 Each 25c
A switch fully equal to any on the market at a price about half what is usually asked for a switch of anywhere near equal quality.



WITH BARAWIK STANDARD RADIO GOODS

VACUUM TUBES

Standard Brands—Cunningham, Radiotron. Every one guaranteed new and perfect. We will ship brand in stock unless you specify otherwise.

- F105 Detector UV200, C300. Each\$3.59
- C301A, Each 3.59
- F112 Amplifier, UV201A, Each 3.59
- F118 5-Watt Transmitter, 7.70
- F107 WD11, C11, Each 3.59
- F101 WD12, C12, Each 3.59
- F102 UV99, C299, Each 3.59

ADAPTERS

To use dry cell tubes in standard base sockets simply insert one of these adapters in the socket.

- F104 For UV199 or C299 tubes43c
- F109 For WD11 or C11 tubes 42c

VERNIER DIAL ADJUSTER

F941 Each14c

Easily installed at edge of dial, gives finest vernier adjustment of condenser or inductance. A great value. Polished black knob.

C11 SOCKET

F136 Each32c

Genuine moulded brown bakelite. Contact springs make firm contact with tube. For C11 or WD11 tubes.

BAKELITE SOCKET

F140 Standard base33c

F141 UV199 base33c

Moulded of genuine red brown bakelite. Binding post connections. Strong contacts. Real values.

EXTRA STRONG SOCKET

F142 Each38c

Extra heavy. Double reinforced contact springs. For standard base tubes. A wonderful value.

PANEL MOUNT SOCKET

F143 Each42c

The best socket value obtainable anywhere. Extra heavy moulded genuine brown bakelite. Double reinforced contact springs. Will mount on panel behind rheostat.

METAL TUBE SOCKET

F134 Each27c

Nickel plated brass tube set in best grade composition base. Plainly marked binding posts. An excellent value.

STANDARD TUBE SOCKET

F150 Each76c

Bakelite base. Polished nickel tube. Highest quality socket on the market. Best insulation. Positive contact. Marked terminals. For base or panel mounting.

199 SOCKET

F145 Each59c

Moulded of high insulating material. Sponge rubber base prevents ringing in tube. Plainly marked binding post connections. Neat and compact.

BINDING POSTS

Brass, polished nickel finish. Washer and 6-32 in. screw extending 3/8 in.

- F370 Large size — barrel size with hole and knob 3/4 for phone tin in. long. Dozen70c
- F372 Smaller size barrel and knob with hole for 9-16" long. Dz. 50c Dozen35c
- F376 Large size — barrel size with hole and knob 3/4 for phone tin in. long. Dozen80c
- F378 Small size barrel and knob with hole for 9-16" long. Dz. 50c Dozen35c

LETTERED BINDING POSTS

F375 Set of eight39c

Nickel plated washers. Composition lens lettered as shown in illustration. Eliminate engraving. Improve appearance. Sold in sets of eight only.

COMPOSITION TOP BINDING POSTS

F374 Dozen 45c. Hundred \$3.00

Composition top, nickel plated body. 6/32 screw with washer.

SWITCH CONTACT POINTS

Brass polished nickel finish. Have 1/2 in. long size 6/32 screws and two nuts.

- F363 Dozen10c Hundred75c
- Thousand \$6.75

Solder Lugs to Fit Contact Points

Also for connecting wires to binding posts, etc.

- F365 Dozen8c Hundred30c

SWITCH LEVER STOP

Brass polished nickel finish.

- F366 Dozen18c Hundred\$1.05

YOU SAVE MONEY WHEN YOU BUY FROM US

WE PAY TRANSPORTATION CHARGES IN U. S. EAST OF THE ROCKIES

THE PRICES QUOTED DELIVER THE GOODS TO YOUR DOOR

FAST SERVICE—TRY US AND BE CONVINCED

THIS GUARANTEE PROTECTS YOU—Examine the goods we ship you. They must suit you in every respect. If you are not satisfied with your purchase return the goods at once and we will refund the price you paid.

FILAMENT CONTROL RHEOSTATS

- F132 6 ohm. Each38c
- F129 20 ohm. Each40c
- F131 30 ohm. Each44c
- F135 6 ohm. Vernier 95c

Best grade. Will give real service. Durable and lasting. High heat resisting base, diam. 2 1/2 in. Tapered polished black knob 1 1/2" diam. Potentiometers. Match above rheostats. Same high grade construction.

- F151 200 ohm. Each58c
- F152 400 ohms. Each65c

SUPERIOR RHEOSTATS

- F147 6 ohm60c
- F148 20 ohm55c
- F149 30 ohm70c

One of the finest rheostats we have ever seen at a price that makes it the best value obtainable anywhere. Genuine bakelite base. Beautifully shaped black bakelite knob with white arrow. Single hole mounting. A rheostat you will be proud to have in your set.

FROST METAL FRAME RHEOSTAT

- F161 6 ohm plain50c
- F162 6 ohm vernier65c
- F163 35 ohm plain50c
- F164 35 ohm vernier65c

Nickel plated brass frame. Bakelite knob. Single hole mounting. Smooth action. Potentiometers to match above rheostats.

- F165 200 ohm50c
- F166 400 ohm50c

AMSCO RHEOSTATS

A complete line of rheostats and potentiometers of the highest quality. Bases and knob are genuine bakelite. Flange and arrow on knob give same effect as a dial. Smooth action.

- F225 6 ohm plain\$.85
- F226 20 ohm plain1.05
- F227 30 ohm plain1.10
- F228 6 ohm vernier1.28
- F229 20 ohm vernier1.49

Potentiometers to Match Above Rheostats

- F230 250 ohm\$1.10
- F231 400 ohm1.30

HOWARD RHEOSTATS

A well known line of rheostats and potentiometers that is giving very satisfactory service to its users. Complete with knob and pointer.

- F211 6 ohm plain rheostat\$.85
- F212 6 ohm vernier rheostat1.25
- F213 25 ohm plain rheostat85
- F214 25 ohm vernier rheostat1.25
- F215 40 ohm plain rheostat85
- F216 40 ohm vernier rheostat1.25
- F217 200 ohm Potentiometer1.25
- F218 400 ohm Potentiometer1.69
- F347 6 ohm Midget rheostat85
- F348 25 ohm Midget rheostat85
- F349 40 ohm Midget rheostat85

Single Hole Mounting Type with Dial

- F350 6 ohm plain rheostat\$.95
- F351 6 ohm vernier rheostat95
- F352 25 ohm plain rheostat95
- F353 25 ohm vernier rheostat95
- F354 40 ohm plain rheostat95
- F355 40 ohm vernier rheostat95
- F356 200 ohm Potentiometer1.69
- F357 400 ohm Potentiometer1.30

BRADLEYSTAT AND BRADLEYOMETER

- F208 Bradleystat. Each\$1.74
- Latest style. Can be used with all types of tubes.
- F209 Bradleyometer 200 ohm. Each\$1.89
- F210 Bradleyometer 400 ohm. Each\$2.89

ACME POT-RHO.

A rheostat and potentiometer combined in one unit. Does the work of two separate instruments. 300 ohm potentiometer.

- F237 with 6 ohm rheostat\$2.69
- F238 with 30 ohm rheostat2.69

AMPERITES

Eliminates rheostats on amplifier tubes where adjustment is not critical. Automatically adjust resistance according to flow of current keeping tubes at proper point for maximum efficiency. Complete with mounting.

- F221 For UV201A or 301A tubes95c
- F222 For UV200 or C300 tubes95c
- F223 For UV199 or C299 tubes95c
- F224 For WD11 or C11 tubes95c

OUR SPECIAL AUDIO FREQUENCY AMPLIFYING TRANSFORMERS

- F549 3 to 1 ratio. \$2.25
- F550 5 to 1 ratio. 2.45

In quality of tone and volume of sound, the things a transformer is built for we guarantee it to equal or surpass any other transformer. Neat in appearance. Carefully made. Fully mounted with plainly marked binding post connections. Wonderful results on one, two or three steps without distortion or howling. A quality item in every respect.

OTHER STANDARD BRANDS AUDIO FREQUENCY TRANSFORMERS

Fresh Clean Stock in Original Containers.

- F587 Thordarson Ratio 3 1/2 to 1\$3.30
- F588 Thordarson Ratio 2 to 13.70
- F589 Thordarson Ratio 2 to 13.95
- F531 All American 10 to 1 shielded 3.80
- F532 All American 5 to 1 shielded 3.80
- F533 All American 3 to 1 shielded 3.60
- F534 All American Push Pull. Each 5.10
- F591 Modern 10 to 1. Each4.50
- F592 Modern Push Pull Pair4.45
- F555 Federal No. 226. Each4.45
- F556 Federal No. 65. Each6.35
- F712 Radio Corp. Each5.70
- F595 American 3 1/2 to 1. Each6.30
- F596 American 5 to 1. Each6.30

TRICOIL RADIO FREQUENCY AMPLIFYING TRANSFORMER

F560 For 201A or 301A Tubes\$1.58

F561 For 199 or 11 or 12 Tubes1.58

This transformer will produce wonderful results in any type of regular or reflex radio frequency circuit. Perfect for one, two or three stages. Compact, convenient form, easily mounted. Range 175 to 40 meters.

DUBILIER RURATRAN

F562 Each\$3.48

A high grade, efficient radio frequency transformer that will give excellent results. Range 220 to 540 meters.

ACME TRANSFORMERS

F553 A. F. Transformers Each\$3.95

Acme transformers are well known to every radio fan. They are made of the best grade materials and will give excellent service.

- F565 R2 First Stage. Ea. \$3.95
- F566 R3 Second Stage. Ea. 3.95
- F567 R4 Third Stage. Ea. 3.95

FAHNESTOCK CONNECTORS

- F366 Single Dozen18c
- F367 Double Dozen39c

Handy and convenient for connecting wires or making connections on binding posts or other parts of instruments. Wires held firmly in spring grip but may be instantly removed.

FAHNESTOCK ANTENNA CONNECTOR

F368 Antenna Connector. Each8c

Requires no soldering. Makes connection in a few seconds.

TINNED COPPER "BUS BAR" WIRE

Size 14 tinned copper wire. For wiring sets. Best size for neat job and easy soldering.

- F957 Round. Ten feet for12c
- F958 Square. Ten feet for14c

SPAGHETTI

For covering connecting wires in sets. For size 12 and 14 wires.

- F955 Finest quality braided and saturated with best baked lustrous transparent insulating varnish, 3 feet for19c
- F956 Best quality braid and covered with black insulating compound. 3 feet for. 9c

BRASS ROD

Supplied only in 8 inch lengths.

- F961 Threaded 6/32, per 8 in. length 6c
- F963 Threaded 8/32, per 8 in. length 8c
- F965 Solid 3/16 in., per 8 in. length 6c
- F967 Solid 1/4 in., per 8 in. length. 9c

COPPER FOIL

F968 Per piece25c

Thin copper foil for shielding panels. 6 inches wide, 2 feet long. .005 in. thick.

SUPERIOR VERNIER ADJUSTER

F942 Each25c

Polished black knob. "Vernier" engraved in white. Spring adjustment. Need not be disassembled for mounting. Easily installed.

RADIO "BAKELITE" PANELS

We supply genuine Bakelite, Condensite, Celoron or Formica, all of which are practically identical properties. Machines well without chipping. Won't warp. Waterproof. Attractive natural polished black finish which can be sanded and oiled.

Panel Size Inches	3/16" thick		1/4" thick	
	Art. No.	Price	Art. No.	Price
6x7	F450	\$.55	F460	\$.89
5x10 1/2	F451	.86	F461	1.19
7x14	F458	1.39	F468	1.73
7x18	F453	1.78	F463	2.27
7x21	F457	2.05	F467	2.65
7x24	F459	2.42	F469	2.97
7x26			F462	3.25
9x14			F464	2.35
12x14			F465	2.97
12x21			F466	4.25
			F470	\$1.15
			F471	1.60
			F478	2.35
			F477	3.15
			F477	4.10

RUBBER COMPOUND PANELS

Made of a special compound having a rubber base. Equal in appearance and in all essential points to any other class of panels. Fine smooth polished finish. Can be drilled or cut without chipping. Guaranteed not to warp and to be a perfect insulator for radio use. Smooth, clean edges. Thickness 3/16 inch.

Black		Mahogany	
Art. No.	Price	Art. No.	Price
F481	\$.70	F493	\$.85
F482	.85	F494	1.00
F483	1.00	F495	1.20
F484	1.25	F496	1.50
F485	1.40	F497	1.65
F486	1.70	F498	1.95

COMPOSITION DIALS

Handsome dials moulded in one piece of polished black composition. 2 inch size has 27 scale markings 0 to 100 finely engraved in contrasting white enamel. 3 and 3 1/2 inch size have 180 scale markings 0 to 100.

Black		Mahogany	
No.	Price	No.	Price
F921	16c	F926	19c
F922	16c	F927	19c
F923	22c	F928	26c
F924	22c	F929	26c
F925	27c	F930	32c

GENUINE BAKELITE DIALS

- F931 2 in. Diam. for 3-16 in. shaft. Each35c
- F932 2 in. Diam. for 1/4 in. shaft. Each35c
- F933 3 in. Diam. for 3-16 shaft. Each39c
- F934 3 in. Diam. for 1/4 in. shaft. Each39c
- F935 4 in. Diam. for 1/4 in. shaft. Ea. 48c

Moulded in one piece of genuine bakelite in polished black finish. Finely engraved scale in contrasting white enamel. Sure grip knob that fits the fingers. Higher grade dials for good sets. Match perfectly.

GANG SOCKET

F144 Each\$1.39

Same construction as F143 socket but takes three standard base tubes. For base or panel mounting.

UNIVERSIER CONTROL DIAL

- F918 For 3/16 in. shaft, silver dial, black knob\$1.10
- F919 For 1/4 in. shaft, silver dial, black knob\$1.10
- F916 Gold dial, mahogany knob for 1/4 in. shaft. Each\$1.29

Replaces ordinary knob or dial. Gives perfect vernier control on condenser, variometer, vario-coupler, tickler, etc. Positive easy action. Looks fine. Easily installed. Especially desirable in tuning neodyne sets.

BEZELS

Finest quality. Fit any thickness panel.

- F904 Nickel 1/4 in. diam. Each15c
- F905 Nickel 1 in. diam. Each15c
- F906 Nickel 1 1/2 in. diam. Each15c
- F907 Black 3/4 in. diam. Each16c
- F908 Black 1 in. diam. Each16c
- F909 Black 1 1/2 in. diam. Each16c
- F910 Gold 3/4 in. diam. Each28c
- F911 Gold 1 in. diam. Each28c
- F912 Gold 1 1/2 in. diam. Each28c

PANEL ENGRAVINGS

F937 Per set19c

A complete set of transfers in neat white lettering for marking connections, dials, etc. Easily applied in a few seconds. Look like real machine engravings, contrasts neatly on black or mahogany panels. Plenty of titles for the largest set.

BASE BOARDS FOR CABINETS

Fasten to bottom of panel and fit inside cabinets. About 3/8 inch thick, 6 1/2 inches wide.


Art. No.	Length Inches	Price Each	Art. No.	Length Inches	Price Each
F435	6 1/2	25c	F443	17 1/2	33c
F436	9 1/2	27c	F440	20 1/2	35c
			F441	23 1/2	37c
			F442	25 1/2	39c
F437	11 1/2	29c	F443	35 1/2	50c
F438	13 1/2	31c			

BUILD YOUR SET BETTER-AT LOWER COST

CABINETS
Fine looking cabinets solidly built. Elegant mahogany finish. You will be proud of your set mounted in one of these cabinets. Hinged tops. Front rabbeted to take panels. Panels not included. Inside depth 7 inches except 9x11, 12x14, 12x21 which are 10 inches deep.

Panel Size	Art. No.	Price Each	Panel Size	Art. No.	Price Each
6x7"	F420	\$1.95	7x21"	F425	\$3.25
6x10 1/2"	F422	2.45	7x21"	F429	3.60
7x10"	F421	2.60	7x26"	F431	3.95
7x12"	F424	2.85	9x14"	F428	3.55
7x14"	F423	2.95	12x14"	F430	4.00
7x18"	F426	3.05	12x21"	F432	5.05

DE LUXE CABINET



The finest quality cabinet. A piece of furniture worthy of the best set. Made of genuine solid walnut in elegant hand rubbed brown finish. Top has piano hinge and lid support. Feet at base add to striking appearance. Inside depth 9 inches.

Panel Size	Art. No.	Price Each	Panel Size	Art. No.	Price Each
7x21	F445	\$7.75	7x26	F447	\$9.50
7x24	F446	8.25	7x36	F448	11.75

RADIO TABLE



F901 Prepaid price, each.....\$8.25
Well made of hardwood in fine dark mahogany finish. Extra strong. Top large enough for any set. Shelf holds all batteries and accessories. Drawer for tools and tubes. Just the thing for the home or for displaying sets in stores. Top is 16 by 30 inches. Height 28 inches.

COMBINED RADIO TABLE AND LOUD SPEAKER

F903 Prepaid price, each \$19.95
Holds set, batteries and accessories. A very fine loud speaker with grille opening in front is built just under the top. Speaker has unusually good tone and volume. Fitted with genuine Baldwin unit. Made of selected wood with extra quality antique mahogany finish. Top size 29 x 15 in. Height 29 in.



CONSOLE RADIO CABINET

F902 Prepaid price, each \$37.50
A high grade piece of furniture. Neat appearance. Elegant finish. Looks well among finest furnishings. Roomy compartments hold any set with batteries, charger and all accessories. Can be entirely closed and locked. Very accessible. Strong durable construction. Paneled doors. Fine mahogany finish. Takes panel 7x33 in. or smaller. 37 in. wide, 14 in. deep, 42 in. high.

CABINET TYPE LOUD SPEAKER


FC05 Prepaid price ea. \$12.50
A fine loud speaker with a full rich tone and unusual volume. Amplifying chamber and unit enclosed in fine mahogany finished cabinet with silk backed grille front. Very convenient and better looking than most other types of speakers. A wonderful value at our price.



Complete Sets of Parts for Popular Circuits

Only high grade parts are used in these sets and each part is guaranteed to be perfect. Each one of these circuits has been tried and successfully operated under many different conditions. The detailed instructions and diagrams supplied with each set make it easy for any one without previous experience to build an outfit that will give most satisfactory results. Parts supplied are for UV201A or C301A tubes throughout. If dry cell tubes are to be used specify type of tube in order and correct parts will be furnished without additional cost.


PARTS FOR 5 TUBE HAZELTINE NEUTRODYNE CIRCUIT



F858 Complete set parts.....\$33.50
All the parts needed to build this circuit which is the leader of all circuits today. Tunes thru interference. Easy to find stations once they have been located. Brings in distant stations on the loud speaker in clear pure tones with wonderful volume. Essential parts licensed under Hazeltine patents. Only the higher grade parts are used. The following items are included.

- 1—Kit containing 3 licensed neutroformers and 2 licensed neutrodons.
- 1—7x24x3/16 Bakelite panel drilled to mount parts.
- 1—Baseboard.
- 1—7x24 high grade cabinet.
- 2—4 inch dials for neutroformers.
- 5—Bakelite sockets.
- 7—Marked binding posts.
- 2—Rheostats 1-6 ohm, 1-30 ohm.
- 1—.0025 grid condenser with leak.
- 2—.006 mica fixed condensers.
- 2—Audio frequency transformers.
- 2—Best quality jacks.
- 1—"A" battery switch.
- 30 ft. Tinned bus wire.
- 12 ft. Spaghetti tubing.


PARTS FOR 8 TUBE SUPER HETERODYNE CIRCUIT



F884 Complete set of parts.....\$57.95
One of the newest circuits. Produces wonderful results when properly handled. This set requires careful construction and tuning and we only recommend it to persons who have had some experience in building sets. Designed to be used with loop. Brings in distant stations thru any interference, with good volume and with unusually clear pure undistorted tones. Drilled panel and clear instructions insure best results. The following parts are included.

- 1—7x36x3/16 Bakelite panel drilled to mount parts.
- 1—Baseboard.
- 3—Intermediate frequency transformers.
- 1—Filter coil.
- 1—Oscillator coil.
- 2—Best grade vernier variable condensers with dials.
- 8—Bakelite sockets.
- 5—30 ohm rheostats.
- 1—6 ohm rheostat.
- 1—400 ohm potentiometer.
- 2—Single circuit jacks.
- 2—Double circuit jacks.
- 2—Audio frequency transformers.
- 1—4 inch dial.
- 1—"A" Battery switch.
- 2—.0025 grid condensers with leaks.
- 5—.0025 mica condensers.
- 2—1 mfd. by pass condensers.
- 1—.005 mica condenser.
- 1—.002 mica condenser.
- 7—Marked binding posts.
- 40 ft. Tinned bus wire.
- 9 ft. Spaghetti tubing.
- Screws, lugs, washers, etc.
- Instructions for assembling.

PARTS FOR 5 TUBE PHUSIFORMER CIRCUIT



F880 Complete set of parts \$35.95
One of the easiest sets to build. Best results assured. Two stages tuned radio frequency amplification detector and two stages audio amplification. Brings in the distant stations with great volume and purest tones. The following parts are included:

- 1—7x26x3/16 Bakelite panel drilled to mount parts
- 1—Baseboard
- 3—Phusiformers with dials
- 5—Bakelite sockets
- 2—Rheostats, 1—0 ohm, 1—30 ohm
- 1—.0025 grid condenser with leak
- 1—.006 mica condenser
- 1—.001 mica condenser
- 1—3 spring jack
- 1—Single circuit jack
- 2—Audio frequency transformers
- 1—"A" battery switch
- 7—Marked binding posts
- 30 ft. Tinned bus wire
- 12 ft. Spaghetti tubing
- Instructions for assembling


PARTS FOR REINARTZ CIRCUIT



F862 Complete set of parts for one tube set.....\$10.75
F863 Complete set of parts for three tube set.....\$17.95
One of the best circuits for bringing in distant stations. Can be built at very low cost yet produces fine results. Easy to handle. The three tube provides loud speaker volume on distant stations. It contains all parts listed below for a one set and in addition 2 sockets, 2 audio transformers and 2 rheostats and has a 7x21 panel. The following parts are supplied for the one tube set.


- 1—Green silk spider web
- 1—Reinartz coil
- 1—7x18x3/16 Bakelite panel drilled to mount parts
- 1—Baseboard
- 1—11 plate vernier condenser with dial
- 1—23 plate plain condenser
- 1—3 inch dial
- 3—Switch levers
- 24—Switch contact points
- 6—Switch stops
- 1—Bakelite socket
- 1—0 ohm rheostat
- 1—Single circuit jack
- 5—Marked binding posts
- 1—.0025 grid condenser with leak
- 30 ft. Tinned bus wire
- 12 ft. Spaghetti tubing
- Instructions for assembling

ERLA REFLEX CIRCUITS



F876 Complete parts, one tube set \$19.75
F877 Complete parts, 2 tube set..... 27.80
F878 Complete parts, 3 tube set..... 34.90
These circuits have opened a new field in radio. One tube does the work of three in an ordinary set, two equal four, three equal five. Crystal detector improves quality of reproduction preserving the full mellowness of the original. Easily handled, will bring in distance well. All parts are exactly as specified in Erla circuits. Panels are drilled for easy assembly. One tube set has 6x7 panel, two tube 7x14, three tube 7x18.


COCKADAY



F873 Complete parts, one tube set.....\$10.25
F874 Complete parts, 3 tube set..... 18.75
A very selective set that will tune out even near by stations. A favorite circuit with many builders. One tube set has 7x14 panel 5 tube 7x21. Panels are drilled for easy assembly. Instructions furnished for assembly.

IN addition to the circuits described above we can furnish complete parts at attractive prices for Harkness, Acme Reflex and all new circuits. Write for prices on any circuit in which you are interested.

LICENSED NEUTRODYNE PARTS



F852 Licensed Neutrodyne Kit.....\$14.95
Includes three licensed Neutroformers, 2 neutrodons, panel layout, template and book of instructions for building up neutrodyne set. By adding other parts a neutrodyne set can be built at low cost.

FADA NEUTRODYNE PARTS

F855.....\$21.00
A combination package of three neutroformers and two neutrodons with instruction book.

FADA PARTS FOR 5 TUBE SET

F857 Complete.....\$49.00
Contain all necessary parts including drilled panel, careful instructions, sockets, dials, condensers, transformers, bus bar wire and fine mahogany finish cabinet.

SPIDER WEB COIL FOR REINARTZ CIRCUIT

F296 Each.....\$1.10
A very unusual valve. Made of green silk covered wire, spiderweb wound. 21 taps so arranged that crossing avoided. Mounting bracket permits various styles of mounting. Directions included.

COCKADAY PARTS

F298 Per set.....\$1.65
Complete set coils for Cockaday circuit. Properly calculated and made to give best results in this new wonder circuit.
F276 Amplex grid-enser for Cockaday Improved 5 tube circuit.....\$1.10
F277 48000 ohm genuine "Lavite" Resistances. Each.....\$1.05

ERLA REFLEX PARTS

Genuine Erla Parts
F599 Selectorformer.....\$3.95
F578 No. 1 Reflex Transformer 3.95
F579 No. 2 Reflex Transformer 3.95
F597 6 to 1 Audio Transformer.....\$3.95
F598 3 1/2 to 1 Audio Transformer.....\$3.95
F740 Erla Crystal Detector.....89c

PARTS FOR SUPER HETERODYNE

F885 Raven Super Heterodyne Kit.....\$22.50
Consists of one oscillator coil, one tuned stage transformer and three intermediate frequency transformers. Coil forms and transformer case moulded of genuine bakelite. Book on Super Heterodyne construction included.

REMLER SUPER-HETERODYNE KIT

F887 Per set.....\$22.00
Set includes one oscillator coil, one tuner stage transformer with condenser mountings attached, three intermediate frequency transformers, and wiring diagram. These parts in circuit recommended have been built up into some of the most satisfactory sets.

BRANSTON SUPER-HETERODYNE KIT

F889 Per set.....\$29.50
Contains the special parts necessary for a seven tube Super-Heterodyne set, an oscillator coupler, one tuned stage transformer, three intermediate radio frequency transformers and one antenna coupler. Panel layout and instructions included.

PARTS FOR ULTRADYNE CIRCUIT

F892 Set of four transformers. One input and three radio frequency transformers.....\$22.00
F893 Antenna Coupling Coil..... 1.90
F894 Oscillator Coil..... 1.90

ULTRA AUDION COIL

F297 Each.....\$8.50
Spider web wound of green silk covered wire. Four taps. Produces wonderful results. Fibre strips and wooden rod for mounting and direction included.
F865 Complete set of parts for Ultra Audion one tube set using above coils \$7.95
F866 Complete parts for 3 tube set \$15.95

DIXIE SCREW ASSORTMENT

F351 100 pieces screws and nuts.....43c
Contains screws and nuts of size and style needed for assembling any radio set.

PRICES NOW ARE LOWER THAN EVER BEFORE

STORAGE "A" BATTERY

A high grade battery. Guaranteed for three years. Made of best new materials. Full capacity. The best battery buy on the market. Try one of these batteries on your set for 10 days. If at the end of that time you are not fully satisfied with the battery return it and we will refund the purchase price. Note that our prices are prepaid. Transportation cost considered these are the lowest prices obtainable. We deliver this high quality battery to you for less than the cost of inferior batteries.



F194 6 volt, 60 amp. size. Each...\$9.90
F196 6 volt, 100 amp. size. Each...\$13.25

BATTERY CHARGER

Connect charger to 110 volt 80 cycle light socket and 70 or 90 battery charges automatically over night at a cost of only a few cents. Cord and clips for connections included.

F201 For 6 volt battery.....\$12.95
F203 For 12 volt battery.....12.95
Noiseless Rectifier Bulb Charger—King, Tungar or Rectigon.
F255 2 ampere size.....\$15.95
F256 5 ampere size.....24.95

HYDROMETER

F190 Each.....48c
Helps keep battery in better shape by showing exact condition.

BATTERY CLIPS

F198 Two for.....28c
Clip onto storage battery terminals, lead coated. Make positive non-corrosive contact at all times.

"A" BATTERY CORDS

F191 Per pair.....69c
Two heavy insulated stranded copper wires 5 feet long. Battery clip on one end and binding post terminal on other end. Eliminate shorting of a battery. Provide positive connections.

CONNECTING CORD SET

F192 Each.....48c
Consists of 5 connecting cords with braid over all. Each cord has distinctive colored covering. Terminals for connections. Makes connecting of both A and B batteries to set easy with no mistakes in polarity or voltage. Long enough to reach from table to floor or for use in any type cabinet. Does away with unsightly wires.

PLATE CIRCUIT "B" BATTERIES

Reduced prices. A leading standard brand advertised to sell at much higher prices. No better battery made. Lowest service.

F180 Small size 2 by 2 1/2 by 3 3/4 inches 2 1/2 volts. Each.....95c
Ten for.....\$8.60
F184 Large size, 5 taps. Size 3x1x5 1/2 inches. 2 1/2 volts. Each.....\$1.65
Ten for.....\$14.70
F188 Large size, 6 taps. Size 3x3x5 1/2 inches 4 1/2 volts. Each.....\$2.90
Ten for.....\$27.90

VERTICAL "B" BATTERIES

F181 2 1/2 volt. New upright size 3x2 1/2x5 1/2 in. Takes less space in set. Each.....\$1.90
F183 4 1/2 volt upright size 3x7x7 1/2 in. Each \$2.90. Ten for \$27.90
F185 New Jumbo size 4 1/2 volts. Height 7 1/4 in. Length 8 1/4 in. Width 4 1/2 in. Especially designed for large sets. Gives about twice the service of above battery.
Each.....\$4.45. Ten for.....\$39.00

"C" BATTERY

F186 4 1/2 volt C Battery size 4x1 3/4x3 1/2 in. Each.....\$4.2. Ten for.....\$3.95

STORAGE "B" BATTERIES

F202 12 cells, 24 volts. Each.....\$4.18
More economical than dry cell "B" batteries on sets using 3 or more tubes. Can be recharged when run down. Capacity 2500 milliamperes. A high grade battery. Glass jars with rubber caps. Strong moulded tray. Shipped dry so as to be available. No Electrolyte included. If electrolyte not obtainable locality order below.
F204 Electrolyte for above (not available).....40c

"B" BATTERY CHARGER

F205 Each.....\$8.95
Recharges 24 or 48 volt B batteries from 110 volt 60 cycle light socket rapidly and at practically no cost. Keeps batteries in good condition.

We Pay Transportation Charges In U. S. East of the Rockies

PRESERVE THESE PAGES—ORDER FROM THEM AND SAVE MONEY
FAST SERVICE—TRY US AND BE CONVINCED
THE PRICES QUOTED DELIVER THE GOODS TO YOUR DOOR
OUR GUARANTEE PROTECTS YOU—We handle only the best goods, carefully tested and checked by expert radio engineers. You are assured of getting guaranteed apparatus that will give superior results. And while our goods are best, our prices are lowest. Our goods equal or surpass the claims we make for them. We do not attempt to deceive or mislead. Our reputation for fair dealing is our most valued asset
HOW TO ORDER—Write your Order plainly, state Article Number, Description and Price of items wanted. Send Postoffice or Express Money Order. Certified Check or Bank Draft for Total of Order. Prompt Shipment is assured when these directions are followed.

BARAWIK QUALITY HEADSETS

F770 Per Set. 2000 ohms.....\$2.60
These headsets have proven on rigid tests to be one of the very best on the market. The tone quality is excellent with an unusual volume. The receiver cases are fine polished finish with polished black ear pieces. Comfortable fabric covered head band. Supplied with 5-foot cord. These sets were designed to sell for much higher prices than we ask, and at our price are a wonderful bargain. We guarantee that you will be pleased with them.


STANDARD BRAND HEADSETS

F772 Little Tattler Head Sets.....\$2.66
F754 Baldwin Type C.....8.95
F753 Baldwin Junior Headsets.....4.95
F764 Frost, 2000 ohm.....3.30
F766 Frost, 3000 ohm.....3.30
F751 Murdock 56, 2000 ohm.....3.95
F752 Murdock 56, 3000 ohm.....3.90
F768 Brandes Superior, 2000 ohm.....4.95
F769 Brandes Navy, 2000 ohm.....6.95



BATTERY METERS

F189 Each.....\$89
Reads 0 to 50 volts. Accurately tells you condition of "B" Battery. Convenient watch size. Polished nickel case with wire lead. Tests 2 1/2 and 4 1/2 volt batteries.
F193 Combination meter.....\$1.30
Reads 0-50 volts: 0 to 25 amperes. Test "B" and "A" dry cells.



PHONE CUSHIONS

F774 Pair.....43c
Made of soft sponge rubber. Light as a feather. Fit any phones. Exclude all noises and make wearing phones a pleasure.

OUR SPECIAL LOUD SPEAKER

F613 Each.....\$6.75
Careful tests have proven this speaker to be equal in quality of tone and volume to most speakers advertised at \$25.00 or less. That's a strong statement if you bear in mind the price we ask but we are sure that this speaker will please you that you can try it for 10 days. If you don't like it at the end of that time, return it and get your money back. Beautifully finished fiber horn, bell diameter 10 inches. Height 21 in. Handsome heavy base prevents tipping. Connecting cord included.



STANDARD BRAND LOUD SPEAKERS AND UNITS

F618 Brandes Table Talker.....\$9.25
F615 Pathe Loudspeaker.....15.95
F616 Atlas Loudspeaker.....22.50
F620 Baldwin Loud Speaker.....22.50
F604 Baldwin Junior Loudspeaker.....14.95
F603 Magnarox M1 Loudspeaker.....21.00
F612 Magnarox R3 Loudspeaker.....29.50
F614 Magnarox M1 Loudspeaker.....26.50
F617 Music Master Loudspeaker.....27.00
F757 Morrison Adjustable Unit.....4.45
F755 Genuine Baldwin Type C unit 4.75
F608 Atlas Unit. Each.....10.75

LOUD SPEAKER UNITS WITH PHONOGRAPH ATTACHMENTS

Make a loud speaker of your phonograph. These attachments consist of a high grade speaker unit arranged to attach to tone arm of phonograph in place of a reproducer. Fit Victor, Sonora, Silvertone and other phonographs having same size tone arm.
F602 Baldwin Loud Speaker Unit with phonograph attachment.....\$8.80
F607 Western Electric Loud Speaker Unit with phonograph attachment.....9.95



PHONOGRAPH ADAPTERS

F771 Fits single unit to tone arm. Each.....39c
F773 Fits any double headset to tone arm. Each.....65c
Convert your phonograph into a loud speaker. Take off the reproducer and replace with adapter and unit or headset. Such a combination will equal or surpass in tone and volume many high priced speakers.




SUPERIOR RADIO PLUGS

Both styles take two sets of cord tips. Polished round barrels.
F397 With turned fiber barrel. Highest grade obtainable. Each.....44c
F395 With black moulded composition barrel. Each.....25c


NEW STYLE PLUG

F401 Each.....59c
Cords are held firmly in place but can be detached instantly without taking plug apart. No screws to loosen. Bakelite body. Fits all standard jacks. Best plug made.



MULTIPLE PLUG

F402 Each.....89c
Attach any number of headsets up to four. Cords attached or detached instantly without taking plug apart.




EXTENSION CORDS

F403 30 ft.\$1.95
Place loud speaker wherever desired without moving set. Consists of high grade receiver cord of length specified with plug on one end and jack on other to take plug on loud speaker cord.
F404 30 foot cord only. No plug or jack. Each.....\$1.10



LONG BLADE SCREWDRIVER

F947 6 inch.....20c
F948 8 inch.....25c
F949 10 inch.....30c
Long narrow blade makes it easier to get in difficult places. Wood handle. Length given is over all.




LONG NOSE PLIERS

F970 Each.....83c
The handiest pliers for radio work. Made of fine hardened steel. Length 5".
F972 Each.....75c
For fine electrical work, made of hardened steel. Cuts wire clean in tight places. Length 5 inches.





RADIO SOLDER SET

F538 Complete.....83c
Handy for soldering radio connections or for general small repair jobs. Consists of soldering copper with handle, sal ammoniac, soldering salts, solder and sand paper.



RADIO SOLDERING IRON

F540 \$1.15
This guaranteed iron is exactly right for radio work. A neat solid connection quickly and easily made. Operates on any lightning current 100 to 120 volts. 6 ft. cord with attaching plug. Length 13 inches.
Heavier irons for general repair work. Wonderful values at our prices.
F541 Medium size.....\$3.48
F542 Large size.....4.25



AUTOMATIC BLOW TORCH

F543 Each.....\$1.19
Burns denatured alcohol. Automatically generated, pointed flame in a few seconds. Easy to solder joints in hard places. Lights with a match. Burns 20 minutes on one filling. 5 1/2 inches high, 3/8 inch diameter cylinder. Works fine with Tinol listed below.



SUPER BLOW TORCH

F544 Each.....39c
Burns denatured alcohol. Blowing on rubber tube produces a hot pointed flame. Lights with a match. Burns 10 minutes on one filling. Easy to solder joints in hard places 3 in. high. 1/2 in. cylinder. Produces fine joints with Tinol.



HEXAGON NUT WRENCHES

F950 Set of 3.....60c
Handiest tool made for tightening hexagon nuts. Fit nuts for 4/32, 6/32, and 8/32 screws, the three most popular radio sizes.



ANTENNA MAST FITTINGS

F952 for 1/2 inch pipe per set.....\$1.00
F953 for 1 inch pipe per set.....\$2.50
Set includes adjustable base to fit roof peak or flat surface, center guy wire fastening ring and top cap with pulley for rope to raise and lower antenna. No pipe included. Makes the installation of a first class antenna simple and inexpensive.



STRANDED ANTENNA WIRE


Cabled of fine copper strands. Very flexible. High tensile strength. Best for aerials.
F248 100 ft. coil 48c F249 500 ft. coil \$2.30

SOLID BARE COPPER WIRE

Solid bare copper wire for aerials, leads or wiring instruments.
Solid Bare Copper Wire, Size 15.
F240 100 ft. coil 42c F242 500 ft. coil \$2.05


ANTENNA INSULATORS

F263 Ribbed Porcelain insulator, 2 1/2 in. long. Ea. 6c
Dozen.....55c
F260 Size 1x3 1/4 Composition metal eyelets. Two for.....17c
F265 Ribbed porcelain insulator—5 inches long. Each.....15c



ANTENNA LEAD-IN

F259.....17c
Antenna wire is brought in without drilling a hole. Place on window sill and window can be closed down tight and locked as before. Well insulated. Can be bent into any shape. Made of copper strip properly insulated.




LEAD-IN INSULATORS

F270 For 4" walls or less.....42c
F271 For 9" walls or less.....69c
The most practical lead-in insulator for aerial wires. Small, neat, effective, durable. Fits 5/8 inch hole. Securely locked by two adjustable nuts.




WALL MOUNTING INSULATOR

F262 Each.....7c
Dozen.....65c
Galvanized screw mounting. Lead in wire passes through center of porcelain insulator and is kept away from possible grounds. Easily installed.




PORCELAIN BASE SWITCHES

Fine white porcelain bases. Copper contacts and blades. Can be used as antenna switches.
F385 Single Pole Single Throw. Ea. 20c
F383 Single Pole Double Throw. Ea. 32c
F384 Double Pole Double Throw. Ea. 50c



OUTDOOR LIGHTNING ARRESTER

F980.....\$1.24
Protect your instruments with this lightning arrester. Weatherproof Bakelite case. Underwriters approved.




JEWELL LIGHTNING ARRESTER

E981 Each.....85c
A dependable protector, always on guard. Small and compact. Weatherproof porcelain case. Easily fastened and connected. Underwriters approved. Lists for \$1.10.



SUPERIOR LIGHTNING ARRESTER

F982 Each.....59c
Porcelain block with brass binding posts. Dependable and effective.



Here are the who have put on Formica

NEARLY every well-known independent radio manufacturer is represented in the list of Formica radio customers which we show below. These men know what they are doing. Their preference for Formica is based only on reasons of quality and service. They have tried everything. They know that the reputation of their sets depends as much on its insulation as on any one thing. Experience with hundreds and in some cases thousands of sets weekly has shown them that Formica fills the bill.

Some of them use Formica panels, Formica winding tubes, Formica base panels and Formica back panels. In all hook-ups incorporating radio frequency amplification, the tendency is distinctly to — *use more Formica!*

A. C. Electric Co.
Acme Apparatus Co.
Ainsworth-Gates Co.
Air-Way Electric Appliance Co.
American Radio & Research Co.
American Steel Package Co.
Andrea, Frank A. D.
Apex Radio Company
Bailey Engineering Co.
Benwood Co.
Bowman Co., A. W.
Brandes, Inc.
Branston, Inc., Chas. A.
Bremer-Tulley Co.
Bunnell, J. H.
Cardwell Mfg. Co., Allen D.
Carter Radio Co.
Central Station Equipment Co.
Chelsea Radio Co.
Chicago Radio Apparatus Co.
Clapp Eastham Co.
Cleartone Radio Co.
Cleveland Apparatus Co.
Cleveland Products Co.
Cleveland Radio Mfg. Co.
Connecticut Telephone & Elec. Co.
Consolidated Radio Cali Book Co.
Coto-Coil Co.
Crescent Radio Mfg. Co.
Crosley Mfg. Co.
Cutting & Washington

Dayton Fan & Motor Co.
DeLancey, Felch & Co.
Doron Bros. Elec. Co.
Eagle Radio Co.
Echo Radio Co.
Eclipse Manufacturers, Inc.
Electric Machine Corporation
Elliott, Howard W.
Experimenters Information Service Co.
Fargo Radio Service Co.
Fast Feed Drill Co.
Federal Institute of Radio Telegraphy
Federal Telegraph Co.
Federal Telephone & Telegraph Co.
Ferbend Electric Co.
Fireside Radio Set Co.
Franklin Engineering Laboratories Co.
Freed Eisemann Co.
Galvin Electric Co.
Garod Corporation
Gled Radio Co.
Golden Luetz Co.
Great Eastern Radio Corporation
Hall Radio Co.
Hallock & Watson
Halliwell Electric Co.
Hartman Electric Co.
Heintz & Kohlmoos, Inc.
Herzog Radio Corporation
Heslet Radio Corporation
Howard Radio Co.

FORMICA
Made from Anhydrous Bakelite Resins
SHEETS TUBES RODS

Radio Manufacturers their stamp of approval by using it Themselves.

Ingersool Radio Shops
Jones Radio Co.
Karbon Products Co.
Kellogg Switchboard & Supply Co.
Kennedy Co., Colin B.
Klaus Radio Co.
Koehler Machine Co.
Lynn Radio Co.
Luma Electric Co.
Magnovox Co.
Malone Lemmon Co.
Manhattan Electric Co.
Marco Meyer & Co.
Merchant Co., A. P.
Mercury Radio Products Co.
Midwest Radio Co.
Modern Electric Mfg. Co.
Moon Radio Corporation
Murad Radio Laboratories
Murdock Co., Wm. J.
National Transformer Mfg. Co.
Northwestern Radio Mfg. Co.
Ozarka Radio Co.
Pathe Phonograph & Radio Corporation
Phanstiehl Radio Co.
Pioneer Hardware Co.
Precision Machine Co.
Radio Apparatus Co.
Radio Corporation, R. T.
Radio Guild, The
Radio Electric Co.

Radio Instrument Co.
Radio Reception Co.
Radio Service Co.
Radio Service Laboratories
Radio Service & Mfg. Co.
Radio Shop, Inc.
Rauland Mfg. Co.
Reynolds Radio Co.
Sargent, E. M. Co.
Seeley Radio Co.
Signal Electric Co.
Simplicity Mfg. Co.
Simplex Radio Co.
Sleeper Radio Corporation
Stern & Co.
Stromberg-Carlson Tel. Mfg. Co.
Telephone Maintenance Co.
Thompson Mfg. Co.
Trego Radio Co.
Trosco
Tuska, C. D.
Unique Radio Co.
Waveland Radio Co.
Wells Mfg. Co.
Western Coil & Electric Co.
Western Electric Co.
Western Radio Co.
Wholesale Radio Electric Co.
Wilcut, J. A.
Wireless Mfg. Co.
Wireless Shop, The

Amateurs naturally feel that if Formica is best for these manufacturers to use in some of the best sets built in America — it is best to use in their own sets. Dealers know that Formica builds business for them — and that Formica service is the best in the business.

THE FORMICA INSULATION COMPANY

4618 Spring Grove Avenue, Cincinnati, Ohio

Sales Offices


50 Church St., New York, N. Y.
422 First Ave., Pittsburgh, Pa.
1142 Granite Bldg., Rochester, N. Y.
419 Ohio Bldg., Toledo, Ohio

1210 Arch St., Philadelphia, Pa.
1026 Second Ave., S. Minneapolis, Minn.
585 Mission St., San Francisco, California
Whitney Central Bldg., New Orleans, La.

516 Caxton Bldg., Cleveland, Ohio
9 S. Clinton St., Chicago, Ill.
708 Title Bldg., Baltimore, Md.
47 King St., Toronto, Ontario

FORMICA

Made from Anhydrous Bakelite Resins
SHEETS TUBES RODS




Demanding This Famous Trade Mark Is Like Having an Engineer Buy Your Radio Parts

Built into each Cutler-Hammer radio device is the experience of more than a quarter of a century in electrical control design. When you ask for this trade mark that brings you the best in engineering skill, you are doing merely what electrical engineers in industry have done for several decades.

To thousands of inexperienced radio enthusiasts, this trade mark has been the guide to success in reception—for in demanding it on the apparatus for their sets, they have obtained, without knowing just what to look for, the features and precision that radio engineers recommend.

The Name
CUTLER-HAMMER
Is Practically a Synonym
for Electrical Control

From the large controlling apparatus of giant steel mill machinery to the little 70-50 switch of which more than three million are serving on appliance cords today, the C-H trade mark is a guarantee of satisfaction. Wherever electrical control is required, the name Cutler-Hammer is in evidence.



The C-H
Seventy-Fifty
Switch



CUTLER-

The Secret of Success in Radio Lies in Precise Control

Rheostats may be built down to a size, a price, or any other restriction—but the Cutler-Hammer engineers recognized that quality and precision were the outstanding requirements of apparatus for control of the very heart of your radio set, the vacuum tube. Hence C-H rheostats were conceived in metal, with *real* bearings to give true operation throughout the entire life of the set. They give an even change of resistance, through long, flexible contact fingers that afford constant pressure. You can demand them for the control of any tube—and *be sure* of maximum receiving pleasure.

Buy With Care—Build With Confidence

The C-H Variable Grid Leak, too, is a refinement worth many times its cost. By accurately controlling the discharge of the grid condenser, signals are given a clarity and roundness of tone that adds a new enchantment to every program.


Then the C-H potentiometer with the resistance unit that does not wear and cannot be displaced, even under continuous use, is ideal for the most exacting requirements of radio construction. The C-H Radio Switch, of which more than one-half million are in use today—the switch with the real radio mechanism—affords convenient and quiet control. The new orange-shell socket whose low-loss design has attracted the attention of every radio engineer; all of these will help you to build a better set, and their cost is no higher despite their guaranteed quality. Demand the C-H trade mark and build with confidence!

THE CUTLER-HAMMER MFG. CO.


Member Radio Section, Associated Manufacturers of Electrical Supplies
MILWAUKEE, WISCONSIN

CH

Instruments of Guaranteed
Quality Assure Success
in Radio



The C-H Radio Rheostat
Furnished in 4 ohm, with or without vernier, 30 ohm, and 125 ohm to provide perfect control for any tube.



The C-H Variable Grid Leak
Mounted on the tube socket-panel controlled. Adjustable for all grid condensers.



The C-H Radio Potentiometer
The potentiometer with the resistance unit that does not wear and cannot be displaced under constant use.



The C-H Radio Socket
The low-loss socket with the orange shell. Perfect design—silvered contacts—attractive appearance.



The C-H Radio Switch
The switch with the perfect mechanism for providing easy control of the most delicate circuit without introducing microphonic noises— one hole mounting.

HAMMER



Are You Within the Headlight's Beam?

The big, practical idea behind MOTOR CAMPER & TOURIST is to help everybody get the most from their motor trips, helping everybody to motor pleasantly, conveniently and comfortably and helping everybody to select the most favorable itinerary for their trip.

Each Month are published new, interesting routes, new motoring hints, new scenic points

of interest and new ideas for motor campers new and old so that all can keep abreast of the progress of Motor Traveling.

MOTOR CAMPER & TOURIST is the beam of the headlight, illuminating the roadway of Motor travel everywhere. Get in the beam's light by sending in your subscription on the coupon below provided for that purpose inclosing \$2.50.

MOTOR CAMPER & TOURIST is edited by H. Gernsback, editor of Radio News, Science and Invention and Practical Electrics. The managing editor, Mr. John D. Long has camped up and down the highways and byways of the United States and is the Author of the book "Motor Camping", the authority on Motor Touring.

FOR YOUR SUBSCRIPTION

R.N.-10

GERMOTT PUBLISHING CO., Inc.
53 Park Place, New York City

Gentlemen:



Enclosed find \$2.50 for my subscription for one year to MOTOR CAMPER & TOURIST.

Name

Address

City and State.....

At Last---



Soft Mellow Light

You attach the light cord to any socket and switch on a soft glowing light. Then and there you will be convinced that you have the most beautiful library lamp money can buy.

Clear Resonant Radio Tone

Simply attach the Radialamp in place of the headphones. Then switch on your Radio set. Instantly the room is flooded with music so amazingly clear—so flawlessly resonant—you will wonder that any Radio loud speaker can give such perfect reproduction. No extra batteries—no adjustments.

This Amazing New Twin-Feature RADIO LOUD-SPEAKER

THERE have been "horn type" loud speakers, box loud speakers, cabinet loud speakers—but never before in the history of Radio has there been such a sensation as the RADIALAMP. It is a loud speaker. It is a library lamp. Also it is an indescribably better loud speaker, from the perfected unit in the base, to the taut parchment shade that gives it the flawless, human tone resonance. And it is an incomparably more beautiful lamp, from the artistic cast metal stem to the light-mellowing shade made of specially selected parchment.

DEALERS
 You Can Cash In On This Radio Sensation
 Put this beautiful lamp and radio horn on your counter and sell it for the price of either a good lamp or loud speaker—both for the price of one. Put it into the window. See the radio fans collect—watch them stream in to ask questions, see them admire the beauty of the lamp—especially when it is lighted and they can appreciate the soft, mellow light as well as hear the perfect tone reproduction. Thousands are buying Radialamps in New York. It will make just as big a hit in your city. Write for further information.

pare the RADIALAMP with any of the old type horns. Examine it carefully—see the latest scientific principles that make it a superior Radio horn. From the loud speaking unit concealed in the base the tone is amplified through the tapered tone chamber to the "sound mirror" in the top of the shade. Here it is deflected into the parchment shade through the warm air which is kept at a uniform heat by the light globes. The sound waves are intensified by the warm air which greatly increases the purity of the tone. Even if you already have an old-type loud speaker you will also want the RADIALAMP for its beautiful music and its excellent reading light. You can put it in an-

other room—if you wish to. Easily connected by a long wire to your receiving set.

Step in to your dealer to-day—see the RADIALAMP for yourself—you will be won over instantly by its astonishing beauty—it will positively add to the grace and charm of the already lovely furnished home. As an art piece—you will see that it is in a class by itself, and the price—the RADIALAMP is a superior lamp and loud speaker for the usual price of either one. If your dealer hasn't it, just fill in and mail the coupon. It will bring you complete information.

Radiolamp Company

Dept. 110

334 Fifth Ave.

New York

 Radiolamp Co., Dept. 110
 334 Fifth Ave., New York.
 Please send me at once complete information about RADIALAMP loud speaker.
 Name
 Address
 City State.....

Two Superior Features For the Price of Either
 As a loud speaker alone com-

ON SALE AT LEADING RADIO STORES EVERYWHERE

RADIALAMP

TRADE MARK
LOUD SPEAKER



RADIO

And all about it
in a New Refreshing
Manner

40

**NON-TECHNICAL
ARTICLES IN THE
OCTOBER ISSUE**

The Radio Department of Science and Invention is written in an entirely new and refreshing manner. Radio with all its technicalities is untangled and featured in simple words and pictures so that everything is clear and easily understandable. It separates Radio from its technicalities so that everyone can grasp its apparent mysteriousness.

This Radio department is one of the many efforts of Science and Invention to delve into every corner of both the mysterious and practical sides of Science in its effort to place before you the progress of the world from day to day.

Science and Invention is the gold covered magazine symbolizing the golden age of Science. It is crammed full of wonderful pictures on every conceivable subject that is new and interesting.

Just ask your Newsdealer to let you see a copy the next time you visit him.

Sold by All Newsdealers at 25c the Copy
Subscription Price \$2.50 Per Year

Experimenter Publishing Co., Inc.
53 Park Place New York City

**OCTOBER ISSUE
NOW ON SALE
25¢
ON ALL NEWSSTANDS**

Science and Invention

IN PICTURES

*The Gold Covered Picture Magazine
of Scientific and Inventive Happenings*

Published by

the publishers of

Radio News

Motor Camper and Tourist
and Practical Electrics

National Radio Institute Graduates Are "Cashing In" On These Wonderful Opportunities!

Austin Riu, one of our graduates, is now an operator of broadcasting station PWX of Havana, Cuba, and earns \$250 a month. Merle Wetzel, of Chicago Heights, Ill., another graduate, advanced from lineman to Radio Engineer, increasing his salary about 100 per cent. *even while taking his training!* Emmet Welch of Peculiar, Mo., right after graduating started in Radio, earning \$300 a month and expenses as a radio salesman. William West of St. Louis is earning big money as a radio correspondent.

Not a week goes by without our receiving urgent calls for our graduates. "We need the services of a competent Radio Engineer" writes a prominent radio firm, "Would appreciate your recommending any person who could fill position." "We want men with executive ability as well as radio knowledge, to become our local managers" writes another firm. "We will require the services of several resident demonstrators"—these are just indications of the great variety of opportunities open to our graduates!

More Money for YOU in Radio

Are you "cashing in" on your Radio Knowledge? If you're not, you are passing up the best bet that has ever come your way. It's entirely up to you. There's nothing impossible in Radio for the man who has nerve enough to try. In a few months at home, you can easily become a *recognized radio expert*—and to these radio specialists, Radio offers remarkable salaries, easy, fascinating work, short hours—and a wonderful future!

Earn \$2500 to \$10,000 a Year

You can earn bigger pay than you probably ever dreamed possible. Only don't let yourself stay in a rut. Sit up—look up—make up your mind that if others can make big money and big successes in Radio, so can you. The National Radio Institute has a sound practical radio course that defies comparison. It has a record of successful graduates that is unquestionable evidence of its ability to qualify you quickly for a big money position in Radio.

Our Free Book "Rich Rewards in Radio" tells all about the amazing opportunities Radio offers *you*, and describes how you can become a recognized radio expert at home in an astonishingly short time. Now—while your ambition is warm—mail the coupon for this big-money Free Book! National Radio Institute, Dept. 13KA, Washington, D. C.

THIS FREE BOOK
Points The Way
To Your Success




National Radio Institute, Dept. 13KA
Washington, D. C.

Without obligation send me your book, "Rich Rewards in Radio," which tells all about the opportunities in Radio, how spare time study at home will qualify me quickly as a Certified Radiotrician so I can get one of these splendid positions, and how your Employment Service helps me to secure a big pay position.


Name..... Age.....
Please write plainly

Street

City..... State.....



The Practical Way to Buy Radio



That Button identifies the Ozarka Factory Representative in your city. It is your assurance of complete radio satisfaction.

THE automobile is a success today because of the service station. Little things sometimes go wrong with the best of cars—exasperating to the owner but very easily corrected by the trained mechanic.

The same condition is true of radio instruments. No matter what anyone tells you, the most perfectly constructed radio instrument sometimes requires service.

The pleasure you derive from radio depends not only on the quality of your instrument, but on the quality of the service you can secure on that particular make of instrument.

Ozarka Radio instruments are sold only by direct factory representatives—men who have been thoroughly trained on our instrument *and no other*

The Ozarka Representative knows every part, every wire of the Ozarka. In fact he completely assembles his own instruments. His training on installations, aeri-als, ground connections, operation and service comes directly under our own engineers who designed and perfected the Ozarka circuit.

This method of training men for radio sales and service is not an untried idea. It was originated by Ozarka, Incorporated, two years ago. Today nearly 1900 men are delivering this service. More are right now going thru their training. The sign of the long distance goose is your protection. The Ozarka representative will gladly set up an instrument in your home without any obligation on your part. He will set it side by side with all others for beauty, distance, volume, tone and ease of operation.

He won't tell you he has the best—he'll let you prove it by your own operating. His complete installed price backed by Ozarka service will be much lower than you can possibly buy any instrument of similar quality. The Ozarka plan of selling direct from factory to you through our own factory representative makes it easily possible to sell four tube long-distance instruments for loud speaker operation as low as \$39.50. Our illustrated book No. 200 describes the Ozarka instrument fully. A copy is yours for the asking. Please mention the name of your county.

More Ozarka Representatives Wanted

RADIO under the Ozarka Plan offers an exceptional opportunity to the right kind of men. 1900 Ozarka Factory Representatives have been trained under our plan to sell, install and service the Ozarka Radio Instrument.

The man we want is now employed—he has held his present position for some time—he is not a "floater" jumping from job to job. He feels certain that there must be some way whereby he can better his condition—he is not afraid to try.

He may not be a salesman, but he can talk convincingly on something that he knows perfectly, and firmly believes in. He may not have much money, but he is not "broke." He is mechanically inclined—he is willing to give Ozarka his spare time in study in his own home under our engineering department.

The Ozarka Plan will give such a man more money, more independence, and possibly his first real opportunity to build up a permanent, profitable business of his own which will quickly justify giving it all of his time.

The Ozarka Plan is fully described in a large illustrated book. A copy will be sent to men who are willing to tell us fully about themselves. Unlike any book you have ever read, the Ozarka book is a true story of life, of men, of why they fail, and how they succeed. It is founded on the principle that nothing is impossible to the man who is determined and willing to try.

In territory not now covered, the right man is wanted. The investment in money is small, but the investment in time and study is considerable. If you are determined and willing to put forth the necessary effort to obtain a splendid profitable business of your own, write and say "Send me your Ozarka Plan Book No. 100." It may be the turning point in your life. Don't fail to mention the name of your county.

OZARKA
Four Tube
RADIO
as Low as
\$39.50



OZARKA, Inc., 804 Washington Blvd., Chicago, Ill.



RADIO NEWS

H. GERNSBACK, Editor and Publisher
ROBERT E. LACAULT, Associate Editor

EDITORIAL AND GENERAL OFFICES, 53 PARK PLACE, NEW YORK

Vol. 6

OCTOBER, 1924

No. 4

What Outfit Shall I Buy?

By HUGO GERNSBACK

THIS editorial is addressed to those who are thinking of acquiring a radio outfit for their entertainment. The editor is continually in receipt of letters from readers in every part of the country who wish to know what outfits they should buy. As a rule the correspondents fail to give some of the most important information, namely: First—for what service the outfit is intended; second—what range it should cover; and third—what price can be expended upon the set in question.

In the first place it should be understood that a radio outfit is not very different, as a utility, than an automobile, a phonograph, a suit of clothes or a pair of shoes. Individual taste, usually, is a predominant factor in the choice. Before an adequate reply can be made to anyone, the price, which probably plays the most important part, should be considered.

You can get good radio outfits at costs ranging from \$10 to \$500. If you are located in or near a city and wish to receive local stations only, and if you do not care to spend more than \$10, there is a large number of good crystal sets to choose from; and these sets are not as mediocre as many think. The crystal outfits are famed for their clearness in reproducing sound, and, while they do not give very loud sounds, the tone is usually sweet and clear with a good pair of phones. Loud speakers—in the overwhelming majority of cases—cannot be used with them. With a crystal set, as a rule, radio concerts are not heard clearly further than 15 miles from a broadcast station. While some have received from stations as far as 1,000 miles, no honest manufacturer will claim a great percentage of his sets will actually cover such a range.

We next have the single tube set. If this set is of the regenerative variety—and there is a number of good ones to choose from—the volume from local stations will be very much greater than with the crystal outfit. Good one-tube sets bring in broadcast reception with sufficient loudness to be heard all over the room, in many cases, when the telephone receivers are placed on the table. Such sets usually are just as good for long distance as the multiple tube sets. By that we do not mean to imply that a one-tube set will bring in a 1,000 mile station as loudly as a multiple tube set, but you will be able to hear it well in your telephones and that, after all, suits many people. With such a set, an aerial and ground are, of course, required. The set cannot operate a loud speaker except under very unusual circumstances or in the near vicinity of a broadcast station. Single tube sets, unless they are of the radio frequency-crystal combination, or reflex-crystal combination, are never recommended for loud talker purposes by conscientious manufacturers or honest dealers. A single tube set generally gives very clear reception and good volume, is cheap to operate and fills every want for the man who does not care to expend more than \$25 or \$30 for the complete outfit, which figure includes the outfit, aerial equipment, two sets of dry batteries (both "A" and "B") and phones.

From the one-tube set upwards it becomes largely a matter of how much the purchaser is willing to pay. The crystal and one tube sets may be compared to the Ford car, whereas all the other larger and multiple tube sets can be compared to the higher priced cars. The Ford car does the service and takes its owner where he wishes to go, just as well as a \$10,000 car does. It all comes down to the question of price and utility. As a matter of fact, sometimes the crystal or one-tube set is preferable to the large multiple tube sets, mostly for reasons of portability. A good one- or two-tube set is ideal where there is not much room to be spared at home or when the set is to be carried around for camping purposes, or by salesmen, and for the general traveler who wishes to take his outfit wherever he goes.

Coming now to multiple tube sets it should be understood that, as a rule, it takes a three-tube set, to operate a loud speaker. While certain two-tube sets will bring in local stations with fair volume they cannot be relied upon to do so under all circumstances. It should be understood—and the writer has already mentioned this above—that the multiple tube set does not necessarily bring in any more distant stations than the single tube set. What it does, however, is to bring them in much louder. It might be said that the more tubes are used, the louder will be the broadcast reception; but unless the set is a very unusual one, it is not actually more sensitive than a well designed single tube set. The exceptions to this are some of the well designed tuned radio frequency sets and the Super-Heterodyne class. Most of these sets cover greater distances than the single tube variety.

Up to and including a four-tube outfit, speaking generally, it is necessary to use either an outdoor or a good indoor aerial. So-called loop sets, unless they are exceptional, require at least four or more tubes. It is true that there are some three-tube reflex sets that work on a loop, but we doubt if such sets can receive from great distances. They will probably serve well enough for local stations.

So much for the technical side of the question. The next thing most people ask is, why outfits have such a wide variety of prices. Again the answer is that the make and style govern the price. You can buy a good pair of shoes for \$3 and you can buy a good pair of shoes for \$20, according to the material. Generally speaking, the higher priced sets come in better finished cabinets, the tendency now being towards "furniture" sets. Such apparatus ranges from \$150 upwards, and may not work better, speaking of the radio end, than a set costing \$60. The difference in price is made up in the cabinet. If your tastes run along expensive "period" cabinet designs made of rare woods, elaborately finished, you are naturally expected to pay more money for it than for those finished in cheaper cases.

When it comes to a choice when buying an outfit, the foregoing paragraphs will probably be a fair guide, but now comes the important question of how to select from the different makes. There may be 50 different five-tube sets on the market ranging in price from \$60 up to \$500. As a guide, we would say to the prospective buyer—buy only a well advertised set. As a rule, the advertised sets are made by reliable manufacturers who are known for their stability and their integrity. Unknown sets or obscure makes should be shunned, just as you would shun an unknown automobile or an unknown phonograph. If something goes wrong with a widely known and advertised radio set you will find little difficulty in having the trouble rectified. This, as a rule, is not the case with the unbranded and unknown sets.

As for the best time to buy a radio outfit, that time is *now*. All the latest models are on the market this very minute. Do not let the argument that radio outfits will be greatly improved *in the future* deter you from buying a set. Of course radio outfits *WILL* be improved in the future. So will automobiles, houses, shoes and everything else. You know full well that five years from now the automobile will be vastly improved over your 1924 model. That does not deter you from buying your 1925 car. The same logic should be used when contemplating the purchase of a radio set. Even with *all* improvements coming in radio, your set will be good for several years, just as an automobile or a phonograph.

This does not hold true only of radio sets, but of every other merchandise as well. If you stop to reflect about it for a minute you will see the truth of it.

Music from Your Lamp Socket

By R. D. DUNCAN, Jr.*

The recent progress made in wired radio leads us to believe that contrary to popular opinion, it has made a field for itself and will continue to move onward without effecting radio sans wires. Mr. Duncan relates the history and the present activities of this new child of science.




Fig. 4. Assembled and unassembled views of a wired radio receiver employing a two stage audio frequency amplifier and a loud speaker. The tuning apparatus is the same as that employed in the crystal receiver shown in Fig. 2.

TWO years have elapsed since the first experiments in wired radio broadcasting over electric lighting lines were conducted in Washington, D. C., and Cleveland, Ohio. Wired radio or wired wireless, it will be recalled, refers to the use of high or radio frequency currents on telegraph, telephone or electric power wires. Due to the vast difference in frequency of the wired radio and telephone or power currents, and because of the properties of high frequency circuits which permit of obtaining a high degree of selectivity, it is possible to superimpose, not only a single high frequency channel, but a plurality of such channels on the same pair of wires without there being interference either between the normal wire and wired radio services or between the various channels themselves. The use of wired radio for long distance communication over telephone lines dates back several years. Its use, however, for broadcasting over the electric lighting system of a large city is comparatively new.

During the past two years considerable progress has been made in the latter field. Immediately following the Cleveland experiments, research, on a more elaborate scale than had hitherto been attempted, was resumed in Washington, D. C., where, in co-operation with the Potomac Electric Power Company, a wired radio transmitter was installed in the Georgetown substation and operated into the 2300-volt, three-phase lines instead of the usual aerial. Receiving apparatus, which connected with the 110-volt lines by means of a plug and socket, was located at the Bureau of Standards and at a number of other points in Chevy Chase, D. C., and Maryland.

Experimental operations were continued for several months, during which time data was obtained concerning the high frequency characteristics of the high and low voltage lines and of certain power apparatus. Experimental broadcasting was carried on and

reception conditions noted at the different receivers for varying conditions at the transmitter such as frequency, power, etc.




Fig. 6. A high frequency motor which was operated from a wired radio transmitter four miles distant.

EXPERIMENTAL STATION

In February, 1923, experimental operations were transferred to Staten Island, N. Y., which constitutes Richmond Borough of Greater New York City. Staten Island is

located in lower New York Bay and has a population of 136,000 with approximately 25,000 electric light customers. In co-operation with the Staten Island Edison Corporation, the first commercial experiment in wired radio broadcasting was conducted. The transmitting apparatus was operated into the 2,300-volt, three-phase, 60-cycle lines, of which there were seven main feeders supplying the light load. The average peak and minimum loads per feeder were, respectively, 375 and 100 k.w. The lines were all aerial. Voltage regulation was effected at the 2,300-volt busses through the Tirrill system.

The objects of the Staten Island operation may be summarized as follows:

1—To bring the development of this system of broadcasting as rapidly as possible to the stage where it could be commercially tested.

2—To initiate commercial wired radio broadcasting.

3—To determine the reaction of the public to this new service.

The transmitting apparatus was initially installed at the power house, but was subsequently moved to its present location approximately three-quarters of a mile distant. Special wires carrying only the high frequency current were run to the power house, there connecting to the high voltage lines. The equipment was housed in a three-story private dwelling which served both as a transmitting center and as a studio from which programs were originated. The basement contained the motor generators for furnishing the high voltage for the plates of the transmitting tubes; the first floor contained the reception room and the studio with microphone equipment; the second floor contained the transmitting, low frequency amplifying, and control apparatus, together with the printing telegraph machine employed by the news service; and the third floor, a small laboratory.

The idea of renting, instead of selling outright, the receiving equipment is fundamental with the scheme of wired radio broadcasting. The use of the lines for broadcasting will be obtained from the lighting company on a rental basis, by a central organization which will supply both the program and the receiving apparatus. The latter will be distributed and serviced either through the existing distributing channels of the lighting company



Fig. 2. Assembled and unassembled views of the wired radio crystal receiver. The long flexible wire has a plug on the end which is screwed into any lamp receptacle in the house when it is desired to receive.

*Chief Radio Engineer, Wired Radio, Inc.




Fig. 1. The wired radio control room showing the one-channel and two-channel transmitters which, instead of connecting to an aerial, are related to the high tension lighting feed wires at a point where they issue from the central power house. The two-channel transmitter is in the right of the photo.

or through a separate company. Other plans of distribution may, of course, be substituted for this.

By this means, on a "pay for what you receive" basis, it is believed that a broadcasting service may be developed which will be both self-sustaining and entirely satisfactory to the recipient. This plan will permit

wired radio to perform a function quite different from that of space radio, and to make a place for itself without hindering the advancement of broadcasting through the air. For the convenience of those who will want both the wired and space radio programs, special receiving apparatus has been developed by which the wired radio receiver

may be switched at will into any standard space radio amplifier and loud speaker.

As the receiving equipment is the means through which the wired radio subscriber comes into contact with the central station, and since it is rented and must, therefore, be serviced, it is obvious that it must be simple in operation and very rugged in construction. Two types of receivers have been developed which will be here designated as the crystal and loud speaker types. Both connect directly to the 110-volt lines in the usual manner through a pair of wires and plug, contain a crystal as a detector, and have only a single adjustment. The crystal receiver is furnished with a pair of telephone receivers; the loud speaker unit contains the same tuning elements as the crystal type and in addition two steps of audio-frequency amplification and a loud speaker. The filaments of the amplifying tubes are lighted by alternating current from the 110-volt source through a special transformer. In the earlier type of tube unit the plate voltage was furnished from the small size plate battery, four of which were contained in the set. In the later units, however, both the plate and filament energy are obtained from the 110-volt source. The rental of the crystal receiver was two dollars per month with a dollar installation charge; the loud speaker unit rented for five dollars per month, the customer being required to purchase the two amplifier tubes. Five hundred crystal and 50 loud speaker receivers were constructed with which to commence operations.





Fig. 5. An interesting curve which shows the current received from the 110-volt lines for one particular receiver location. Note the decided effect the frequency has upon the received current.

COMMERCIAL TEST

Commercial wired radio broadcasting was started in September, 1923. Receiving sets (Continued on page 558)



The Life and Work of Lee DeForest



DR. LEE DE FOREST, B.S. D.Sc.

LEE DEFOREST was born in Council Bluffs, Iowa, August 26, 1873. He is the elder son of the late Rev. Henry Swift DeForest and Anna Margaret Robbins.

The family to which he belongs is one that could be envied. The American branch is descended from Isaac DeForest, who migrated from his home in Leyden, Holland, to New Amsterdam in 1636. The line of descent is unbroken in America from the first of the clan to the present time.

Old Isaac, according to the "History of Harlem" owned "fifty morgen" bordering on The Kills, opposite Harlem River. In recognition of his ability and work and upon the recommendation of Peter Stuyvesant he was made a Great Burgher. His mantle fell upon the shoulders of his son, David, who was a glazier by trade. David moved to Stratford, Connecticut, where he set up shop and raised six sons, one of whom established the "DeForest Fund," which was later a benefit to the subject of this story in obtaining his diploma at Yale.

Gideon, a grandson of the glazier, followed his father's footsteps and raised four sons, all of whom lived to be more than seventy years of age and took a more or less prominent part in the war for American Independence. Abel, the second son, seems to have reached the highest in this war record, for it is recounted that he held personal acquaintance with George Washington and stood with Andre at his death. During the latter years of the war he was captain on a merchantman. During several trips made by his ship, he had a cabin boy who signed the ship's papers with the name Hull. This Hull was later to make more of the country's history as Commander of "Old Ironsides," during the War of 1812.

This Abel was a great uncle of Rev. Henry Swift DeForest, Lee DeForest's father. He named his first son, Lee, after his own father, Lee DeForest, who was a son of Gideon. Gideon had been a trooper in the cavalry of "Light Horse Harry" Lee during the Revolution and named this son Lee out of admiration for his dashing commander.


CHILDHOOD IN SOUTH

Practically all of DeForest's early childhood was spent with his father in small communities in the then Far West and South. Acquaintance with the conditions which obtained in such communities at the time gives an easy explanation of the solitary habits and inquisitive nature which manifest themselves through his life.

As a minister and a very religious man, Rev. DeForest was taken by his work to Talladega, Alabama, when Lee was six years of age. This was in 1879 and at the height of the Reconstruction period in the South. The Rev. Dr. DeForest moved to the Alabama town to assume the presidency of a Negro college, called Talladega College, which was being operated with funds raised by the Congregational Church.

An understanding of the attitude of the Southerners to all the attempts on the part of their late enemy to establish a culture and education among the Negroes must be had if the early formative years of DeForest's childhood are to be understood.

The Southerners, or the "nasty little Rebs" as they are referred to in many of the youthful accounts written by DeForest during his years of schooling among them, looked upon the efforts of the high-minded, idealistic, though slightly impractical teach-



The house where DeForest spent the greater part of his early childhood.

ers and professors, with little more liking than they did upon the carpet-baggers. This may be proved easily by the fact that in none of the accounts of the family during its sojourn at the school contain references to any of the native whites as friends or co-workers. Their social life was restricted almost entirely to intercourse among themselves—the little group of valiant workers whose only remuneration was the hatred of the people of their own class among whom they lived. Such a state of affairs is not at all hard to understand in connection with the DeForests. The account of the American branch of the family is one long tale of pioneers and hard workers—idealists much on the order of the idealized New England Puritan. This was particularly true in the case of Lee's father.

Since all his early childhood and youth was spent in such surroundings it was obvious that there would be a direct effect, caused by them, shown in later years. The immediate effect was, of course, an almost complete isolation from children of his own age and interests. Consequently he had to fall back upon his own ingenuity for play and entertainment. This resulted early in a highly developed skill for handicraft and drawing.

Another contributing factor to this early development was the scarcity of books and other reading matter. Most of his reading consisted of the *Youth's Companion*, "The Patent Office Report" and an "Encyclopaedia of Mechanics." All three of these he read constantly. In note books he kept from his tenth year, there is column after column of building instructions cut from the *Companion* pasted in here and there. It may be inferred from their trend that he shifted his interest chiefly to electricity during his twelfth year.

Each week, the *Companion* carried a special constructor department and each week with religious regularity DeForest attempted to construct the electrical appliance

WE are happy to present, beginning with this issue, a biographical series of one of our greatest living radio authorities, Dr. Lee DeForest, B.S., D.Sc.

Dr. De Forest needs no introduction. He is one of the outstanding figures in radio today and his name is known everywhere. As the inventor of the modern vacuum tube, wireless telephony, both transmitting and receiving, was made possible by him.

Dr. De Forest is one of the pioneers of wireless telegraphy. One of the most important of his inventions is the audion or vacuum tube, as it is called today. He is also responsible for regeneration, making long distance radio reception possible. He is also the inventor of the modern talking motion pictures.

He was awarded a gold medal at the St. Louis Exposition in 1904 for "Work on Wireless"; a medal by the San Francisco Exposition in 1915 for the Radio Telephone; the Cross of the Legion of Honor; Elliot Cresson Medal; Franklin Institute; Medal of the Institute of Radio Engineers and many others.


The articles, during the coming 12 months, will tell you all about his early struggles, his inventions, his trials and his successes. We promise an interesting serial.—Editor.

AN ELECTRIC MOTOR.

Every electric motor consists of two essential parts—a movable magnetic part, called the armature, and a field magnet which is excited by the electric current. The field magnet attracts the armature and causes a rotation, which is transformed, by means of various mechanical contrivances, into any desirable form.

Figure 1 illustrates these two parts, in their simplest forms, as illustrated in the cut. To the end of a two by four inch base, screw an upright piece of half-inch board two and a half inches long. To this secure, by means of a two-inch iron screw, the field magnet, which consists of a thread spool, an inch and a half long, which has been wound with number twenty insulated copper wire. The spool should fill the hole in the board, and it is advisable to cut away as much of the superfluous wood of the spool as possible, in order that the wire may be close to the iron throughout its whole length.

The armature is made from a similar spool, around whose middle are arranged, at equal distances from each other, six one-inch iron screws. They should project about three-quarters of an inch from the spool.



No good for a motor


My induction coil wouldn't give a sensible shock at all

AN INDUCTION COIL.

In rheumatism, neuralgia and nervous diseases, electricity often is of great benefit. If it does not effect a cure, it may still render important service in alleviating the sufferings of the patient. The electricity employed is what is termed induced electricity, and, to be effective, must be supplied in a series of rapid shocks.

Instruments which can be used for this purpose are, as a rule, quite expensive; but the amateur may easily construct one for himself. The instrument is but a slight modification of an electric bell, which was described in *The Companion* a few months ago.

Around a round stick, three-eighths of an inch in diameter, wind two or three thicknesses of paper, sticking them together with flour paste. After they have been dried, remove the hollow paper cylinder, previously cutting it to a length of two and a half inches. In one end of this fasten, by means of glue or sealing-wax, a piece of three-eighths round, soft iron, half an inch long, allowing an eighth of an inch to project. Then attach at each end a button of pasteboard an inch and a quarter in diameter.



On this paper spool wind four layers of silk insulated No. 22 copper wire, connecting the ends as shown in the cut, and as was done in the case of the electric bell. Outside of this coil, and not connected with it, wind a large number of layers of the finest silk-covered copper wire that you can obtain; No. 34 would be the proper size. Fasten the coil, thus wound, to a base, by means of a strap of tin plate. Connect the two ends of the fine wire with two binding-posts.

Notes and sketches taken from DeForest's scrap book. He tried to build the apparatus shown. His results are given in his penciled note beneath.



DeForest as he looked at eleven years of age at Talladega, Ala.

shown. They ranged from the simplest magnet to motors and Leclanché cells.

One of the most peculiar traits noticeable in the boy's character is the series of concise notes kept on all his trials with the apparatus he assembled and attempted to make work. With the Leclanché cell these notes tell almost as much as the original article which he followed. The building and making it work covered a period of several

months. Living in a small town where there were no modern conveniences and where the chief interest of the shop keepers lay in jeans pants and hickory-cotton shirts it was impossible to obtain carbon for the positive electrode. His first attempt was with coke. Needless to say an electric bell gave no sound when connected to this battery. Then, seeing that another course would have to be followed he proceeded to grind the coke in a home-made pestle and mortar, and bind it together with molasses. The notes state that the combination of this carbon, used in connection with a poor grade of zinc, amalgamated with thermometer mercury, gave "indifferent results." The cell was finally brought to successful operation after a couple of months when Lee and his father made a trip to Chattanooga, Tennessee, and Look-Out Mountain.

While his father was surveying the beauties of the scenery and the battlefields Lee was following slowly behind, insisting on walking in the gutter at the side of the road leading up the mountain side. His father did not notice for some time, but later, after Lee had insisted on falling further and further behind, remonstrated only to find that his son's interest lay not in the fields of history, but in finding carbon stubs thrown on the roadside under the arc lights.

He found several of the carbons and upon his return home finally made the cell and entered in his notes, "Leclanché cell works."

He manifested an extreme interest in all
(Continued on page 585)



The Radio Beginner

Induction and Modulation

By A. P. PECK

The fourth of a series of articles by Mr. Peck written especially for the layman and covering the fundamental principles underlying radio communication and reception.

WHILE the two subjects mentioned in the title above have no direct relation to each other, still they are the two fundamental principles for the amateur to learn, which have not as yet been discussed in this series. Those who have not been following these articles or are new readers and are desirous of studying radio theory in as nearly words of one syllable as it is possible to put it are referred to the article appearing in the last issue of RADIO NEWS in the Radio Beginners' Department. This article, together with the present one, con-

collapse a certain number of times per second.

Next we must learn what an alternating current is. Electricity flows in a definite direction, just as water in a pipe or a train on a track. In the case of alternating current, that direction is changed periodically, and the number of times per second that it changes is known as the *frequency* and is expressed in *cycles*, a cycle being one complete change in direction. To bring this action out more clearly, consider the case of a shuttle train. Here the two ends of the track may be likened to the two ends of the electrical circuit and the train to the current. The train runs from one end of the track to the other on a certain schedule just the same as an alternating current changes its direction of flow, but the train, of course, is much slower than the current.

Direct current is just what its name implies. It flows in the same direction all the time, and while it may vary in strength, still it preserves its direction and never reverses. To preserve the train analogy, we might liken direct current to a train running on a circular track. It never reverses its direction of travel, however, it may stop altogether.

When the *strength* of a direct current varies, it is called *pulsating* or *intermittent* direct current, depending on the character of the variations. A current that starts and stops periodically is called *intermittent*, while a current's strength varies in regular or irregular pulses, called *pulsating*.


Fig. 5 shows a graphic representation or curve of a direct current; Fig. 6, a pulsating direct current, and Fig. 4, an alternating current. These figures are also used to illustrate the part of this article on modulation.

Speaking of curves, let us explain just what a curve is and of what use it is to us. Note any one of the curves mentioned. You will see that there is a vertical line and a horizontal line joining each other in the form of a T laid on its side. The vertical indicates the strength of the current, the horizontal representing zero. The further a line or curve goes from the horizontal line, the stronger the illustrated current is. This holds true for all kinds of current. The horizontal line serves two purposes. It is a dividing line which indicates a change in the direction of current. That part of the curve above representing flow in one direction and below, another. Also this line is an indication of time elapsed. The curves that follow along it indicate the flow of current over a certain space of time and the length of the horizontal line indicates the amount of time. The purposes of these two lines are also labeled on each of the figures mentioned above.

Now that we have learned about differ-

ent types of currents, let us see what they has to do with induction. We learned last month about lines of force in wires. In Fig. 1 herewith we show what the lines of force about a coil of wire would look like if they were visible. If a second coil is introduced into the field of the first one, and an alternating or pulsating direct current is flowing through it as shown in Fig. 2, a current similar to that in the initial coil will be induced into the second one. This is what happens in the variocoupler described in this department a few issues ago.

The coils in the figures herewith are labeled stator (fixed coil) and rotor (movable coil) to correspond to those coils of the coupler. The current from the aerial flows through the stator and induces or sets up a like current in the rotor. The greatest current is set up in the rotor when the lines of force from the stator cut or pass through the wires of the rotor at right angles. This condition obtains when the rotor coil is parallel with the stator. If, now, the rotor is turned through 90 degrees to the position indicated in Fig. 3, the wires thereon will not be cut at right angles and



Illustrating the path taken by the magnetic lines of force threading a coil of wire and how these lines surround the turns of another coil placed in relation to the first.

stitute a comprehensible survey of the subject of radio theory expressed in a manner suited especially to the layman.

INDUCTION

In the last article the subject of induction was discussed. This action and that of induction are closely related, but they must not be confused as being one and the same. To refresh our minds, we will go over the salient points of inductance once more before we begin the study of induction.

First, we learned that when a current of electricity passes through a wire there are magnetic lines of force set up around that wire. It is characteristic of these lines, which are set up in the ether, that when they cut or pass through another wire they will cause a current to flow in that wire, even though no current were present before. This is providing the wire in which the current is induced or set up is moved so as to pass through the lines of force, or that the lines themselves move. This latter is true when an alternating or pulsating current passes through the coil or wire, causing the lines of force to be set up and






Fig. 4

How to read a graph. Take the top sketch wherein the days of the week are marked on the "time line." Suppose the perpendicular line is a scale of prices for a certain stock issue. By following the graph line we find that the stock was at its lowest on Monday and at its highest on Wednesday. In the second sketch there is a graph showing the fluctuation of a voltage during a certain time interval, say during each hour of a day. The third graph shows a radio frequency current which is changing its amplitude or voltage very often during a short period of time, in this case a fraction of a second.

the current set up will not be so great as when the coils were parallel. The effect of turning the rotor so that it is further from parallel with the stator is termed loosening the *coupling*. In actual radio practice the effect of this procedure is to sharpen the tuning and enable the operator to cut out undesired stations.

Tightening the coupling is, of course, the opposite of loosening it and results in slightly louder signals, but a decrease in selectivity. In regions where broadcast stations are not numerous and interference between them is not found, the greatest signal strength will be obtained by




Fig. 5
A graph of a direct current. After once being turned on it rises to a definite amplitude and remains there until turned off when it will again drop to zero.

placing the rotor parallel with the stator and tuning with the taps and the condenser. This is in reference to the crystal set described by the writer.

MODULATION

The term modulation is derived from the verb "modulate," which, according to Webster, means "to vary the sound of, or to change the key of." Strictly speaking, the study of modulation belongs, not to the receiving section, but to that part covering transmission. However, it is such that it is intimately tied up with the subject of reception and, therefore, this discussion is included in this series. Modulation is, in short, the process of impressing voice and music on what is termed the carrier wave of the transmitter so they may be transmitted through space to the receiving set.

To thoroughly understand the principles underlying the modulation process, it will be necessary to first make a study of the various waves and currents used in transmission.

We find that the vacuum tube, the action of which will be taken up later in detail, can do more things, and do them well, than any other instrument in the field of radio. Not only can it be used in reception, but larger editions than those that you see in receiving sets are the heart of the transmitting stations which bring entertainment and pleasure to you. Without these glass enclosed, fragile instruments our broadcast stations of today would be virtually impossible.

Without going into the exact theory of the operation of the vacuum tube, we will study the principle of modulation. In the following paragraphs statements are made and, in some cases, no reasons are given. This is because in order to explain the facts it would be necessary to go into details that would render it impossible to keep this article within the required limits. Therefore, take our word for those statements which are not proven here, as in later articles we




Fig. 6
The graph of a fluctuating or modulated direct current of audio frequency.

will give the reasons and you will see them more clearly.

In the first place, you must understand that a vacuum tube can be a generator of alternating current. Even the small ones employed in receiving sets can be made to generate such current, or, as it is usually stated, oscillate. You will remember from the last article that an oscillation is one complete cycle of an alternating current. So, you will see, a tube may generate oscillations or alternating current just as surely as the big generators in power houses. What the tube really does is to take direct current that may be supplied to it from any outside source and convert it into alternating current.

RADIO FREQUENCY CURRENT

In transmission, the current developed is called *radio frequency current*. That is, the oscillations are so fast that when they are passed through a telephone receiver they would, if the diaphragm could respond to them, cause the diaphragm to vibrate so fast that the sound waves given off by it would be of such a high frequency that the human ear could not hear them.

The curve of a radio frequency current is given in Fig. 4. This is the type of current delivered by a vacuum tube when used for transmitting. Note that the alternations or oscillations are extremely rapid and that they are even and smooth in character. These oscillations occur many thousands of times per second. The exact rate varies with each station; it gets higher as the wave-length decreases and vice versa. The type of current the curve of which is shown in Fig. 4 is also known as the *carrier wave*;




Fig. 7
Showing the interior construction of a common form of microphone.

the reason for this name will be apparent from the following paragraphs.

VOICE CURRENTS

The next sort of current that we will look into is known as *audio frequency* or voice current. These may be alternating or pulsating direct in character, and the type that we will study now is the latter. We have already found out what direct current is, as illustrated in Fig. 5. Voice currents are obtained from this in the manner described below.

If a microphone or telephone transmitter is connected so that a direct current flows through it in the same manner as the transmitter in a telephone, the current will be steady, direct current so long as no sound waves affect the diaphragm. However, as soon as any sound occurs near enough to the transmitter to affect and vibrate the diaphragm, the current flowing through the microphone is no longer steady, but becomes pulsating in character, the pulsations being in accordance with the sound. If the sound is high in pitch, the pulsations will be rapid. If it is deep the variations will be slower. Weak and strong sounds will also affect the diaphragm differently and, in fact, every little inflection or change will cause a corresponding change in the voice current.

The reasons for these changes are readily understood when the construction of a micro-

phone is considered. We show the cross section of one of them in Fig. 7 so as to illustrate the point. Note the path of the current through the carbon grains, which have a steady resistance to the flow of current as long as they are stationary and not compressed. The large diaphragm the sound waves hit is connected to a smaller one in contact with the carbon grains. The grains are held in a cup rigidly fastened to the frame. When sound waves hit the large diaphragm and cause it to vibrate, the carbon grains are compressed and released




Fig. 8
A simplified layout of a radiophone transmittingting station.

in accordance with the variations of the diaphragm. Therefore the resistance of the microphone will change and the current passing through them will also vary. The variations of the current will, of course, be the same as the variations of the voice. Thus it will be seen that the resulting current after passing through the microphone will have a characteristic curve similar to that shown in Fig. 6, although it will vary according to the sounds.

Now we will begin to sum up the various facts we have learned from the above paragraphs and bring them together so as to see how they all bear on the subject of modulation.

Let us first refer to the simplified diagram of a radiophone transmitting station given in Fig. 8. No batteries or other accessories are shown here, as the diagram is only intended to give the idea underlying transmission. Beginning at the left, we see first a box labeled oscillator. This represents a vacuum tube or a series of tubes which act as generators of oscillations or alternating current, and which give rise to a radio frequency current having a characteristic curve such as shown in Fig. 4. This current is known as the *carrier wave*. It serves to carry or support the voice current, and is, of course, oscillating or changing its direction of flow at a rapid rate.

From the oscillator, the radio frequency current goes to the modulator. This latter instrument or collection of instruments may take various forms. It may make use of vacuum tubes or it may work on a magnetic principle. However, as we are interested only in the results and not the action, at the present time we will not discuss the details of the modulator. It is sufficient to say that the modulator takes the microphone or voice current and impresses it upon the carrier wave. The resulting current is then sent out through the antenna for entertainment and education.

(Continued on page 570)





Fig. 9
The graph of a fluctuating or modulated radio frequency current.

A Radio Frequency Solodyne Receiver

By G. V. DOWDING and K. D. ROGERS

An article covering the design, construction and operation of a Solodyne or "B" battery-less circuit with a one stage tuned radio frequency amplifier.



A view of the Solodyne receiver and radio frequency amplifier. The parts as numbered are: 1, series antenna variable condenser; 2 variable condenser in radio frequency amplifier circuit; 3, variable grid leak; 4, filament rheostats; 5, variocoupler; 6, tuned R.F. transformer; and 7, vacuum tube sockets.


BY this time, our readers should be well acquainted with the way the Solodyne operates. No doubt a large number have experimented with the different sets and circuits which we have described and have had varying degrees of success. For this issue, we have constructed a set with one stage of tuned radio frequency amplification combined with regeneration for use with the double-grid tube. Perhaps some readers may wish to try this one.

The following list of parts should be procured before work is started:


- 2—.0005 mfd. variable condensers.
- 1—180 degree coupler.
- 2—sockets.
- 4—binding posts.
- 1—7 x 14-inch panel.
- 1—.00025 mfd. fixed condenser.
- 12—lengths of bus bar wire.
- 1—variable grid leak.
- 2—rheostats.
- 2—4-inch dials.
- 1—3-inch dial.
- 1—7 x 3½-inch wood baseboard.
- 1—single circuit jack.
- 2—spider web forms 5-inch size with 13 pegs.
- 1—single circuit jack.
- 1—.001 mfd. fixed condenser.
- 1—spool No. 26 S.S.C. wire.
- 1—spool No 22 S.S.C. wire.

The coupler used in this set may be of standard manufacture or constructed at home. If you happen to have an old coupler in the workshop the two composition tubes and the mountings may be used. It is possible that the windings themselves may be suitable. If no such coupler is available and you desire to make one, secure a 2-inch length of 4-inch tubing and a 1½-inch length of 3-inch tubing, also the necessary shaft and bearing in order to make a complete coupler. On the larger tube, which is to be used as the primary, wind 30 turns of No. 22 S.S.C. wire and on the other wind


50 turns of No. 26 S.S.C. wire in the same direction as the primary. At the beginning and end of each winding drill a hole with a 1/16-inch drill and put the end of the wire through. Each end can be held tight by putting a tooth-pick or tapered match stick in the hole far enough so that the wire is held securely. The end of the tooth-pick or match stick can then be broken off for appearance sake. A foot or so of Litz wire or some other flexible conductor should be used to make the pigtail connection from the rotor of the coupler to the two binding posts mounted on the primary tube.



The circuit diagram of the Solodyne receiver and tuned radio frequency amplifier described in this article. It will be noted that advantage is taken of regeneration.



A rear view of the Solodyne set described in the article. The numbers referring to the instruments correspond to those in the photo on the preceding page. Note that the tuned R.F. transformer is placed at right angles to its variable condenser so as to be out of its electrostatic field.



A front view of the set. The parts are: 1, series antenna condenser dial; 2, transformer condenser dial; 3, grid leak knob; 4, rheostat knobs; 5, variocoupler dial, and 8, telephone jack.

The radio frequency transformer can very easily be made. The spider web forms should be 5 inches wide and consist of 13 webs each. A hole is drilled with a 1/16-inch drill near the center of the form where the wire is started, the ends being fastened in the same manner as the coupler ends. While holding the wire taut, wind in and out of the slots until 65 turns of the No. 22 S.S.C. wire have been wound on. This will be tuned by a .0005 mfd. variable condenser and used for the primary of the transformer. The secondary coil should be wound in the same manner, with the exception that 90 turns are used. These two coils should be wound in the same direction. A little radio cement should be used at the beginning and ending of all these coils to secure the end turns. A machine screw should be passed through the center of each form to hold the two together. Care should be taken that these coils be placed at right angles to the condenser so as to be out of its field.

The condensers should be chosen with care, as the successful operation of any set depends to a large extent upon the tuning apparatus used. The rheostats should match the tubes with which they are used. For example, a 6-ohm rheostat should be used with all tubes which draw approximately one ampere, while a 20-ohm rheostat should be used with a tube consuming about 1/4 ampere. The filament voltage of this circuit (Continued on page 598)

Crystodyne Receivers and Amplifiers

By I. PODLIASKY, E. E.

Some practical receiving and amplifying circuits embodying a zincite oscillator.



IN the article published in the last issue of RADIO NEWS was described the principle of the oscillating crystal formed of a zincite-steel combination. It was pointed out that such a contact behaves as a negative resistance, that is to say, it may be used to compensate partially or totally the damping effect of the circuit resistance. It is well known that an artificial reduction of the resistance in a circuit produces an amplification effect, since a given

In Fig. 1 is shown an oscillating crystal receiver using an auto-transformer arrangement for tuning it. The detector D, condenser C, and part of the tuning coil constitute the second oscillating circuit, the resistance of which may be reduced by adjusting the potential of the battery connected across the crystal through the resistance R. It is possible to obtain regeneration in such a circuit by adjusting the potentiometer until the voltage across the crystal is such that oscillations start. Just before the oscillating point the resistance is decreased to such an extent that radio frequency amplification and detection are obtained.

the inductance is increased and the capacity decreased.

2nd. The point on the crystal producing oscillations is not the one producing best rectification when the crystal is used as a detector without any battery.

3rd. The oscillating crystal may produce simultaneous oscillations at two different frequencies.

4th. A light contact is not always a good one, as in the case of galena, since




FIG. 1

Regeneration may be obtained in this circuit by adjusting the tuning coil and variable resistance.

current induced in a circuit will be greater in amplitude if the resistance is less. If an inductance coil or a condenser is connected in this circuit, the difference of potential across these instruments will be equal or even greater when the resistance is reduced. The effect is equivalent to an increase in the voltage or intensity of the currents similar to the compensation of the inductance by capacity when the circuit is tuned, although the difference between the two methods of compensation is rather great. The compensating effect in the case of a circuit occurs only at one frequency while the compensation of ordinary resistance by negative resistance is effective over a wide band of frequencies or wave-lengths.

REGENERATION

If the resistance of a circuit is reduced to zero or becomes negative, continuous oscillations are produced. This phenomenon of oscillation and amplification is exactly the same as in a regenerative circuit using a three electrode tube. In both cases a local source of energy is necessary. With oscillating crystals this energy is supplied by a battery of about 15 or 20 volts.

In the last article we mentioned the fact that sometimes crystal detectors oscillated without any local source of energy; however there must have been some continuous current flowing through the detector, possibly produced by a bad contact acting as a thermo element.

In this case the contact functions only as a resistance compensating device for very weak oscillations, the detector effect being obtained for oscillations of greater amplitude. The detector effect is due to the bend in the characteristic curve of the crystal. This effect is similar to that noticed when increasing the voltage applied on the grid of a vacuum tube until the bend in the curve is reached.

The hook-up of Fig. 1 is suitable for the reception of spark signals or radio telephony. If the crystal is operated too close to the point where it starts to oscillate, radio-telephone signals are distorted, this effect being similar to that caused in a regenerative receiver when the feed-back coil is coupled too tightly to the grid circuit. Another




FIG. 4

The oscillating crystal circuit used as a separate heterodyne for the reception of continuous wave signals.

in some instances best results may be obtained by pressing the steel point against the crystal.

5th. If a good, sensitive piece of zincite is used in the oscillating detector, the contacts producing oscillations are generally steady and may be kept for a long time if the detector circuit is mounted on a spring or rubber arrangement preventing vibrations being transmitted to the steel point.

6th. The use of the potentiometer across the battery is useful not only to vary the strength of the oscillations but also to tune or control the regenerative effect obtainable with the circuit. It should be noted that the frequency of the current produced by a zincite oscillator varies with the value of the negative resistance so that the frequency increases as the value of this resistance is increased.

7th. When the zincite oscillator is used just below the oscillating point, weak oscillations are amplified more than strong ones. Figs. 5, 6 and 7 are practical circuits developed by Mr. Lossev, the inventor, in which two batteries are used in order to decrease the current consumed by the po-

(Continued on page 540)




FIG. 3

A practical circuit for the reception of continuous waves.

practical circuit is shown in Fig. 2, but in this case, as well as in any other crystal oscillating circuit, low resistance telephones should be used. For the reception of continuous waves, the oscillating crystal may be used as a separate heterodyne, the frequency of the circuit being adjusted so as to produce a beat note with the incoming signals. It may also be used as an audio frequency oscillator provided the oscillations are strong enough to utilize the modulation of the incoming oscillations by the audio frequency currents produced in the local circuit. In this case a tikker or chopping effect is produced at musical frequencies. Fig. 3 shows a hook-up in which the audio frequency oscillations produced by the crystal chops the incoming waves so as to make them audible. If high resistance telephone receivers are used in this circuit, the resistance, R, of 1500 ohms and the condenser C of .01 mfd. are not necessary.

SOME OBSERVATIONS

It is interesting to note the following facts in the operation of the zincite-steel oscillating crystal:

1st. The stability of the oscillations increase as the value of the series resistance R is increased, and also as the value of




FIG. 2

Another circuit for the reception of spark signals and radic telephony.




FIG. 5

The potentiometer may be connected across a few cells of the battery only as shown here. This circuit is more adapted for long wave reception.

Esperanto or Ilo—Which?

A Plea for Empirical Methods In Advancing a Radio International Language

By O. C. ROOS, Fellow, I.R.E.



It stands that the Ilists should have their chance in presenting to the readers of RADIO NEWS the prominent points favoring the language, Ilo. Consequently we publish within the box below, the same English text as appeared in Mr. Sayers' article in the August issue and by its side, the translation to Ilo.



IN his interesting article on Esperanto as a proposed Radio World Language in the August issue of RADIO NEWS, Mr. J. D. Sayers missed a fine opportunity to let the public compare an Ilo with an Esperanto text. That omission is herein supplied by the appended texts of his WOR address on April 5, to which I replied from WBZ 35 minutes later in Ilo. Ilo is used where Esperanto occurred; as the Ilo address was given from CKAC.

The readers of RADIO NEWS have been given a rosy prospectus of Esperanto promises, based on a mere hope in the ultimate rule of those Esperantists who are satisfied with an easily spoken but very difficultly written system. If majority rule is a sufficient reason for the adoption of Esperanto, then English has the better practical right, on account of its governmental backing in England, in most Anglo Saxon Universities and in the League of Nations.

I shall later indicate how, by clever omissions, the Esperantists have tried to create the impression that the League of Nations recommended their jargon for teaching in the public schools of the world. It did no such thing.

Let me state frankly that Esperanto, or any language which "robs" Ilo as complacently announced by the French radio amateur Dr. Pierre Corret, and yet calls the resultant "mixture" Esperanto, has no system of growth nor ethics in its "internal idea" of brotherhood, except commerce and acquisition.

Can one seriously respect a grammar which permits no distinction between the two sentences "stolen from the Ilists" (shtelitaj de la Ilistoj) and "stolen by the Ilists" (shtelitaj de la Ilistoj)? I think not. In Ilo we have a language which, in spite of Mr. Sayers' insinuations to the contrary, has not been "tinkered" with. Ilo has grown scientifically by the 800 odd discussions, tests and decisions of its Academy. It is now a working tool of far greater refinement for radio than the loosely constructed Esperanto system can pretend to be.

Ilists admit that you can't write good Ilo unless you know the simple rules for forming new words. Esperanto puts things together in a deceptively easy—even careless—

system. The result is a mass of hybrid monstrosities, due to the fact that they use "word endings" equally with roots to make new words, e.g.—"the ary of men"—is a literal translation of an Esperanto sentence meaning "the collection of men" (from "ary" in "dictionary," meaning a collection! Etymological hootch! This is against natural languages, and is not generally permitted in Ilo.

Esperantists think that "chi" instead of

inversion. This means a sentence like "the boy who(m) I hit."

As regards Orientals, I taught Ilo during 1911 to 1913 to Filipinos and Chinese who thought Esperanto very hard. Mr. Sayers is wrong if he thinks a sentence like "the good(s) tall(s) strong(s) boy(s)" is found easy for Chinese or Japanese. This agreement is called "accidence" and is conspicuous by its absence in such tongues. Ilists say "the good tall strong boys," as in English. That's why English is a popular business language—out there—and not "pidgeon English" either. If some of the English or American Esperantists spoke Japanese, Tagalog or Chinese they would know this.

Let me say that "Ilo" has a perfect right to this abbreviation, signifying "International Language" as a name. It was the original name used from 1907 to 1909 in the official organ of the Academy, called "Progreso." Why did Mr. Sayers not tell the public how the Esperantists have just changed the name of their British Official Magazine to "The International Language"? These tactics simply offend the public's sense of fair play and avoid the real test, that of translation of technical and scientific works.

To allow the reader to compare an Ilo and Esperanto translation, Mr. Sayers' speech, published in the last issue, is reproduced here.

By a close study of this translation to Ilo and the translation to Esperanto in the August issue, the outstanding differences can be seen.

Since the Esperantists are making the childish claims of hav-

ing several times the number of adherents professing Ilo, let us note that in May, 1922, their own official organ "American Esperantisto" stated that there were 250 members in North America. Subscriptions to this journal at a dollar a head plus all cash sales and sales of foreign exchange journals yielded \$500! Here is the "solid rock" of business support of a system then 35 years old!

When one realizes that the Universal Esperanto Association—the most practical Esperanto body—has less than 10,000 members, one can form a fairly accurate idea as to the real strength of this decadent

(Continued on page 546)

Ilo translation of Mr. Sayers' speech published in our last issue. This is for the purpose of enabling our readers to compare a text in Esperanto and Ilo.

Ilo

Nun, kara samideani del Idanaro de la tota mondo. Me esas che la stationo di La Presse, en Montreal, Canada. Esas grandega plezuro mea parte parolar unesmafoye di Nord Amerika trans la maro a mea samideani en altra landi. Se vi sucezoze audas me, facez por Ilo la bona favoro sendar al adrrso antee donita en la Ilo gazetaro, kablogramo e adminime skribez a me letro pri la fakto ke vi audas me.

Ica experimento esas atencata da multa eminenta personi hike e sos historiala okaziono se mea "Ila" vorti audesas en altra landi. Me esas tre felica kun vi, kara samideani, vi idealisti qui laboras sencese, paciencoze por nia amata skopo, pro la kontentiganta progreso avane di Ilo. Ol esas bona just idealo e pro co venkos, sen doute venkos tra la tota mondo, super omna barili e malgre omna-speca, malkordioza homi, qui sempre odias la progreso e feliceco di la homoro, se la grandega zenzono ne existus por la benedikto di Ilo a la sufranta, dividita homoro, lore la finala glorioza venko di Ilo esus dubenda, me la progreso ipsa aduktos Ilo kom la bela mondal helpolinguo, komprenende, per e kun nia kontinua laboro por ol.

Ilo esas la linguo di la moderna marvelo, la radiotelefono en la uzado di ica transfrontieri ed anke esos la linguo di la parolanta kinemal pikturi, qui balde sucesos. Ilo pariros la mondo saltege da nun avane pro ke radio—uzado e parolanta kinemal pikturi portos ol ad omna populi.

Nu, kara samideani, me adios vi a me pragme ke vi telegrafez, se esas posibla od adminime skribez letri quik segun l'adreso donita. Balde ni parolos plu libere ed omna—die en nia kara linguo. "Til la revido,"—pronuncata (teel la rayveedoh) e signifikanta literale—"until seeing" or "until we see each other again"—en plu felica dio. Bona nokto!

English

Now, dear fellow-Ilists of the Ilo world, of the whole world. I am at the La Presse station in Montreal, Canada. It is a very great pleasure to me to speak the first time from North America across the ocean to my fellow-Ilists in other lands. If you successfully hear me, do Ilo the good favor of sending to the address previously given in the Ilo press, a cablegram, or at least write me a letter, about the fact that you hear me. This experiment is watched by many eminent persons here and will be an historical event if my Ilo words are heard in other countries.

I am very happy with you, dear fellow-Ilists, you idealists who labor tirelessly, patiently for our beloved cause, because of the satisfactory progress forward of Ilo. It is a good, just ideal and, therefore, will conquer, surely conquer, throughout the whole world, over all barriers and in spite of every sort of evil-hearted men who always hate the progress and happiness of humanity. If the tremendous need did not exist for the blessing of Ilo to a divided, suffering humanity, then the final, glorious victory of Ilo would be doubtful, but progress itself will bring Ilo in as the beautiful, world-wide auxiliary language, of course, by and with our continued work for it.

Ilo is the language of that modern marvel, the radio telephone in the employment of the latter across frontiers, and also will be the language of the talking moving pictures, which will soon be a success. Ilo will go by leaps and bounds throughout the world from now on, because the radio and talking movies will carry it to all people.

Now, dear fellow Ilists, I bid you adieu, and I beg you to telegraph, if possible, or at least write by letter immediately to me according to the given address. Soon we shall talk more freely and every day in our beloved language. "Til la revido" (pronounced "teel la rayveedoh" and meaning, literally, "until seeing," or "until we see each other again") in a happier day. Good night.

"omna" is a good translation of "all."

An Ilist can say "it is perhaps possible"—the Esperantists must say "it is possibly possible."

Ilists can distinguish between "stolen by" and "stolen from." They say "stelita da" and "stelita de."

To say that Ilo is too rigid and too exact is to praise it in the eyes of engineers and all exact thinkers. So would Latin be, if brought up to date in technical terms and regularized. Yet no one ever complains of Latin's rigid word formation. On the contrary, Ilo is more flexible than Esperanto as it has an optional accusative case for

An Interview With Secretary H. C. Hoover

By S. R. WINTERS

Read what the United States "Chief of Police of the Ether" has to say relative to the radio broadcasting situation. Through this exclusive interview, Mr. Hoover has cast some light on what we may expect in the future.

GOVERNMENT supervision of radio communication, prevention of monopolistic control of broadcasting as a public service, avoidance of Government censorship of broadcast programs and the interconnection of transmitting stations for the dispersion of events of national import—these are among the significant phases of radio broadcasting especially engaging the attention of Hon. Herbert Hoover, Secretary of Commerce. In an authorized interview for RADIO NEWS, he briefly discusses each of these factors and their relations to the government and to citizens of the United States.

"The problems involved in Government regulation of radio are the most complex and technical that have yet confronted us," states Secretary Hoover, who has been picturesquely referred to as the chief of police of the ether. "We must preserve this gradually expanding art in full and free development, but for this very purpose of protecting and enabling this development and its successful use, further legislation is absolutely necessary.

"How profound the changes in this method of communication have been since the regulatory Act of Congress approved in August, 1912, is indicated by the fact that the whole telephonic application of radio is practically a discovery since the act was passed," he continues. "At that time radio was in considerable use as a telegraphic method of communication, more especially with ships, but there was not a single telephone broadcast station in the United States. Some indication of the development of the art is shown by the fact that at the time the act was passed 485 American vessels were equipped for transmission of telegraphic messages. There were 123 land stations, of which one was trans-oceanic. There were 1,224 amateur stations, as I have said, all engaged in transmission of telegraphic signals. Today there are 2,723 American vessels equipped with radio. There are 12 trans-oceanic stations, 790 other land stations and 16,590 amateur sending stations. Where there were no broadcast stations, there are today nearly 600 of them, located in every town of importance in the country. There are certainly three to five million radio telephone receiving sets; therefore, there is a radio audience of anywhere from 10 to 20 million people.

CHANGING CONDITIONS

"The year this act was passed the commercial companies extended heartfelt congratulations and paid a bonus to the operator who, by his skill, reached a nearby station in Porto Rico, whereas today we communicate hourly, with reliability, a vast number of commercial messages over both oceans. Twelve years ago the amateur boasted to his friends of his communications over a few hundred miles. Today our amateurs, to whom much of our radio progress is justly due, nightly send messages across the Atlantic ocean, and within the last 12 months we have been exchanging broadcast programs with Europe.

"During these 12 years radio has come into use for many other important communications. It is used for communication with air craft, and has found a very important development as a practical compass for ships, which seems likely to even reduce the cost of government aids to navigation

"This increase in use has been due to the tremendous discoveries and improvements in the character of apparatus. The discovery of the vacuum tube for amplification is the foundation for all telephonic work. The tuning and assembling of apparatus has been improved to such an extent that we are able to confine the sending and reception of signals to smaller bands of wave-lengths than was the case 12 years ago.

"At the time the act was passed the wave band occupied by each sending station was so broad that only half a dozen channels were open for sending. Now it is possible, if the maximum use were made of technical development, to send many times that number. For practical reasons, however, the wave-lengths available for telephonic pur-

it not for the regulation and the very tenuous voluntary co-operation of today, we should have pandemonium despite the development of the science.

"The tremendous development in electrical communications is to a large extent due to the fact that individual initiative has not only been unhampered by the Government, but has been encouraged to the extent of the Government's ability and regulated so as to give the maximum service. The further legislation needed should, in my view, regulate only to the extent that is necessary in public interest for the development of the science itself, for the service of those who make use of it. It seems to me, therefore, that the fundamental thought of any radio legislation should be to retain possession of the ether in the public and to provide rules for orderly conduct of this great system of public communication by temporary permits to use the ether."

Mr. Hoover has frequently decried any indication that would tend to place radio in the hands of one individual or corporation, or any group of persons. He reiterates his viewpoint in this authorized statement when he declares:


AGAINST MONOPOLY

"It should be kept open to free and full individual development and we should assume that there can be no monopoly over the distribution of material. Radio communication is not to be considered as merely a business carried on for private gain, for private advertisement or for entertainment of the curious. It is a public concern impressed with a public trust and to be considered primarily from the standpoint of public interest to the same extent and upon the basis of the same general principles as our other public utilities.

"I can state emphatically that it would be most unfortunate for the people of this country, to whom broadcasting has become an important incident of life, if its control should go into the hands of any single corporation, individual, or combination. It would be in principle the same as though the entire press of the country were so controlled. The effect would be identical whether this control arose under a patent monopoly or under any form of combination, and from the standpoint of the people's interest the question of whether or not the broadcasting is for profit is immaterial. In the licensing system put in force by the Department of Commerce, the life of broadcasting licenses is limited to three months so that no vested right can be obtained either in a wave-length or a license. I believe it is safe to say, irrespective of claims under patent rights on apparatus, that broadcasting will not cease and neither will our public policy allow it to become monopolized."

Secretary Hoover believes that the present system of broadcasting will be developed by the more frequent interlinking of local transmitting stations into a unified chain for the dispersion of events of national significance. The broadcasting of proceedings of the conventions of the two great political parties is a notable instance of this interlinking of several broadcast stations.

"Radio interconnection is the next and
(Continued on page 568)



SECRETARY H. C. HOOVER


poses in the present development of the art are much more limited than those for telegraphic purposes and are today practically limited to the range between 200 and 600 meters. Within this area we have about seven possible bands, for sending in any one locality. The number of telephone broadcast stations that can be operated from any one place is, however, more limited than this because of interferences of one locality with another. With the system of staggered zones set up by the Department it has been found possible, in some localities, to work broadcast stations simultaneously on three different wave-lengths or frequencies. No doubt the number of available frequencies will steadily increase with improvement in the art and better adjustment between different purposes.

"If the mechanical condition of the art today were as it was 12 years ago, the vast volume of radio communication now constantly in motion in the ether would create such a pandemonium of interference that the whole art would break down. Were


Right: The most novel use of radio is seen here in its introduction into the water, so that bathers may listen in with complete comfort and sip cool drinks at the same time. A loop aerial is sufficient for picking up the signals from local broadcast stations.
© The Gilliams Service, N. Y.



Below: In the United States we find that radio parts can be purchased at Cigar Stores and Five-and-Ten-cent Stores, but European dealers have gone one better and peddle radio parts on the streets. The vender's cart above is equipped with a complete receiving set, giving the latest programs to the passer-by as a means of stimulating sales.
© The Gilliams Service, N. Y.




Below: Here is the large Super-Heterodyne receiver, loop aerial, loud-speaker and all, which was installed in the White House during the Republican National Convention that the President might be directly informed of developments.
© Henry Miller News Picture Service.



Above: Not to be outdone by "WDAP" in Chicago, which through its radio broadcast station is known from one end of the country to the other, the Hotel Majestic of New York City, has installed a high powered broadcast station of its own with one of the most beautiful broadcast studios in the country. This station is now in operation, using 500 watts of power.

The photo shows a view of the studio. An unusual feature is that all microphones are concealed in the walls, and when the speaker announces, it will not be directly into the microphone. This station is known as "The Voice of Central Park."
© Kadel & Herbert.



An interested crowd in Cleveland, Ohio, listening to the proceedings of the Republican National Convention via radio, being projected from the loud speaker horns of a Western Electric Public Address System.


A close up view of a new combination loud speaker and table lamp. A receiver unit fits in the base, the column of the lamp is utilized as the horn and the shade as the deflector. © Kadel & Herbert.



A Cincinnati shoe repairing establishment is providing radio entertainment for its patrons. © P & A Photos.



Reginald Gouraud, an American living in Paris, has a 32-meter transmitter. He hopes to bridge the Atlantic. © P & A Photos.



Here is the latest, a shoe box radio set. This young bootblack provides radio entertainment for his customers while they are having their shoes shined. © Kadel & Herbert.







Here is William Arthur Rand, all dressed up as a radio loud speaker, in the pageant held recently at Bradley Beach, N. J., in which hundreds competed for prizes. William won a prize for his unique representation.
© Fotograms, N. Y.




This short wave radio transmitter, installed for the Olympic games at Colombes, near Paris, broadcast the proceedings which were picked up by the large stations throughout France and re-broadcast on longer wavelengths. A power amplifier and a large horn were used locally to announce the result of each contest to the crowds in the grandstand.
© International.



Some of the Boy Scouts at their summer camp at Bear Mountain, N. Y., decided to rig up a radio set in their rowboat so they might enjoy programs from broadcast stations near home. Note the large loop aerial. This they constructed themselves, in true Scout fashion.
© Foto Topics, N. Y.


This giant loop aerial, erected atop the Bush Building, London by the U. S. Shipping Board, is 8 feet square and is wound with 48 turns or approximately 1,530 feet of stranded aerial wire. Mounted on ball bearings it can be turned on its axes from the interior of the building. This loop is employed for reception from high powered Naval radio stations in America. © Wide World Photos.

Right: Interior of the new \$50,000 Municipal Broadcast Station, WNYC, in New York City. This station was opened recently and is transmitting on a wave-length of 526 meters with a power input of 500 watts. The photo shows Grover Whalen (left), Commissioner of Plants and Structures, and John F. Hylan, Mayor of New York City, inspecting the apparatus. © Fotograms, N. Y.




Left: The Navajo Indians at Grand Canyon National Park, Arizona, are very much interested in radio. Reception is very good at Grand Canyon, as the rim is 7,000 feet above sea level. This Squaw and her Papoose are enjoying a radio concert from a nearby station.

Right: Mr. H. L. Swart, Chief Radio Operator at the Radio Mail Headquarters, Washington, D. C., and the 5-k.w. arc transmitter which furnishes quick service for mail planes. © Henry Miller News Picture Service.





Left: Radio is a boon to the members of this coast-guard station, at Rye Beach, N. Y. Practically every day is uneventful for these men, but now, with the radio, they can listen in to a varied program, which gives them a great deal of enjoyment. They used to hit the hay early; now they stay up and listen in. © Fotograms, N. Y.



Above: Here is a suggestion for carrying your radio when off on a vacation. Alexander Carr is here seen with his radio set mounted in a wardrobe trunk. Batteries and all are included. They are behind the panel. © Kadel & Herbert.
 Left: A group of tourists listening in on their radio atop Pinnacle Peak in Ranier National Park, 6,665 feet above sea level. © Kadel & Herbert.

Right: The sending apparatus which is used to communicate with underground radio sets. Tests are being carried on by the Bureau of Mines, in order to perfect the apparatus to enable miners to communicate with the outside world without the use of high powered sets. Such tests are of considerable interest when interpreted with due reference to the conditions underlying each test. The set can be used in cases of emergency for communication between entombed miners and the outside world. © Henry Miller News Picture Service.



Left: Sketch of the radio broadcast station of the General Electric Company, now being built at Denver, Colorado, to complete the chain of three super stations. The other stations are WGY at Schenectady, N. Y. and KGO at Oakland, Calif. The Denver station will be on the air early this winter.

Duet With Singers 3,000

Novel Broadcast Feat to Take Place During New York Radio Show




BOTH TRANSMITTERS OF SAME WAVE LENGTH

U.S.A.

AS YOU RECEIVE THE DUET



Miles Apart To Be Broadcast



This double page illustration shows how the radio duct will be made possible. At both ends there are to be two broadcast stations. Each pair will transmit on the same wave-length. In the United States the male voice from England will be picked up by a sensitive receiver, relayed to one of our broadcast stations and re-transmitted. The other American station will be broadcasting the female voice on the same wave-length; thus you will pick up both of them. England will pick up and re-transmit the woman's voice in the same manner as our station will pick up the man's voice. On the left is a close up of a receiving station.

Radio In South America By JOHN ENGLISH

THE most striking feature of the South American Radio situation to the United States listener is the entire absence of legal regulations. Such regulations probably exist in most of the republics, but practically no notice is taken of them. As a result, amateurs, almost entirely on telephony, are heard mixed up with the broadcast and commercial stations on all waves from 90 to 500 meters. At times this leads to trouble, but as a rule it is noticeable (and very much to the credit of the local amateurs) that there is practically no interference while concerts take place, in spite of the absence of silent hours and supervision.

There are relatively few broadcast stations in regular operation; the principal station is LOX, of the Radio Cultura organization, situated at Palermo, a suburb of Buenos Aires, Argentina. This is a 500-watt station, and it should be possible for United States listeners to pick up LOX. It transmits every night on 375 meters, from 01.00 (1 a. m.) G. M. T., until about 03.00 (3 a. m.) G. M. T. As a rule, the program is of a musical nature, with rather long pauses between the items, and often with a short speech (in Spanish of course) at 02.00 G. M. T. The station is usually announced as "Estahsiohn Elle Oh Eckis Rahdio Coohtoorah Palairmoh Bwaynos Ayeres." (If you know Spanish, forgive this attempt to indicate the pronunciation!) Two routine items which may help to pick up the station are the transmission of a 15 minute telegraphy practice (at the start of the program), using buzzer modulation

and the hour signal at 02.00 G. M. T., chiming the four quarters and striking 10.

Another Buenos Aires station of equal power, recently re-erected and as yet not giving such good results as LOX, is LOZ, situated at the high-power telegraph station of Monte Grande (illustrated in *RADIO NEWS*, May, 1924), and operated by the Argentine Broadcasting Association. This station proposes to broadcast the operas from the Colon theatre in Buenos Aires, and also to try re-broadcasting the KDKA 94-meter concerts.

Others of importance are the two Montevideo stations, both using 500 watts. There is another at Santiago, Chile, a French station of the same power, which, up to the present, has not been altogether satisfactory. In addition, there are many smaller stations, giving more or less regular programs, but generally speaking rather less than more.

Most of these, and also the amateur stations (and there is, of course, no hard and fast division between the one and the other), use transmitters made in the Argentine by local firms or the local branches of United States manufacturers. Customs and other import duties make the importation of apparatus rather unprofitable.

In the same way, the vast majority of receivers in the Argentine (in which country radio has developed most rapidly) is made in Buenos Aires, although United States sets, as well as German, French and British apparatus, are all on sale.

THE SHORT WAVES

The interest of the BCL at present is


chiefly turned towards North American broadcasting. In fact, the Radio Club of the Argentine proposes to hold a competition in reception of the northern stations. As might be expected, the outstanding stations which everyone tries for and many get are KDKA and WGY. Others of which confirmed reception is recorded are KFKX, WBAP, KPO, KHJ, KGO, WEAJ and WDAF. Static and interference (especially in Chile, caused by the spark station at Valparaiso, which is audible 200 miles away on all waves from 60 meters to 1,200 meters) are, however, constant stumbling blocks to the broadcasting waves. Therefore, there is very little pleasure to listen to the U. S. concerts.

On the short waves it is quite another matter, but as yet there are very few amateurs taking an interest in 90- to 120-meter work by KDKA and WGY. Both may be heard thoroughly with the simplest circuit and one tube, and this on practically any night in the year.

Amateur telegraphy has just started to interest the local fans. While this is being written, the first Pan-American tests, organized by the American Radio Relay League and the leading amateur periodical in Buenos Aires, the *Revista Telegraphica*, are in progress. No doubt they will be successful as regards the reception in these countries of North American amateurs, since they are audible every night. In fact, one-way communication has already been established between IXAM and the writer, but it seems doubtful as to whether our signals will be recorded in North America as yet.

Davy Jones Speaking

By J. FARRELL



Above: The control panel and power amplifier which were installed at the end of the "Steel Pier" at Atlantic City to pick up the minute voice currents coming from the microphone into which Mr. Jackson spoke while walking on the ocean bed. The power amplifier was connected by telephone to station WIP from where the queer monologue was broadcast. © Atlantic Photo Service.

Above: Mr. G. A. Jackson, the deep sea diver, descending into the ocean from the boat off Atlantic City prior to his unique description of what he saw "below." To the left is a photo of the helmet used by Jackson, showing the microphone and the wires leading from it to the world above. © Atlantic Photo Service.

"I 'M on my way to the bottom of the sea. On my left I see the wreck of an old boat. It looks like the skeleton of a huge fish. In it a school of little fish is playing. The rays of the sun, which look green at this depth, shine on their backs."

This message was recently broadcast by a deep sea diver from under 50 feet of water off Atlantic City. The diver, in regulation diving costume, disclosed some of the secrets of the deep to a vast radio audience, as he casually strolled about on the sea bed and peered into Davy Jones' locker.

In the performance of this remarkable feat, which has numerous practical aspects, a close contact electric microphone was imbedded in a rubber sponge and the sponge fastened inside the diver's helmet. The microphone was connected by special waterproof wire with an amplifier located on what is known as the "Steel Pier" at Atlantic City, N. J. The message was carried from this point overland and under the Delaware River 60 miles to the control panel of station WIP at Philadelphia.

"Neptune is next on the program," said the announcer at the Philadelphia station, and a swirling and swishing noise was heard by thousands of radio fans in all parts of the country. This noise was made by the air currents in the diver's helmet. Then as the diver went down from a small boat 75 feet off the end of the Steel Pier there came faintly into the ears of the fans a description of what he saw. The almost indistinct quality of the voice was due, ex-

plained C. A. Goudy, radio engineer in charge of the Atlantic City station, to the fact that the diver was not speaking directly into the microphone. Later in the evening the diver went down again and his voice was plainly heard.

The station at Atlantic City is connected with the main station at Philadelphia by a special telephone circuit that goes across the state of New Jersey. There is an amplifier at Camden, N. J., on the east shore of the Delaware River. A submarine cable under the river completes the circuit into Philadelphia.

The station, which is operated by Gimbel Brothers, has been heard all over the United States, in England, France, Germany, South America and Hawaii. There are nine remote control rooms located in various parts of Philadelphia in addition to the station at Atlantic City. The wide variety of material broadcast is indicated by the location of the remote control stations which are placed in the Holy Trinity Church, Metropolitan Opera House, Cafe L'Aiglon, Germantown Theater, Forrest Theater, Club



©ATLANTIC FOTO SERVICE

Mr. G. A. Jackson, the deep sea diver, after having broadcast his experiences in "Davy Jones' Locker," and the silver loving cup presented to him by Miss Alma Tell, noted actress. The accompanying sketch shows how Jackson's voice was carried in the form of an electric current, from his helmet to the boat, from the boat to the pier and thence to broadcast station WIP by telephone, from where it was transmitted into the ether to be heard by listening radio fans.

Madrid, University of Pennsylvania, Philadelphia, Police Band Room; and the St. James Hotel.

Numerous microphones are placed around the Steel Pier at Atlantic City to broadcast the various attractions at this world famed playground.

A feature of the service which figuratively brings the Atlantic Ocean into the homes of thousands of people inland, who perhaps have never seen deep water, is the daily broadcasting of the sound of the waves as they break on the beach. "What are the wild waves saying?" this broadcast is called. It is accomplished by placing a microphone inside a waterproof bag and lowering the bag just above the surf. G. A. Jackson, deep sea diver, who made the underwater experiment declares that it was the first radio test of the kind ever made. At the conclusion of the experiment a silver loving cup was presented to Mr. Jackson by Alma Tell, the famous actress. Mr. Jackson represented a Philadelphia salvage company and the inscription on the cup read, "Presented by Radio Station WIP of Gimbel Brothers, Philadelphia, to the Philadelphia Derrick and Salvage Corporation, in honor of the first radio broadcast from the bottom of the sea, July 31, 1924."

Communication between divers under water and operators of the air apparatus on the water is usually accomplished by means of rope signals. Perfection of telephonic

communication enables the diver to give a more accurate graphic description of the layout on the ocean floor, and in special cases his description may be broadcast direct to shore stations where drawings of the positions of wrecks and submerged treasure may be made. In his test trip Mr. Jackson found two rotting derelicts, the presence of which had been theretofore unknown.

The success of the radio broadcasts by Gimbel Brothers has been such that the company is now building a station in its New York store, that will embody the latest type of radio equipment. The station will be known as WGBS and will operate on 316 meters.

The operators of the Atlantic City station have had wide experience with the effect of radio broadcasts upon theatrical box office receipts and sales of phonograph records and sheet music. Mr. Goudy stated that following the first broadcast of Earl Carroll's "Vanities" in which Peggy Joyce was the star, station WIP was figuratively flooded with requests from listeners in for reservations for the performance. The practice of broadcasting the first act of "Vanities" on the opening nights was followed in every city played by the show and in every case the house was sold out days in advance. It is simply the inherent human desire to see what is heard, as one turns instinctively to look whence sound comes.

KDKA TO BROADCAST FOR POLAR SHIP "ARCTIC" NOW ON WAY NORTH

Recognizing the fact that the signals transmitted from KDKA, world's pioneer broadcast station, have a world-wide range and offer the only solution to dependable voice communication at immense distances, the steamship *Arctic* sailed recently from Quebec on a voyage to Etah, Greenland, carrying a full complement of special radio equipment suitable to pick up special broadcasts from KDKA.

The *Arctic* is carrying with it two Canadian Westinghouse special receivers, one of which is for delivery to Donald Mix, radio operator of the McMillan Expedition, somewhere along the Greenland coast, the other set is for use aboard the *Arctic*. Both these sets are designed to receive special signals which will be transmitted from the new experimental station of the Westinghouse Electric & Manufacturing Company, at East Pittsburgh, Pa., every Monday night from 10:30 to 11:00, Eastern Standard Time.

In addition to its receiving equipment the *Arctic* is equipped with three transmitting sets, one standard 1/4 kw., 600 meter spark set; one 1 kw., 2100 meter I.C.W. set; one 2 kw., 120 meter I.C.W. set.

The call letters of the *Arctic* are VDM (Continued on page 570)

Pilot Interviewed by Radio While Flying

By A. M. JACOBS
Of United States Army Air Service

"JOHNNIE," said a mother in a comic weekly some months ago, "run in and radio your father that there's a gentleman down here to see him. He just went into that pink cloud."

It's a fast moving age. That which is in the realm of possibility in a flash becomes reality; reality soon becomes history. Yesterday we made the joke come true.

We saw Lieut. A. L. Johnson, McCook Field aviator, take off in his DH P-292 Army plane and head for the clouds. There were plenty of them—though none were pink—and the airplane was soon lost to view. Casually we strolled into the McCook Field Laboratory where "Pop" Leland sat before a ground station radio set.

"Lieut. Johnson is 'up,'" we said, "could we talk to him?"

"Pop" started the motor generator and threw some switches, putting the set in operation.

"Hello—hello—hello," we heard him call into a hand telephone in the most approved radio voice. "This is A-W-5 talking. Somebody wants to speak to Lieut. Johnson. Can you hear me, Johnson? Come in—come in—come in."

Then from the moving plane somewhere in the clouds, out of sight, came faintly and scratchily at first as if through a struggle, but unmistakably familiar, Lieut. Johnson's voice.

"Hello—hello—A-W-5, Lieut. Johnson speaking. Can hear but cannot understand very well—seems to be a great deal of static. Try again."

"Pop" tried again. There was more turning of dials and talking, then we were handed the telephone and the head piece, while "Pop's" nod seemed to indicate that all was very well.

"Hello, Lieut. Johnson," we said, "can you

hear us? If so, we'd like to know where you are just now and how the weather is up there."

A TEST

Clearly, as if in the same room, Lieut. Johnson's voice came back. "We are flying over New Lebanon, Ohio, at an altitude of about 4,000 feet and are climbing steadily to get above the clouds. The clouds are very thick this afternoon, scattered from 3,000 to 6,000 feet in height. The thermometer registers 45 degrees, which with our suits and helmets makes a comfortable flying temperature. We are traveling at a speed of 80 miles an hour. Now we have climbed to about 5,000 feet and are in clear sunshine, although New Lebanon lies hidden below. Dayton lies to the east of us, but we cannot see it. We are now over West Carrollton. Can you hear me?"


We: "We can hear you distinctly, Lieut. Johnson. With what kind of radio set is your plane equipped?"

"Lt. Johnson: "It is known as type SCR-134. The receiving unit is a Super-Heterodyne with peanut tubes. The set is shielded in order that the ignition noises of the engine may be cut out. We carry a trailing wire antenna with a 5-pound lead weight. The metal parts of the plane, the wires of the fuselage and the wings are all connected together and act as a counterpoise. In principle, of course, it is the ordinary transmitter and receiver used the world over, but there have had to be special adaptations to make it serviceable and practical for air use, and these details have been worked out by the Signal Corps and tested at McCook Field. Does that answer your question?"

We: "Quite completely. Where are you now?"

Lt. Johnson: "We have been approaching Xenia, Ohio, and are now above it.

Thanks to the radio equipment installed aboard the airplanes of the U. S. Army, the pilots remain in touch with the ground while flying. The above illustration shows how a pilot was interviewed recently, while several thousand feet in the air.





The clouds are very sloping and broken. They are apparently headed for the north—at least the wind seems to be carrying them that way. We are now at a bank of cumulus clouds several thousand feet high. We will go over them. Up we go! Up along the side of the bank! Now we are at the top—and down we go—down the other side at a speed of 110 miles per hour. Dayton now lies to the left and Xenia to the right. Could you hear me distinctly during the climbing and diving of the plane?"

We: "Very distinctly. There was no change in sound, whatever."

Lt. Johnson: "I am now circling around another cumulus cloud. Now I am about to enter the cloud—now I am in the middle of it. I can see nothing. Is there any difference in sound?"

We: "None, whatever. What are these direction finding sets for pilots that we hear of?"

DIRECTION FINDER

Lt. Johnson: "That is a radio development also, the airplane adaptations of which have been largely worked out at McCook Field. Suppose an airplane were flying from Washington to Dayton by night, or in a storm, so that it was impossible for the pilot to keep to the course with the customary land marks. The radio direction finder will guide him directly from one point to another in this way: The ground station sends out signals, so directed that they are most distinct along the line of the course. The pilot finding his signals becoming indistinct would know that he was leaving his course and would turn his plane until he found the signals distinct once more. With this system, the airplane need to carry no transmitter, only a receiving set. This is, of course, the simplest of these systems. There is also what we call the equi-signal system. Two signals of equal wave-length are sent along the line of the course. When

This illustration shows the radio installation aboard an airplane. The observing officer operates the set, current for which is supplied by a wind-driven dynamo mounted on one of the wings. The aerial is a single wire hanging under the plane.

the pilot leaves the course, one of the signals becomes louder while the other dies away, so that he is warned to reset the nose of his plane and keep on the line of equal signals if he would come safely to his airdrome. Radio for the airplane is still in its infancy. But these developments are improvements that are making flying safer day by day, against all sorts of hazards and under all sorts of conditions. We are now over Wilbur Wright Field and the Huffman Dam. Since talking to you we have flown over New Lebanon, West Carrollton, Xenia, Wilbur Wright Field, and we are now headed for McCook Field. If there are no bill collectors about, we'll come down."

We: "The coast is clear. This has been quite interesting, Lieut. Johnson, and it would seem to prove that if one wants to interview a pilot while flying, one must work fast."

Lt. Johnson: "You bet."

We strolled out of doors. There were several planes against the sky. At the distance from the ground of even the lowest one, it was impossible to distinguish any sign of a pilot, any sign of human beings within them. Even the sound of their motors came softened through the spaces.

It's a fast moving age!

"Roxy"

The Story of a Dreamer Whose Dreams Come True

By GOLDA M. GOLDMAN

IN a spacious room in the building of the largest theatre of the world, the Capitol Theatre of New York City, a group of about 40 men and women have met every Sunday night for almost two years, freely giving of their time and talent for broadcasting a program of exceptional merit, chiefly for the one definite end of bringing cheer to disabled service men. And the guiding spirit of this group is a man whom thousands speak of as "Roxy."

To understand how true to the character of Samuel L. Rothafel is this great unselfish work, one must go back to the history of the man himself.

The son of people of ordinary circumstances, born in a small Minnesota town, he was brought to New York at the age of 12 years. He was shortly recognized as the family "black sheep", unable to keep a job, spending his time moping and dreaming. He was a cash-boy, a book-agent, a Marine, and again a book-agent, landing finally in the mining town, Forest City, Pennsylvania, where he married and definitely acquired a purpose in life.

Here, in the rawest, crudest days of the motion-picture, he started a picture business in a hall behind a bar-room, with an entrance in an alley, and borrowed 250 chairs from the local undertaker. In this place of five-cent admission, he painted his own signs, ran his machine, scored and arranged the program, and saw unbelievable and amazing possibilities in the line of motion picture presentation, at a time when all energies were concentrating on the making of the pictures.

Rothafel left Forest City and went to Philadelphia to work with Keith's, and here he developed the system of twilight projection in contrast to the then pitch-black theatre. Then to Milwaukee where he had the good fortune to meet the great Bernhard, who gave him the opportunity of presenting her picture of "Queen Elizabeth," which was his first chance to use his concert-program ideas. Almost at once he was offered the management of the Regent Theatre of New York.

The Regent has probably been forgotten by all except the pioneers who made it, for the day, the picture house de luxe of New York, and of the country. Instead of a piano, here was Carl Edouarde, now leader of the Mark Strand orchestra, with an orchestra of eight that soon became twelve. Mr. Edouarde has told me of a night early in the Regent's history, when the audience, used to the unspeakable clap-trap of the cheap movies, hissed the rendition of a fine musical number. Rothafel came out and offered to refund money to those who wished to leave. They stayed.

It is Broadway history that Rothafel went from the Regent to the Strand, designed and managed the Rivoli and Rialto, went even to Los Angeles to start a theatre there, and finally, after working with the Marines during the war, was offered that palace picture-house, the Capitol. You in every city of the United States, who enjoy in artistic surroundings the best photo-productions of

the day, surrounded with an ensemble of prologue, music and dancing of the highest type for 50 cents, have only the one man to thank for the artistry of the performance you have witnessed, for the comfort and beauty of your surroundings, and the undoubted development of your own aesthetic appreciation of the arts which before were

is too big or too small for his attention, from stage settings to ushers' uniforms. Simple of habit, going nowhere for inspiration, he still brings into being one daring innovation after another.

He works ceaselessly. He is interested in everything and every person about him. He likes to discover and develop young talent, and have youthful faces and energies about him. And he is generous to a fault. Poor children make an especial appeal to him, and he is always doing things for them.

All of this gives the reason for his being the man to think of bringing joy to the soldiers who are tied to their hospital beds, so that first he thought only of the special Sunday night programs for them, and now he is working on the New York "Sun"-Roxy radio fund, the purpose of which is to put a head-telephone at the side of every bed in the service hospitals—and there are 4,000 of them in New York State alone. The mark set by the fund is \$500,000, and at this writing over \$108,000 has been subscribed by men and women and even children who have enjoyed Roxy's concerts and who are glad to help.

The money he has raised, however, is not the most important thing. More important is the fact that that tremendous vitality of his has kept a volunteer band of broadcasters together every Sunday night for two years. I wish that all of you who have come to love "Roxy and his gang" might spend an evening with them in their studio and see them working together.


The studio itself is big, but a workshop rather than a lounge—plenty of comfortable chairs, a platform for the studio orchestra, a piano, a microphone, and—the gang!

You know their names from long listening-in: Betsy Ayres, Gladys Rice, Evelyn Herbert, Douglas Stanbury, Joe Wetzel, Wee Willie Robyn, Peter Harrower, Dr. Billy Axt, Marjorie Harcum, Ava Bombarger, the Freeman sisters, Daddy Jim Coombs, Eugene Ormandy, Yascha Bunchuk, and David Mendoza and his studio orchestra—you have heard them all many times.

And just as I had always found Mr. Rothafel himself interested, alive and unaffected in manner, so I found his co-workers. Here was nothing of that much talked of professional jealousy or competition. Instead, a group of people intensely interested in each other's performance, truly appreciating themselves as they sound over the radio, and everything spontaneous and unstudied. Each one had a word to say for the rest, and to a man they wanted to call my attention to some particular quality of their leader's.

What a leader he is! The program that night, was a particularly impressive one, and had of course been specially planned by Roxy, his finger was on the pulse of the entertainment every minute. He stood by the microphone with each performer, beating time

(Continued on page 596)




An intimate study of Samuel L. Rothafel, Manager of the Capitol Theatre, New York City, who, with his "gang" entertains a vast radio audience every Sunday evening. Better is he known by the name "Roxy."

thought to be the property only of the rich.

But what of the actual character and abilities of this man who is to-day the most successful presenter of motion pictures in the world? First of all, there is his versatility. Untrained as an architect, he plans excellent theatres, and sees them constructed. Though not a trained musician, he leads his orchestra of 85 pieces. With little knowledge of the technique of electricity, he plans exquisite lighting effects. Nothing

The Wail of the Lonesome Shrine

By ROBERT FRANCIS SMITH



Everything was quiet and restful. That is, except for a radio concert about half-past eleven. Must have had a big horn on it I guess. Least wise, I heard it like it was all around me.

ME? I'm an actor. Joe Hammerstein's name. If you insists on the horrible details, I dances. You knows—one of these hard soles that skips out onto the planks and says: "Ladies and Gen'l'men, I shall now do my own original impression of Mr. David Warfield in the Music Box Revue." Not that I'm trying to puff my own clarinet, but it's common talk we're good. By "we" I means myself and the major half of the act, which is Doris, my best gal and nerviest critic. Yeh, I'm married, but I don't hold no grudges. We being a good act, which same is said of us even by booking agents, greater praise than which ain't been spoken, we gets to be headlined. Furthermore, we draws good pay, although I don't see much of it. Most impossible of all, we saves a lot of it, due to there being a little Scotch in both of us, in her veins and in my stomach. The upshot of it all being that we can lay off during the hot spell and chum with the sea gulls and starfish down here at Brightmere-on-the-Deep.

Both of us being naturally and necessarily ambitious we finds time hanging heavy all over us, me in particular. For a while we gets by with a radio, but there ain't much kick for show folks to spend vacations listening to the same stuff they travels with all winter. The wife by this time has everybody's pedigree and our front porch is a first-class reputation-ruiner, which sets Doris on the globe. Me, I don't see the point of it all, so I makes myself previous about the

house, spending most of my idle hours with The Master.

The Master is what the servants calls Jerry Lawson. Jerry, to set things right, is a rational millionaire except for a hobby. With him it's science. He likes to fool around with wires and coils and see what happens. So far he always has.

He stages his shows in the second story of a deluxe garage, said second story being fitted up with all the machines that ever kept Edison up nights. So, upon this July day, I breezes into The Master's joint and sits down. Him and me is good friends; politeness is superfluous.

"Hello, Joe," he greets me. "What's the good word?"

"It ain't a good word," I says. "It's a bad word, and I don't mean perhaps."

"Has anything gone wrong?" he inquires.

I shakes my head. "Not like you means," I tells him. "The wife still speaks to me, my income tax is paid and my agent knows where I'm at. The big howl is this: I ain't got nothing to do to kill time. All I does is loaf, and while I'm pretty fair at it, I don't get no unusual thrills. So I'm open for suggestions."

He slowly shakes his well-lubricated locks and stares out of the window. Then he speaks.

"You mean you wish me to help you find a way to pass the hours?"

"All I can do is pass with the kind of deals I've been getting," I grumbles. "I wants you should let me in on something

Give me some work to do—let me carry a lightning rod in your act."

He sort of grins, having a sense of humor at times, although he doesn't look it.

"Really, Joe, I'm sorry," he says, "but at this moment I haven't much of anything you could do. What would appeal to you?"

"I'm a desperate man," I tells him. "Whatever you says goes."

Jerry gazes out of the window some more. Then he turns around.

"Scientific?" he asks.

"Any-tific," I replies. "Science if possible."

"Astronomy, Biology, Chemistry, Dentistry, Entomology, Geology—"

"Interesting if true," I puts in. "Was she hurt much?"

The Master don't get it. "Was who hurt much?"

"Never mind," I soothes. "Go on."

He muses for a few moments, staring out of the window at something. I gives a look. It's a funeral procession.

"Somebody," declares The Master, "is dead."

"I hope so," I remarks. Seeing as how it didn't get over, I makes a stab at humor in Jerry's own line of chatter.

"His flesh will soon be gone, but his spirit forever remains," I states.

Suddenly The Master turns and fires a broadside:

"Joe, do you believe in ghosts?"

The boy feeds 'em too fast for me, so I

(Continued on page 510)

Soup Modulation

By WILLARD WILSON



But a or more big congressman is seated next to microphone at speech table, and are continually making noise like gasoline suction dredge when drinking mud from river bottom. Thus, speeches from other end of the table resemble, in volume, thin piping of Chinese doodle-bug in forest of singing donkeys.

TO Editor of RADIO NEWS, which are most picturesque and palatable of all radio mags, per month.

Honorable Sir:—

Having met and also been talked at by many pepl, interested in radio lately, huge and stupendous questions have been popped at me which I think deserve solvation.

Namely: are the radio broadcast studios DOOMED?

Such are at first glimpse foolish and puerile question; but upon deeper think concerning such, assumes very unhumble proportions.

At the inset, Hon. Sir, by studios are meant not engineer room where transmitting set, batteries, etc. is located. By studio are designated large, beautifully padded apartment from which many operas, birds, violins, etc., sing forth sweetly, accompanied alternately by lily voice of highly salaried announcer of station.

"But," you gargle with pained also sudden expression, "who is Hon. fools enough to even intimate that such, namely, radio studios, is doomed to quit?"

"These pepl. which have talk to me," I reflex glibly. "They are ones which have put such high-powered question into my head."

"But," you spout forth again, "what things has put such fool ideas into heads of such pepl.?"

"Many nights of listening at radio receivers," I heterodyne triumphly. "Such have loaded many radio fans with huge amt. of alarm concerning future of radio studio. Many nights of fevered search among huge amt. of stations for one studio program have made them became filled with many coiled horror lest such are 'becoming extinct.'"

I will withdraw from quotation marks, Hon. Sir, and continue with more fully explanation.

For instance, i.e., etc.

Last night I listened to Hon. radio. First I twist dials until I pick up station which are with me very favorite. Result, huge silence intermixed with clinking of dishware, giggle laugh of many people in dance dinner, and finally faint shuffling music of orchestra playing ancient fox-waltz. Such are no doubt very interesting if I was one of dance shuffling persons. But being in receptive mood and faded kimona for receiving beautiful and educational studio pro-

gram, such undestinct music is as dish-water to my humble ears.

Next I try another station and get results ditto as above. More clank of dishes and dance feet music!

Next station are at that time broadcasting after-dinner speeches of Hon. plumber's convention in Gargle Hotel. This are much preferable, when heard, to swish-swish music of unaudible dance band. But a or more big congressman is seated next to microphone at speech table, and continually are making noise like gasoline suction dredge when drinking mud from river bottom. Thus, speeches from other end of table resemble, in volume, thin piping of Chinese doodle-bug in forest of singing donkeys.

I mop sweat of madness from brow, Hon. Sir, and twist regenerator again.

This time station UQP are intrapped announcing that they are broadcasting wonderful band concert from distant seaport by line-telephony. Presently come faint squeak-squeak of announcer at distant harbor saying

Music, after being stepped up howlingly by broadcast operator, are very fair, though diluted with whistles of passing boats, screaming babies, barking dogs, croaking sea-gulls and other people which infest Hon. band concerts at beaches.

that next number will be that old favorite, "A warm time in the Old Town to-night." Music, after being stepped up howlingly by broadcast operator, are very fair, though deluted with whistles of passing boats, screaming babies, barking dogs, croaking sea-gulls, and other people which infest Hon. band concerts at beaches.

With swift curse or three I swiftly twist dials once more and capture another station. Such are broadcasting whoopingly, with huge fizz, political convention.

For one hour, Hon. Sir, I search undyingly for program emanating from some studio. Finally one are hooked by me somewhere in the south of Arkansas. It are small meatshop station, and music and speeches from it are bunk. But, they is understandable and much preferable to swish-swish, dog howl, suck-suck, fizz whoop, dance clank, etc. of other stations—so I listen with eager pleasure.

Such are condition which have become acute enough to enable many pepl. to ask of me, "is the radio studio becoming extinct?"

Pepl. appreciate three-stagely all effort of stations to give something new such as dinner speech, political fizz, distant band noise, etc. But also Hon. Sir, they delight to detect an atmosphere, at least somewhere, program from cushioned studio where voice, and music are audio as well as radio, and where battle of waiters, scrape of feet, bark of dogs, and other congressmen are illuminated from such.

Those are problem which for short period of time have weighed on mind of your Hon. servant and which are now transferred to publication. As Hon. poet once remarked, "To have studios or not to have such. Those are the question!" Broadcasters desire to please great amt. of pepl. and will no doubt present to air such programs as are desired by largest multitude of listeners.

So the matter are in our hands and I am pleased to sign myself as usual, your's for less dish-washy broadcasting. With salutations to office cat, I am pleased to kiss my hand to you and dictate myself, your's amplifiedly,

Chin Choo Chow,
Shanghai, Ariz.






Radio Station 8BRC

By S. R. WINTERS

RADIO amateurs throughout the United States and outlying provinces who have heard the call letters 8BRC may have frequently wondered what manner of man is the operator at the remotely located radio sending and receiving station in Pennsylvania. Situated on a mountain 13 miles south of Oil City, occasionally a fleet-footed deer may be seen passing through the plantation on which the radio masts—outposts of civilization that they are—extend upward for more than 100 feet.

Harry Snow Myers, who presides over the radio telegraph key at station 8BRC, is a genius, and this much-abused term is employed advisedly. He is a self-made man, a master mechanic, and his meteoric rise in the field of practical engineering and radio is an inspirational chapter. His life story did not come from the tightly-closed lips of this reticent man, but was told the writer by a friend of his.

Barely 30 years old, Harry Myers' scholastic training has been nothing more than passing through the grades of a rural school near Van, Pennsylvania. However, when only 19 years of age he built an automobile from old parts of cars. He operated it for 12 months and then converted the automobile into a bailing machine, for puffing and bailing gas wells, and pulling pipes from wells. Later, his mechanical turn of mind resulted in the construction of a tractor, made of old parts of an automobile during his spare time.



The transmitter and receiver of station 8BRC, owned and operated by Mr. Harry Snow Myers, near Oil City, Pa. The transmitter, of the panel type, can be seen in the left background of the photo.



The radio shack and the two immense 100-foot towers which support the aerial of station 8BRC. Another aerial atop Mr. Myers' house is employed for broadcast reception.

Four years ago, Harry Myers was the foreman in a small machine shop in Oil City, Pennsylvania. Today, he is owner and superintendent of a factory manufacturing winches, which he invented, and which are used on tractors throughout the United States. Five patents for inventions have been issued to him and a score of applications for patents are pending.


These manifold activities notwithstanding, Mr. Myers during spare hours has equipped and built a very complete radio transmitting and receiving station. Then, too, he has mastered, without tutelage or systematic instruction, the international telegraph code. By means of the latter, he may exchange messages with Pomona, California, Porto Rico and Cuba. Radio telegraphy is at once a hobby with him and an incentive for further stimulating his talents for things mechanical and electrical.

That Mr. Myers is thoroughly imbued with the radio fever may be ascertained by glancing at one of the photographs illustrating this article. He maintains wireless equipment at both his home and office. In fact, the latter is given secondary place, since the radio room is on the ground floor. The towers for the antenna system at his home are 94 feet high, while the masts erected at his office appear to be more than 100 feet in height. He has a splendid transmitter, and uses a standard type of receiving set.

Harry Myers' success is due to unremitting
(Continued on page 572)

British Station 5LP

Owned and Operated by L. W. Pullman



Operating room of Station 5LP with Mr. Pullman carrying on a bit of phone work. The appearance of this outfit is no doubt foreign to the eye of the average American amateur, but insofar as results are concerned 5LP can be classed as a native transmitter and receiver.

EVER since 1920 I have been carrying out various experiments in connection with radio telephony and the result is the station shown in the photograph, which, though far from perfect, is fairly efficient, and considering the power allowed for amateurs in this country, has a reasonably good range.

The aerial is of the twin cage type, each cage being two feet in diameter. They are spaced 10 feet apart and have a mean height of fifty feet. A tuned counterpoise, or, rather, earth screen, of ample proportions is also used and is supported on heavy insulators about seven feet from the ground.

The transmitter itself is of a somewhat novel type which is not generally in use in this country, but I must say it is extremely good on wave-lengths from 90 to 200 meters, which is the range generally used by this station.

The grid coil is not coupled to the aerial inductance in the circuit employed and by experience it has been found that it must be isolated from all other parts of the set and then tuned into resonance with the wave-length set on the aerial inductance. This tuning is very critical and calls for a certain amount of practice.

The high tension supply is obtained from the A.C. mains, 250 volts 50 cycle, stepped

up to 3,000 volts and rectified by means of two heavy duty tubes. Windings are also provided for lighting the power valves and rectifying tubes, though storage batteries are still used for the other tubes, which consume such a small amount of power that it has not been worth while to set up the apparatus to supply these from A.C.

The receiver is of quite a normal type and has no special features except that insulation has been carefully watched and the wiring well done with heavy gauge bare wire. Five tubes are available which, by an arrangement of switches, can be reduced to one. Every care has been taken to avoid stray capacities. With all its faults and clumsy appearance, the receiver picks up KDKA short wave stuff excellently and without any interference from the local broadcast station which is only three miles away. A change-over switch changes over all the required lines and also switches on the current to the transmitting transformer. This feature, though common in America, is far too often overlooked in this country with the result that a lot of delay is caused when communicating with a station which has dozens of switches to change over, to say nothing of a few wires to disconnect from remote terminals.

From the photograph it will be noticed that there is a closed cupboard under the set which contains two storage batteries of 120 A.H. capacity and the smoothing condensers for the transmitting supply. The condensers, which are of the oil-filled type, may be seen at the end of the set on the upper level and the transformers on the lower level.

In conclusion, I should like to express my gratitude to RADIO NEWS, of which I am a constant reader, for the many helpful tips and gadgets published. We have no such paper over here, I am sorry to say, and so we always await with pleasure the arrival of RADIO NEWS. May I also add that if any station on your side feels inclined to try across on telephony, I am always here, but C.W. has no interest for me as I hold there are many who get across on C.W., but few who manage speech. 5LP is always working from 11 A. M. on Sunday to 1:30 P. M., and again at 7 P. M. to 8:15 P. M. This is the only constant working, but I work any time I have tests to carry out.

L. W. PULLMAN,
213 Golden Green Road,
London, England.

Hamitorial

If You Are To Know It At All. Know It Well

KNOWLEDGE is power. Which, of course, is but another way of saying that experience is the builder of success.

But, you object, it takes so long to obtain experience.

And your objection is wrong. The books and records of the ages are before you for the reading. Experience gone through and ready made that, though it cannot substitute for practice itself, makes it possible for you to absorb the experiences of lifetimes.

Had you thought of the multitude of lives that makes up your library of radio information? Had you thought of the debt that you owe those who have gone before, pioneered and made it possible for you to carry on? A debt that you can never repay, but a debt that you can carry on your soul that you may bequeath a legacy to the present or the future that will in part recom-

pense for what you have taken from the past.

Knowledge is power and as such cannot be confined to a knowledge taken from the things we merely touch upon in our limited reach. Instead we go into the vistas of the imagination, the great, omnipotent reaches of the mind and theorize—from innumerable externals. But it is not the reach of one person or even two, but of multitudes that makes *knowledge*.

Those things have assembled the theory and technique of radio—the knowledge of radio—and you, if you neglect the learning thus before you, are neglecting actual gold for—nothing.

But I am generalizing, which is wasteful, for it lacks application. The aim of this is upon the person who considers radio his avocation or his vocation. Who goes ahead with countless trials in the hope of discov-

ering something. I am talking to the experimental amateur, transmitting or BCL, who is constantly seeking in a field in which he has no basic knowledge. Even Columbus, in an unenlightened age, did not venture until he had all the knowledge available at the time, corralled for his purpose. I have seen some, without an idea of what they were really doing, try to manifest absurdities. I have seen them try the impossible and waste time, money and energy. Often but one hour of reading would have saved many, many times its value, but they blunder on taking no stock in the record of the facts of their hobby (or profession).

These same people would no more consult a doctor without years of schooling in the theory and practice of medicine than they would lap up a dish of battery acid.

They seem to appreciate the value of
(Continued on page 574)

A Three-Wave Transmitter

By JOHN M. BALDWIN

An excellent article dealing with the construction and adoption of a wave-change switch to a master oscillator transmitter. Mr. Baldwin has included the necessary information for calculating the three wave-lengths.


THE accompanying diagram is of a master oscillator transmitter, designed for rapid wave-length change over the amateur band from 150 to 200 meters. It is of special benefit for use in amateur relay stations of the better class where is often felt the need of several wave-lengths at instant disposal, especially when QRM is severe.

As is shown in the diagram, the master oscillator is a common Hartley circuit feeding a dummy antenna (XYZ) and the grid excitation for the power amplifier is obtained from a tap taken from the M.O. inductance. The output circuit has, as usual, the ground and counterpoise connected together.

It is possible to wire a common self-excited oscillator in such a way that several wave-lengths will be available, but doing so entails a multiplicity of wiring to the various switches which cause losses—and as losses are the bugaboo of radio amateurs today, this form of construction was left severely alone. Several commercial C.W. transmitters are equipped with multi-wave arrangements, but they have the disadvantage of the above-mentioned numerous leads. A few watts loss in a high-power transmitter is not serious, but the average Ham nurses his few available watts very tenderly and hates, like sin, to lose any more of them than necessary.

In this system, the plate and antenna clips remain in the same position for all waves, and the only adjustment of the output circuit consists of changing the number of turns between the antenna and ground (counterpoise) clips. (In other words, changing the inductance.) The M.O. circuit is re-adjusted for different waves by changing the capacity in the dummy circuit. The clips of the M.O. remain the same for all three waves. As the construction of the switch, etc., is clearly shown in the diagram, it will be unnecessary to go into details. The principle of the M.O. has been well aired in these columns before, and so questions on any doubtful points may be settled by referring to the back numbers of this magazine.

To give a clearer understanding of the constants involved, we will investigate the dummy circuit. This circuit is made up of capacity, inductance and resistance. The resistance Y should be of the order of one to four ohms and is used merely to keep the R.F. current flowing through XYZ within



The circuit diagram of the transmitter employed by Mr. Baldwin in conjunction with the wave-change switch. The components are: A—Thermocouple ammeter; B—inductance coil; C—arm of change over switch; D—DPDT switch; G—UC-1014 Faradon condensers; H—1-mfd. filter condenser; K—5,000-ohm grid leaks; L—key; M—filament transformer; N—rheostat; O—variable resistance; P—DL250 coil; Q—5,000-ohm resistance (used only when master O. tube is smaller than P. A. tube); R—milliammeter; S—filter inductance; V—ground clip; W—output circuit; X—dummy circuit inductance; Y—resistance (1 to 4 ohms); Z—Faradon UC-1015 variable antenna series condenser, with capacity values of .0003, .0004 and .0005 mfd.

reasonable bounds. The inductance, B, consists of a helix of 24 turns of No. 12 wire, wound on a tube six inches in diameter and eight inches long. Upon calculation, the inductance was found to be approximately 45,000 centimeters. A helix of the same size was used for W in the output circuit. X consisted of 12 turns, six on each side of the ground clip V, with an inductance of 24,800 cms. The capacity used at Z was a series condenser with three taps, giving three variations of capacity, viz., .0003, .0004 and .0005 mfd. The formula for calculation of wave-length—given the inductance and capacity—is $WL = 59.6 \sqrt{LC}$ (inductance in centimeters and capacity in microfarads). Using this formula, we take, for example, the 24,800 cms. (inductance of X) and consider capacity as .0003, and multiply. The result is 6.84. Then extract the square root of this figure, with the result 2.6. By then multiplying the constant, 59.6 by 2.6 we have 155, which is the wave-length. Therefore, if the capacity is .0003 and inductance 24,800 cms., the circuit will oscillate at a frequency corresponding to 155 meters. Similarly, we find that when Z equals .0004, the resultant wave-length is 180 meters, and when Z equals .0005, we have 200 meters. By connecting the three leads of the condenser to the terminals of a triple point switch we have the necessary changes in the master oscillator provided for. It is now necessary to provide means to change the inductance of the output circuit so that it will change in resonance with the M.O. and with the same operation controlling both. This we do by having three taps off the output inductance connected to the terminals of another three-point switch in such a way

(see diagram) that the arm of both switches move simultaneously.

The positions of the three clips on the output inductance can only be found by experiment as their location will vary on different aeriels, but the tuning of the set is far from being complicated. For full details on tuning an M.O. set, refer to page 1759 of the June issue of RADIO NEWS.


Hoping that this little kink will be of service to the rest of "Us Bugs," I will now QRX and QRT.

GOVERNMENT EXTENDS RADIO CHANNELS FOR AMATEURS

Practically 15,545 amateurs will rejoice over the news that Secretary Hoover's radio aides have opened four new short wave bands for their exclusive use. Today the nine district radio supervisors received orders from Commissioner of Navigation D. B. Carson, under whose direction the Radio Section operates, to issue general and restricted amateur radio station licenses permitting the use of the wave-lengths between 75 and 80 meters; 40 and 43 meters; 20 and 22 meters; and 4 to 5 meters, for pure C.W. telegraphy, 24 hours a day.

The owners of amateur stations may continue to use the band between 150 and 200 meters, employing C.W., spark, and modulated forms of transmission, including radio phone work, but special amateurs lose the band between 200 and 220 meters, which is now held in reserve. This class of amateurs, however, is granted a new channel between 105 and 110 meters, in addition to the wave-lengths between 150 and 200 meters.

(Continued on page 572)



Details of the wave-change switch. No dimensions are given, being immaterial. The builder can make it of a size to suit his own conditions.

Automatic Sending Key and Time Relay for Tube Transmitters

By A. A. KUBIAC

An excellent automatic key and time control system which is close to human in its functioning. Its use relieves the operator of all necessary manual switching.




Fig. 1

A curtailed sketch of the side view of the transmitting key and relay system. The one solenoid does all the work of closing and opening the key contacts and operating the drum selector switch.

AN efficient vacuum tube transmitter is one that, in addition to covering the most miles per watt, is also flexible of operation, one with which two-way break-in operation can be maintained with a minimum of switches. The ideal set would be one which required no manual operation of switches at all to change from "transmitting" to "receiving" position and vice versa. In other words, a transmitting and receiving system in which all controls have been eliminated except the sending key. The key, being the only control, is made to carry out all the operations necessary to turn the transmitter on and off as well as operate a break-in system.

REDUCING CONTROLS

We will consider the average amateur vacuum tube transmitting equipment. A summary of the necessary operations is as follows: (1) Turn on filament current. (2) Turn on plate current. (3) As many amateurs are still using the same antenna for transmitting and receiving, it is necessary to turn the antenna switch to the "transmit" position. After the desired transmission has been carried out, these three controls must again be operated in the reverse order to

shut down the transmitter and operate the receiver. This makes six operations to be carried out each time you change from "receive" to "transmit" and back to "receive."




Fig. 2

The drum selector switch, its spring contacts and the key operated contacts are clearly shown in this sketch of a top view of the instrument.




Fig. 3

Diagram of connections of the key and time relay to a C.W. or I.C.W. tube transmitter.

The three controls are incorporated into one, the six operations are reduced to two. For reasons to be explained later, we will consider points 1 and 2 now and take up 3 later. The most logical way to incorporate 1 and 2 would be to turn on the current to the transmitter by a switch in the power supply, but this is dangerous to the tubes. If the plate supply is applied to the tubes first and then the filaments are lighted there is a momentary heavy rush of current into the tubes which would burn out the filaments if the tube is being operated above the normal rating, and is dangerous even under normal conditions. To offset this danger the filaments must be turned on a trifle before the plate supply. A double-pole single-throw switch with the filament clip slightly longer than the plate clip will control one side of the line, with a common return for the other side. We will see later how 1 and 2 are controlled by the sending key.

BREAK-IN SYSTEM

A break-in system has such a tremendous

advantage over the usual method of operation that once you use it you would no more think of doing without it than you would think of going back to the old rock crusher. It enables you to hear the station with which you are communicating each time your key is up. This feature alone rids QRM of half its terrors because you are in instant touch with the other fellow and can shoot your messages through the gaps in the interference at times when it would be impossible to operate without a break-in system. Of course, we cannot operate a break-in system if we are hampered with an antenna switch. The most logical way to eliminate the antenna switch is to use a separate single wire antenna for receiving. This will ensure more satisfactory year-round reception and freedom from static anyway, so why use the transmitting antenna for receiving? When the transmitting wave-length is the same or near that to which the receiver is tuned, sufficient current would be induced into the receiving antenna to burn out the receiver. To protect the receiver from this danger we must break the connection of the antenna to the receiver each time the sending key is down. This can be done by having an extra pair of

(Continued on page 564)

A Universal Two-Step R. F. Receiving Set

By PAUL G. WATSON

An exceptionally efficient and well designed receiver employing one stage of tuned and one stage of untuned radio frequency amplification. The set is adaptable to both amateur and broadcast wave-lengths.



THE writer published a circuit in the March, 1924, issue of RADIO NEWS under the heading "The Weagant Circuit" in which the idea of honeycomb coils as radio frequency transformers was introduced. Further experiments along the same lines have resulted in the development of the circuit covered by this article. If compared with the circuit published in the March issue, it will be found to be radically different.


Let us first refer to the circuit diagram and understand what we are doing. Coil "A" is the antenna tuning inductance, tuned with the usual series condenser. For broadcast wave-lengths this should be a No. 50 honeycomb coil. All necessary specifications for coils for amateur wave-lengths will be covered in a separate paragraph. Coils Nos. 1 and 2 are of the same type and size as coil "A." These coils are tightly coupled together in a regular two-coil mounting, preferably of the "back of panel" type, which keeps the coils away from the operator's hands. Coupling need not be variable, although additional selectivity is sometimes gained when they are separated. The letters "T" and "B" signify the respective ends of the coils to be placed at the top and bottom terminals of the coil mounting.

Coil No. 2 is shunted by a .0005 mfd. variable condenser, the stationary plates being connected to the grid side of the coil. This will remove any detuning effect that might result in placing the hands too near the grid circuit. This condenser should be of low loss type. This also applies to the antenna tuning condenser. No. 4 is a standard type radio frequency transformer, the range of which is 220 to 550 meters. Arrangements in its construction provide for its ready removal from the mounting socket. An amateur wave-length device for use in place of this transformer will be covered later. The standard transformer has the terminals marked so no explanations need be given of its connection.

RELIABLE GRID LEAK NECESSARY

A variable grid leak of good construction, shunted by a .0005 mfd. condenser, is used in the grid circuit of the detector tube. A fixed grid leak is impossible for best results, unless an assortment is available for selecting the best value.

The radio frequency grid return is made, from both tubes, to the moving arm of the potentiometer "P" of 400 ohms, which is connected across the filament battery circuit. A fixed condenser "C" is connected



The right-hand cabinet contains the receiver and amplifier described in this article. The audio frequency amplifier is separated from the rest of the set. It is a reconstructed commercial unit, only the original panel remaining.

from the moving arm of the potentiometer to the negative side, as a by-pass, and to prevent detuning when the arm of the potentiometer is moved. This condenser is of .005 mfd. value. Condenser C₂ is a by-pass on the "B" battery circuit of the radio frequency amplifier, and is a one-half mfd. condenser. The value of this last condenser can be anything above the value given.

The last two tubes are hooked in as audio frequency amplifiers in the conventional manner, and need little or no explanation. A "C" battery is included for biasing, to reduce distortion and the load on the "B" battery.

The two radio frequency tubes and the two audio frequency tubes may be placed each pair on a common rheostat, as the same type of tube is used in both cases—a UV-201A or C-301A. It is not advisable to combine the audio and radio frequency tubes on a common rheostat, but they may be divided as mentioned without loss of efficiency.

Amateur specifications are very simple. It is understood that this band is from 125 to 220 meters. Coil A consists of 20 turns of No. 22 B and S gauge D.C.C. wire wound on a 2-inch form. Coils Nos. 1 and 2 consist of 25 turns each of the same size wire. The substitute for the transformer is made by taking a piece of ¼-inch bakelite and mounting four ¼-inch round brass pins, two on each end, with the same spac-


ing as the transformer lugs. Two coils, one concentric to the other, 1½ inches in diameter, should be mounted on this strip. The coil for the plate circuit (primary) should have 30 turns of No. 26 D.C.C. wire, and the secondary should have 30 turns of the same size wire. A slight difference in diameter should be made so the primary will fit inside the secondary.

Panel details can be arranged to suit the constructor as each has his own ideas on panel layout. The writer's idea on this tuner can be secured from the photo of his station, 4XX, located at Savannah, Ga.

The two upper dials control the coupling between coils Nos. 1 and 2. The bottom left dial is the antenna or loop tuning condenser. The bottom center is the condenser across coil No. 2, while the third dial is a condenser arranged for special tuning of the loop, i. e., vernier or close tuning, which is not necessary when using the antenna. It has just been mentioned, or implied, that a loop can be used with this set. One of its many advantages is its equally efficient operation on either loop or antenna. No changes are made for the loop. The antenna and ground are removed from their binding posts and a wire, or jumper, placed between them, as shown by the dotted line in the diagram. This throws the antenna condenser in shunt to the loop for tuning. A 12-turn two foot square loop spaced ½ inch between turns will cover the broadcast range with a .0005-mfd. (23 plate) condenser.

The simplicity and efficiency of such a set is remarkable. Two tuning dials control the wave-length, while one knob (the potentiometer) controls the volume. A fine medium between tuned and untuned radio frequency is struck in this set. The first step of radio frequency is accurately tuned, while the second is entirely untuned.

The small cupboard on the end of the cabinet is for the purpose of holding the base of a loud speaker, the horn projecting through a hole in the top of the tuner. The lid of the portion over the tuner and amplifier is hinged in order that the interior may be accessible. The panel in the photo is 10 by 16 inches, while the amplifier is 7 inches long and 6 inches high. I find the individual units much more efficient than a combination on one large panel.



The circuit diagram of the set. Two stages of radio frequency amplification are employed. The first one is tuned, but the second is untuned.

Notes on the Super-Heterodyne

By PROFESSOR GROVER IRA MITCHELL*



This article is full of valuable information on the Super-Heterodyne. Of particular interest is the discussion of the relative merits of the air core and iron core types of intermediate wave radio frequency transformers.

THE many useful articles which have appeared in the radio periodicals within the past few months have demonstrated the widespread interest in the Super-Heterodyne method of reception. Many directions and specifications for building such receivers have been presented to the public with the result that the reader who has studied several of these articles, each of which stresses the wonderful results which are being obtained with the particular hook-up described, becomes confused and is at a loss to determine just which set he should build. The author of this article hopes to present some suggestion which will clear away much of this confusion.




Fig. 2

Method of placing a negative bias on the grid of the first detector tube. This is a more satisfactory means than a grid condenser and leak.

TYPICAL SUPER-HETERODYNE CIRCUIT

A typical Super-Heterodyne receiving circuit employing nine tubes is shown in Fig. 1. This circuit has four stages of intermediate-wave amplification preceded by the first detector and the oscillator and followed by the second detector with two stages of audio frequency amplification. It was designed to operate on a loop and has sufficient amplification to give good volume from very distant stations. The last stage of

audio frequency amplification would probably never be used except for very distant stations. Hard tubes of the UV-201A or C-301A types are employed throughout. The "B" battery for the two detectors should furnish 45 volts for the plates while the "B" batteries for the amplifying tubes should be of about 90 volts, while 45 is generally sufficient on the oscillator. It will be noted that one set of "B" batteries is used for the two detector tubes, one set for the intermediate-wave amplifiers, and one set for the audio frequency amplifiers. This requires three distinct sets of "B" batteries.

The reason for using three sets of "B" batteries lies in the fact that the current drain on them for a receiving set having a large number of tubes is so great that if but one set of batteries was used to provide the plate current for all the tubes the life of the battery would be very short and the expense of replacing "B" batteries every few days would be prohibitive. By using the three sets of batteries, thus reducing the amount of current drawn from each set, the life of the three sets is about seven times as long as of a single set used to supply all tubes.

"B" BATTERIES

Some of the manufacturers of the best known brands of "B" batteries are now making a special large size battery for use with the Super-Heterodyne circuit. The high milliampere capacity of these batteries enables them to provide the plate current for a large number of tubes and still have a life comparable to the ordinary sized battery used with the usual three or four tube set. The use of these large batteries is recommended.

The storage type of "B" battery is finding much favor for the reason that it may be recharged. Storage "B" batteries

are made in several sizes, ranging from about 700 milliamperes capacity to about 5,000 milliamperes. Only the larger capacities should be used with the Super-Heterodyne.

When the special large sized dry-cell or the larger capacity storage "B" batteries are used, the same battery may supply the plate current for the oscillator and amplifier tubes. The detectors should be operated from a separate battery to secure best reception. This detector battery may be of the ordinary size.

SUPER-HETERODYNE WITH ANTENNA

Although the Super-Heterodyne is well adapted for use with a loop, it may be




Fig. 3

Respective characteristic curves of an iron and an air core long wave radio frequency transformer.

used with an antenna. This is accomplished by using the coupler shown to the left of the dotted line in Fig. 1, which has an untuned primary. The secondary is tuned in the usual way by means of the variable condenser in the grid circuit of the first detector. A two-circuit jack may be inserted in the secondary circuit, as shown, to permit the loop to be plugged in when wanted. When the plug connected to the loop is inserted in the jack, the inductance of the loop




Fig. 1

A typical nine-tube Super-Heterodyne circuit employing four stages of intermediate wave radio frequency amplification and two audio frequency amplifiers. It works excellently with a loop aerial even when receiving from distant stations. Tubes of the UV-201A or C-301A type are employed throughout.

*Iowa State College.

replaces the inductance of the secondary coil of the coupler.

GRID CONDENSERS AND LEAKS

The diagram shows a grid condenser and leak in the grid circuits of each of the detector tubes. The grid condenser of the first detector rectifies the signal oscillations as well as the oscillations picked up by the pick-up coil from the oscillator circuit. The two sets of oscillations are heterodyned and sent to the amplifiers. The second detector again rectifies the oscillations and presents its rectified output to the audio frequency amplifiers.

Many who have built the Super-Heterodyne have found that the condenser and leak in the grid circuit of the first detector tube are very critical and have difficulty in securing the proper adjustment of these units.

The author has found that better results are obtained by placing a slight negative bias on the grid of the first detector and omitting the grid condenser and leak. The method shown in Fig. 2 was used. The grid return was connected to the center terminal of the potentiometer P_2 placed across the battery C, an ordinary No. 6 dry cell such as is used for ringing door bells. P_2 has about 2,000 ohms resistance so that the life of the "C" battery here is very long—one cell should last a season. The positive side of the battery was connected to the center terminal of a 400-ohm potentiometer P_1 across the "A" battery. By adjusting the two potentiometers, using the one across the "C" battery as a vernier, any grid bias desired can be placed on the grid. Once the adjustment is correctly made, it is practically permanent. Reception is thus rendered more stable and one of the common operating difficulties of the circuit removed.

AIR OR IRON CORE TRANSFORMER

There has been much discussion as to the use of air or iron core transformers for the intermediate stages. Some manufacturers offer the air core instrument with the statement that it is superior to the iron core type while others maintain loudly for the iron core type.

The answer to these conflicting statements lies in the design of the set. Some circuits work well with iron core transformers while other circuits seem to operate best with the air core type. Properly designed air core instruments are very sharp with reference to the wave bands to which they will respond and the iron core transformers will respond with almost uniform application to a relatively wide band of frequencies. This is illustrated by the amplification curves of Fig. 3, where curves for the air core and the iron core types of transformers are shown. It will be noted that the air core unit peaks very sharply while the iron core unit responds with approximately uniform amplification to a wave band between 6,000 and 12,000 meters.

For a receiving set having four stages of intermediate amplification, five transformers are required. At least one of these transformers—usually the first one—must be

of the so-called filter type. The filter transformer selects the frequency at which the heterodyned signal is to be amplified and is very sharply tuned. Only waves of the length to which this transformer is tuned pass into the following stages. In Fig. 1, the filter transformer is of the air core type with each winding by-passed by a fixed condenser of such a capacity that both windings will respond with maximum amplification to the desired frequency and no other. This transformer with its shunt condensers will respond to, let us say, a wave of 9,600 meters as shown by the curve of Fig. 3. It matters little what type of transformer is used in the succeeding intermediate stages so long as they are able to amplify a wave of 9,600 meters with efficiency.

Although air core transformers in the succeeding stages are able to amplify at a relatively high ratio, they must all be sharply tuned to the same frequency as the filter—a condition which is somewhat hard to secure. If a set of perfectly matched transformers of the air core variety can be obtained, the amplification will be maximum and the receiving range of the set exceptional.




Fig. 4

Curve 1 is that of a sharply peaked air core transformer and curve 2 is that of four such transformers perfectly matched.

On the other hand, if iron core transformers are used in the succeeding stages, they will amplify very satisfactorily and will require no matching. This effect is shown in Figs. 4, 5, and 6. In Fig. 4 is shown the amplification curve produced by four sharply peaked air core transformers, all of which have the same amplification curve (shown at 1). Curve 2 is for the entire group, showing how the four perfectly matched transformers produce an extremely high amplification. Fig. 5 shows four air core transformers which are not matched and whose amplification curves show that they are tuned to slightly different frequencies. The resulting amplification of the set is not as great as that of the perfectly matched unit of Fig. 4. Fig. 6 shows the amplification curves of a filter type air core transformer and the curves of three iron core transformers used as a group. The resulting amplification of the entire group is greater than the unmatched transformers of Fig. 5, but is not as great as the amplification for the group of perfectly matched units of Fig. 4.

It is because of the difficulty of obtaining perfectly matched air core transformers that many builders prefer to use one air core transformer as a filter and iron core transformers in the succeeding stages.

RHEOSTATS

Each detector should have an individual filament control rheostat. The oscillator tube and the tubes of the intermediate amplifiers may be controlled by means of one rheostat and the audio frequency stages by




Fig. 5

The total amplification obtained by employing one air core filter transformer and four iron core transformers is shown by the highly peaked curve.

another rheostat. Individual rheostats on the detector tubes permit these tubes to be adjusted there for best action. Individual rheostats on the other tubes offer no advantage.

GRID BIAS

Most Super-Heterodyne circuits use a potentiometer the center terminal of which is connected to the grid returns of the intermediate amplifier tubes to place a slightly positive bias on the grids of these tubes to prevent oscillation. The use of the potentiometer effectually prevents oscillations in intermediate stages but at a sacrifice of several advantages which would be secured if oscillations could be prevented through other methods. It is well known that a positive grid potential greatly increases the plate current and thus places a greater load on the "B" batteries. Much work is being done by experimenters and manufacturers in an effort to devise a way to prevent oscillations in the intermediate stages without the use of the potentiometer. One method is a negative feed-back arrangement such as is used in the Neurodyne circuit. If the oscillations can be prevented, a negative bias can be applied to the grids of these tubes with a great saving in "B" battery current, and better amplifier action.

One method of preventing oscillation in the intermediate stages is shown in Fig. 7. Here the plate and grid of each tube are coupled by the condenser C and the resistance R. The condenser is the ordinary mica type of about .00025 mfd. capacity. The resistance R should be of the pencil mark variety and should be adjusted until oscillations just cease. A "C" battery may then be used to bias the intermediate stages.

EFFECT OF "C" BATTERY

The use of the "C" battery effects a saving in "B" battery current ranging from 100 to 300 per cent. Audio frequency stages are especially benefited by the use of the "C" battery.

Although the "C" battery reduces the amount of current in the plate circuits of the tubes, it does not cause a reduction in the strength of signals when properly used, but rather a slight increase with added signal clarity.

The sound produced by the head set or loud speaker does not depend upon the total amount of current flowing through their
(Continued on page 579)




Fig. 5

The curves of four air core transformers not matched, each being tuned to a slightly different frequency.




Fig. 7

A method of preventing oscillation in the intermediate stages by the utilization of resistance and capacity from plate to grid members of each tube.

Reflex Radio Receivers In Theory and Practice

By JOHN SCOTT-TAGGART, F. Inst. A.M.I.R.E.

Part II

The second and final installment of the article dealing exhaustively with reflex amplification in all its forms. Among other things Mr. Scott-Taggart goes into the subject of the addition of regeneration to reflex receivers, a worthy acquisition.

IT is proposed in this chapter to discuss the more common forms of reflex amplification circuits.

In the last chapter a circuit was given in which a reflex amplification effect was obtained and in which loose-coupling was used between the aerial and the grid circuit of the tube, and a transformer to feed the amplified radio-frequency currents into a detector circuit. This transformer was shown aperiodic in Fig. 10, but more usually such a transformer is tuned. Sometimes the

act more like an aperiodic coil, and partly because the oscillatory circuit has now got the heavy damping effect of the crystal detector and the primary T_1 of the step-up transformer $T_1 T_2$. It is known, for example, that a tube without any intentional feed-back tends to oscillate quite readily when both the grid and plate circuits are tuned, but when the plate circuit contains an inductance which is not tuned, or approximately tuned to the same wave-length as the grid circuit, the tendency to oscillate is no longer present. If you add to this fact the presence of a crystal detector which may have a resistance as low as 2,000 ohms, the tendency to oscillate is still further reduced.

The connections to the primary L_3 in Fig. 11 are rather important from the point of view of a tendency of the tube to oscillate. When the coil L_3 is fairly closely coupled to L_4 , as it is when transformers of fixed couplings are used, it will be found that making the connections to L_3 in a certain direction will result in the tube V_1 having a much greater tendency to oscillate if the connections to L_3 are reversed. When a fixed or tight coupling of this kind is employed, the coil L_3 does not act as an aperiodic coil, but partakes of the properties of the tuned circuit $L_4 C_5$, and capacity feed-back takes place through the inter-electrode capacities. If, now, we reverse the connections to the coil L_3 , the tendency for regeneration to take place will be greatly lessened and the circuit will be much more stable. It is, therefore, advantageous, when using a circuit of the Fig. 11 type, to be able to reverse the connections to the coil L_3 . Sometimes it will be found that louder results are obtained with the coil connected a certain way because of the unintentional capacity feed-back strengthening the signals; but on the other hand, this unintentional feed-back effect may be sufficiently strong to produce self-oscillation, in which case, the coil L_3 should have its connections reversed. As a matter of fact, the chances of self-oscillation are remote when using a crystal detector shunted across $L_4 C_5$.

It is important to note here that adjusting the crystal detector will vary the damping of the circuit $L_4 C_5$, and so vary the degree of unintentional feed-back introduced into the circuits $L_3 C_2$ and $L_1 C_3$. It may thus happen that a light contact on the crystal detector, although unsuitable from the point of view of actual rectification, will result in less damping on the circuit $L_4 C_5$ and so cause an increase in signal strength.

Another point to notice is that by the detector having a different impedance at different adjustments, the tuning of the circuit $L_4 C_5$ will be altered principally by altering the unintentional feed-back introduced into the circuit $L_4 C_5$. Any variation of feed-back, whether intentional or otherwise, should always be accompanied by retuning of associated cir-

cuits, and consequently, it is desirable, when operating the Fig. 11 circuit, to retune the condensers C_1, C_2 and C_3 after adjusting the crystal detector.

It will be noticed that a condenser C_4 is shown in dotted lines across the primary of the step-up inter-tube transformer $T_1 T_2$. The writer's experience indicates that this condenser may always be left out without decrease in signal strength, owing to the self-capacity of the primary T_1 . If a condenser is used, its value should not exceed .002 mfd.

As regards the connections to the primary, the connections are not so important, as the experimenter will usually care to try reversing the connections. If a rule is desired, it might be suggested that the right-hand side of T_1 should be the outside primary lead, while the left side, which is connected to one side of the crystal detector is the inside lead.

As regards the fixed condenser C_6 across the secondary T_2 , the value of this condenser may be quite low, say, .0003 mfd., and in any case should not be greater than .002 mfd. Even when a .002 mfd. condenser is used, there is a certain reduction in the audio-frequency potentials established across the secondary winding T_2 , and for general purposes the writer would recommend a condenser of .001 mfd. A grid battery could be inserted in the point X in the Fig. 11 circuit for the purpose of giving the grid a negative bias.

A few additional connections may be tried by the experimenter. It is usually desirable, in all cases, where a loose-coupled input radio-frequency transformer is used, such as $L_1 L_2$, to connect the negative terminal of the "A" battery to earth.

Another arrangement worth trying when a transformer $L_3 L_4$ is used in the output circuit of the tube, is to connect one side of the primary to the negative terminal of the "A" battery; adhering to the note regarding the I.P. and O.P. terminals of primary and secondary, the right side of T_1 may be connected to the negative terminal of "A" battery B_1 .

SIGNALS WITH CRYSTAL OUT

Many experimenters will have found that when the catwhisker, or upper




Fig. 11. A loose-coupled reflex circuit employing an air core tuned radio frequency transformer.

primary is tuned and sometimes the secondary, and sometimes both windings are tuned.

As regards which arrangement gives best results, the following remarks may prove of interest:

The transformer itself may consist of two inductances variably coupled, but more usually ready-made transformers are supplied which will cover a given range with, say, a .0003 mfd. variable condenser. If of the variable type, greater selectivity will be obtained by tuning both the primary and secondary. When using a fixed transformer, however, there is no special point in tuning both windings; only one winding may be tuned, and as regards sensitiveness and selectivity, there is, generally speaking, no difference which of the two windings is the one to be shunted by a variable condenser. The question of stability, however, is one which arises, although the matter is not one which has received proper consideration in the past. If the plate coil, i.e., the primary of the transformer, is tuned by means of a variable condenser, the tendency of the tube to oscillate at radio-frequency is much more pronounced. The coupling between the tuned plate circuit and the tuned grid circuit, accomplished through the inter-electrode capacity, the grid and plate forming what is substantially a small condenser. If, however, the secondary winding is tuned and the primary is left aperiodic, the tendency to oscillate will not be so great.

In the case of Fig. 11, this is partly due to the fact that the distance between the coils L_3 and L_4 makes L_3




Fig. 12. A novel form of reflex circuit, similar to that of Fig. 11 but with the introduction of regeneration.

crystal, is removed from the lower crystal, signals very frequently come in quite well, and this may prompt some to imagine that reflex amplification is not effective. What really is happening, of course, is that the tube is acting purely and simply as a detector. It is, in fact, almost impossible to prevent a tube acting as a detector whatever the conditions may be under which it is operating.


In Fig. 11 the head-phones T are included directly in the plate circuit of the tube, and consequently, if there is any rectification, signals will be heard in the head-phones. There will, however, be no reflex amplification effect whatsoever, the secondary T_2 in the grid circuit having no effect on the operation of the circuit. As a matter of fact, it is rather a good test to see whether signals may be heard with the crystal off in order to ensure that the tube is functioning properly as an audio-frequency amplifier. If good signals are heard in the head-phones it is an indication that the tube V_1 is acting as a detector, and will consequently probably distort the audio-frequency currents which are fed into its grid circuit by means of the transformer T_1 , T_2 . The rectification effect may be eliminated, or practically eliminated, by giving the plate a suitably high plate voltage and giving the grid a negative potential to bring the operating point about the half-way point along the characteristic curve. Under these conditions signals will not be received in the head-phones T when the crystal D is raised, or if there are signals, they will be very weak. If, however, no grid battery is connected in the grid circuit, signals will usually be stronger, indicating that distortion will occur on the audio-frequency side.

Sometimes the signals obtained by raising the contact from the crystal in reflex circuits are as loud, or sometimes even louder, than when the crystal is employed, and this is a sure indication that something is wrong with the circuit. One of the probabilities is that an inferior crystal detector is employed.

In the Fig. 11 circuit, the raising of the crystal by relieving the circuit L_4 , C_3 of a considerable amount of damping, may result in more capacity feed-back in the tube, and this feed-back will strengthen the oscillations in the circuit L_2 , C_2 . The result is that the tube V_1 is now acting as a detector with regeneration, and the results may be quite good compared to the normal arrangement of Fig. 11 with the contact on the crystal, the regeneration effect being probably very small. This brings us to the question of how we may improve the signal strength of a circuit of the Fig. 11 type by means of regeneration.

ADDING REGENERATION TO A REFLEX RECEIVER

The desire for obtaining the maximum output from a minimum number of tubes



Figs. 15 and 16. At C are shown rectified high frequency currents; D, unidirectional currents; and E, the alternating currents produced by the transformer.

will prompt every experimenter to try and obtain better results by the application of regeneration to his reflex receiver. The application of regeneration to a reflex receiver introduces innumerable problems which require solutions and the application of regeneration is usually accompanied by the setting up of loud buzzing noises of audible frequency which are extremely unpleasant to the operator of the set. Ordinary regeneration may cause self-oscillation of an ordinary receiver, but this generally troubles the receiving operator very little; on the other hand, those who have sets in the neighborhood have very good cause to complain owing to the heterodyning of the radiated oscillations with the incoming signals. The average user of a reflex circuit, however, finds that on tightening the regeneration coupling his own set produces an extremely unpleasant noise, and he consequently has to make an immediate adjustment to prevent it. He is, therefore, generally far less troublesome to his neighbors than he who employs an ordinary straight circuit.

Fig. 12 shows a regenerative reflex circuit which only differs from Fig. 11 in that a tickler coil L_3 is connected in series with the primary L_1 of the transformer L_3 , L_4 . The warning that should be given there is that if the tickler coil L_3 is made of a certain size, the natural wave-length of the plate circuit, due to




Fig. 14. A conceptual appearance of the high frequency currents, A, and the low frequency currents, B, traversing a radio circuit.

the inductance L_2 and L_3 in series and the capacity between filament and plate and the self-capacity of the two coils, is near to the wave-length being received, the tube will oscillate too readily. It is, therefore, desirable that the coil L_3 should be kept as small as possible, and since a separate aerial circuit is employed a small tickler coil is all that should be necessary owing to the natural damping of the circuit L_2 , C_2 . The tickler coil L_3 should, of course, be connected the right way round.

The circuit is not recommended as a particularly good one to start with, but most of the troubles experienced with reflex circuits are absent in a simple arrangement such as shown in Fig. 11 and Fig. 12.

Fig. 11, particularly, is calculated to avoid any tendency towards the low-frequency buzzing which is so prevalent in reflex circuits generally. In Fig. 11 we are more likely to get the buzzing because regeneration is employed, and it will usually be found that as the regeneration is increased a certain point is reached when buzzing takes place. This buzzing is due to audio-frequency feed-back, amplified audio-frequency currents produced in the output circuit of the tube being conveyed back to the input side, the degree of audio-frequency feed-back being sufficiently great to cause audio-frequency oscillation. If the audio-frequency feed-back is not sufficiently great to produce audio-frequency oscillation, a big build-up of signal strength is often obtained, but nearly always at the sacrifice of purity of reproduction.

All reflex circuits tend to oscillate, whatever precautions may be taken, and




Fig. 13. Characteristic curve of a vacuum tube adjusted for reflex amplification.

the reason is that, although no audio-frequency feed-back is produced through the audio-frequency output currents of the tube being directly coupled to the input circuit of the tube, but because there is, in between, a stage of radio frequency amplification, the radio-frequency oscillations being modulated by the audio-frequency input currents.

We may consider this matter best by considering that the tube in Fig. 12 was oscillating and producing radio-frequency oscillations of a frequency determined by the values in the circuit L_2 , C_2 . If, when the tube is oscillating we feed audio-frequency currents into the grid circuit by means of the transformer T_1 , T_2 , we will vary the grid potential at audio-frequency, and these variations of grid potential are liable to vary the amplitude of the radio-frequency oscillations generated by the tube. This, in fact, is a common method of modulating the radio-frequency oscillations of a tube for telephony transmission; but certain conditions are necessary. The modulation effect is not present if the characteristic curve of the tube is absolutely straight, and only a small portion of its straight part is used. In this case the radio-frequency currents are amplified by the tube without any distortion or rectification assuming, of course, that a negative potential is applied to the grid to prevent the establishment of grid current. If, however, the representative point on the characteristic curve, *i.e.*, the point representing general conditions at any given moment, moves along a curved portion of the characteristic curve, modulation will occur. For example, if the whole of the characteristic curve is being traversed up and down due to the oscillating of a tube, and we apply a positive potential to the grid, it will be fairly obvious that the tops of the radio-frequency current half-cycles will be clipped and distorted. Owing to the tube being saturated, the positive half-cycles will not be fully developed because the base line potential for these radio-frequency oscillations has been raised by the application of a positive potential to the grid. If a negative potential is applied a similar effect may be obtained at the bottom bend of the plate current characteristic curve.

Fig. 13 shows a characteristic curve of a tube adjusted correctly for reflex amplification. It will be seen that the plate current curve, A, B, lies to the left of the ordinate passing through zero grid volts; this means that no grid currents will be established. A complete cycle of oscillating current is shown varying the grid potential above and below an average value which results in the middle point of the plate current curve being employed. If an audio-frequency

(Continued on page 538)

Non-Radiating Regenerative Receivers

By CLYDE J. FITCH

Some interesting forms of non-radiating regenerative circuits worked out by Mr. Fitch. This article is presented more as food for thought than a practical remedy for the radiation ill. The circuits however are theoretically sound.

It has often been quoted that any form of coupling which allows signals to pass from the aerial to the radio receiver will also allow radio frequency currents generated by the receiver to pass out into the aerial system. Therefore several forms of blocking tube arrangements have been devised, the purpose of these tubes being to localize the oscillations generated by the receiver and prevent them from entering the aerial. As such systems require an extra tube for blocking purposes, the owners of

and a commercial success, must not prevent regeneration into the antenna. Instead, it should allow regeneration to take place in the antenna system up to a point where oscillation is just about to start, and then, automatically stop any further regeneration. There is no such circuit or device in existence today, to the best of the writer's knowledge. Experimenters should concentrate their efforts on such a system, and not try to devise a system that entirely prevents regeneration into the antenna. If we do not regenerate into the antenna, but into some local tuned circuit that already has a low radio frequency resistance, as is the case with the following circuits and those employing blocking tubes, the signal strength will be increased only slightly. A simple single tube circuit that will allow regeneration into the antenna up to a point just before oscillation begins but no further, is the only practical solution of the problem. Otherwise it will require two or three stages of radio frequency amplification to make up for the loss.

radiation was not entirely eliminated, but considerably reduced. The amount of radiation depends upon the mechanical accuracy of the parts. There are now on the market double variable condensers, having two sets of rotary plates, that may be used in this circuit.




Fig. 1

A regenerative receiver using two tuned circuits, one of which opposes the other thus preventing radio frequency currents generated by the tube from flowing in the aerial circuit.

single tube receivers, who no doubt cause most of the disturbance, do not care to double the expense of their set without increasing its receiving range. In order that the public will not be misled by these iron bound rules, three non-radiating, single tube, regenerative receiver circuits devised by the author will be described herewith. This should be enough proof that a blocking tube is unnecessary as a radiation preventer.

Before describing these circuits it may be well to state that the process of regenerating into the antenna has the effect of decreasing its resistance. Thus, if an antenna has a radio frequency resistance of 30 ohms the current induced into this antenna by a passing radio wave will be infinitely small. By regenerating into this antenna the resistance is apparently wiped out, with a vast increase in signal strength. In fact the apparent resistance may be reduced to zero or even less, in which case the oscillations set up in the antenna by the passing wave continue flowing, and an oscillating current is generated by the receiver. Here is where the trouble begins.

Waves are radiated from the antenna and cause interference in the neighborhood. But if we do not regenerate into the antenna, which will be the case when using the following circuits, or when using any of the present blocking tube methods, the antenna resistance remains high and the signals are considerably weakened. Therefore, those who contemplate building a non-radiating regenerative receiver, are warned in advance that the results which will be obtained from it will be very poor compared with the results possible if the non-radiating feature were eliminated. In giving these circuits, therefore, it is with the idea that they will be used as demonstrations to point out the fact that all present non-radiating schemes are inefficient from a practical standpoint, and to emphasize the following fact: *A radiation eliminator, to be practical, efficient*

CIRCUIT NO. 1
This circuit is the first devised by the writer and is a very effective non-radiating regenerative one. Except for the addition of coils L_3 and L_4 , and condenser C_2 , it is the standard double circuit arrangement. The signal current is transferred from L_1 to L_2 , where it is impressed on the grid of the tube and repeated in the plate circuit and fed back or regenerated by means of the tickler T . Coil L_1 is exactly symmetrical to coil L_2 and is wound on the same tube




Fig. 2

In this circuit radiation is prevented by connecting the tuning circuit to the nodal point of the regenerative circuit.

and equidistant from the tickler T . The action is as follows: When the circuit is oscillating, current is fed from T into both tuned circuits 1 and 2. From circuit 1 current passes into the antenna circuit via L_1 . From circuit 2 current also passes into the antenna circuit via L_2 . But L_1 and L_2 are wound so as to oppose each other and consequently the currents neutralize and none flows into the aerial circuit. Circuit 2 does not prevent the signal current from passing to the tube via circuit 1, but does prevent current generated by the tube from passing into the antenna. In this circuit the two condensers C_1 and C_2 must be adjusted simultaneously and must be mounted on the same shaft so as to be controlled by one knob. Otherwise radiation is not necessarily eliminated.

When the circuits are correctly balanced, a simple test is to tune in the carrier wave of a station and then touch the aerial connection with the finger. If the pitch of the carrier wave does not change, the aerial is not radiating. In an actual set built the

CIRCUIT NO. 2
Those who read about the Tropadyne circuit in the August issue will recognize this circuit. Although used as a detector-oscillator, or frequency changer, in the above Super-Heterodyne, it makes a very good single tube non-radiating regenerative receiver. The action is as follows: The signal current induced into tuned circuit 1 passes through grid condenser C to the nodal point of circuit 2. The current divides here, charging both sides of condenser C_1 to the same polarity and hence induces no current in circuit 2. As the signal current is impressed on the grid, it is repeated in the plate circuit and fed back by means of tickler T to circuit 2 and amplified by regeneration. Should oscillations be generated in circuit 2, none flows in circuit 1 and the antenna circuit, as the potential difference between the nodal point of circuit 2 and the filament F always remains constant. Resistance R should equal the grid to filament resistance of the tube. It is necessary that circuit 1 and circuit 2 be in non-inductive relation with each other. The two condensers may be controlled separately.

This circuit is very easy to build and to tune, but is more valuable as a first detector and oscillator in a Super-Heterodyne than as a non-radiating receiver, as it eliminates one tube in the Super-Heterodyne.

CIRCUIT NO. 3

This circuit is a very interesting one in that a new kind of aerial is used. As shown in the diagram, the aerial consists of two wires placed close together, and for this purpose a twisted lamp cord is recommended. The condensers C_1 and C_2 must be mounted on the one shaft so as to be controlled by one knob. The ground is connected to the center of coil L . The action is as follows: The signal current flows in both wires of the aerial in the same direction and is impressed on the grid of the tube. It is then repeated in the plate circuit and fed back by means of tickler T to coil L and amplified by regeneration. Should oscillations start, the oscillating current induced in L flows in the two aerial wires in opposite directions (Continued on page 570)






Fig. 3

A double antenna is used in this circuit. The signal current passes through both wires in the same direction whereas local oscillations pass in opposite directions and neutralize.

Awards of the \$50 Radio Wrinkle Contest



Construction details of a simple form of loud speaker built up of straight grained spruce board.




facilitates winding and will enable him to make a much neater appearing coil.

Third Prize

USING A LOOP WITH AN UNTUNED PRIMARY

By H. A. EVEREST

Any receiver designed for a loop would naturally give much superior results if it could be employed with an antenna and ground. Most of the loop receivers on the market, however, can be used with a loop only unless a separate tuning unit is employed. Such a tuning unit is, in a majority of cases, inconvenient, and for this reason the benefit of an outdoor antenna must be dispensed with. The obvious solution to this problem is to wind a primary coil directly on the loop frame in inductive relation to the loop winding. This primary winding will consist of about three turns of fairly heavy stranded wire wound on the frame of the loop inside of the loop proper. This winding should be from 1 to 3 inches from the loop winding, depending upon the degree of selectivity desired. The further this winding is removed from the loop the greater the degree of selectivity but the weaker the signal. This primary winding may be connected directly to the antenna and ground and the loop is connected to the set in the ordinary manner. It will be found that the signal strength will be



Here is a good stunt. The extra winding on the inside of the loop frame functions as an untuned antenna circuit.

First Prize

A REAL LOUD SPEAKER FOR THE MAN WHO MAKES HIS OWN

By JESSE J. HIPPLE

The loud speaker, herein described, was designed and perfected by a man long experienced in the construction of sound producing instruments. The volume and quality do not depend on a megaphonic action but rather upon the vibrations set up by the speaker itself.

The secret of the excellent quality of this speaker is the bridges, similar in action to the sound posts of the violin, which attach the inner horn to the outer shell of the speaker.

The choice of construction material is vital to the success of the finished product. The loud speaker in possession of the writer is constructed of clear, straight grained spruce. While it is true that some of the veneer panels will give fair results, the wood of the spruce or pine will prove best.

The first step is to lay out a full scale plan of the parts of the speaker, then cut the material to be used, exactly to size. The parts should then be assembled, coating each joint with good strong glue and making them fast with small brads.

When the complete instrument has been assembled, let it dry for a day and then give the interior two or three coats of good shellac.

The speaker can then be placed in an appropriate cabinet and a fancy grill for the front cut out with a jig saw.

Any type of speaker unit can be used and the builder will have to construct the inner horn to suit the type of unit he intends to use.

This speaker surpasses in quality any that has been put on the market to date and the volume depends upon the unit employed.

sive device that I find to be most convenient and particularly handy for bank winding. The accompanying diagram shows the entire construction of this device and very little description is necessary. All that is required are six porcelain knobs such as are

Prize Winners

First Prize \$25

A REAL LOUD SPEAKER FOR THE MAN WHO MAKES HIS OWN

By JESSE J. HIPPLE
2537 Bedford Ave.,
Brooklyn, N. Y.

Second Prize \$15

AN AID IN COIL WINDING

By JULIAN L. WILHELMI
171 S. Schuler Ave.,
Kankakee, Ill.

Third Prize \$10

USING A LOOP WITH AN UNTUNED PRIMARY

By H. A. EVEREST
1032 N. Ogden Drive,
Los Angeles, Calif.


Second Prize

AN AID IN COIL WINDING

By JULIAN L. WILHELMI

When winding inductance coils, using the conventional small gauge cotton or silk covered wire, which is usually purchased in quarter to one pound spools, it has always been a problem to straighten the wire and also to keep it tight so that a smooth neat winding job can be done. Therefore, I constructed the following handy and inexpen-

used in house wiring and a small piece of board. These porcelain knobs are loosely nailed to the board in the arrangement shown. The nail should not be driven in tightly as it is necessary for the porcelain knobs to turn freely. The spool of wire is mounted in the same manner on one end of the board and the wire is run around from insulator to insulator. It will be found that this scheme will keep the wire tight and at the same time will straighten out any kinks or bends that it may have. If the experimenter has a great deal of coil winding to do he will find that this scheme greatly




A simple contrivance which will materially assist in winding coils.

greatly increased over that obtained when using the loop alone and practically the same dial reading will be had in either case. Sometimes greater signal strength will be had by using six or seven turns on this primary winding and connecting a fixed condenser of .00025 mfd. capacity in the antenna circuit.

A CLEVER SWITCH LOCK

A very simple and easy way to make a switch lock for the "A" battery line is to use an ordinary telephone jack. This jack is slightly reconstructed and is placed on the panel in any convenient position. It has the same outward appearance as any other jack, but the set cannot be put in operation unless the proper key is inserted. An ordinary double circuit jack is obtained and the two middle springs removed. Cut a strip of brass or fibre (Fig. A) 1/4 inch wide, 2 1/4 inches long and 1/16 inch thick. At one end drill two holes to correspond to those on the insulating blocks of the jack. Assemble the jack again so that the strip A comes in the center of the plug hole. It is now evident that a plug cannot be inserted in the jack unless it is slotted. The

key is made from a piece of $\frac{1}{4}$ inch brass rod $1\frac{3}{4}$ inches long. A slot should now be cut in one end of this rod $\frac{1}{16}$ inch wide and $\frac{3}{4}$ inch long. This slot should be cut so that when the rod is inserted in the jack, the strip A will be in line with it.




This filament switch requires a special key-plug to close the circuit. Other plugs will not fit the jack.

This end of the rod should also be rounded with a file so that it may be easily inserted. Be sure that the key, when inserted, short circuits the two springs of the jack, otherwise the "A" battery circuit will not be complete. A knob of some sort may be placed on the unslotted end to give it a neater appearance or a hole may be bored in this end so that it may be carried on a key ring.

Contributed by Herbert Frosell.

SMALL SOLDERING IRON HEATER

If the experimenter does not possess an electric soldering iron, he finds it a great inconvenience to heat his iron on the gas range in the kitchen. This trouble can be eliminated by constructing a small soldering iron heater which can be used anywhere there is a gas supply. To construct this heater, it will be necessary to procure a Welsbach Thrift Burner from the 5 and 10 cent or hardware store. With a file or hacksaw carefully cut the top off, as shown by the dotted line in the diagram. An old gas light bracket should be obtained, mounted on a board and the Welsbach burner screwed into it. A rubber tube may lead from the burner to the nearest gas jet. The gas is turned on full and the burner lighted. If it




A good soldering iron heater constructed from a Welsbach burner.

flashes back, that is, lights at the bottom, the gas should be turned off and the top of the burner should be squeezed together slightly with a pair of pliers. It may take a few trials to obtain the right size of the opening for best results. It is operating correctly when a roaring blue flame is obtained. A support for the iron consisting of a piece of stiff wire may also be mounted on the wooden block. It will be found that this burner is very efficient and heats a small soldering iron quickly.

Contributed by Walter A. Troup.

A FIXED CRYSTAL DETECTOR

A dependable crystal detector requiring no adjustment can be assembled from the following materials. Two upholstery or thumb tacks, two binding posts, two pieces of bakelite or other good insulating material, a length of hard drawn copper wire for clips and a small piece of crystal. Any good crystal will do, but perhaps best results will be obtained if the crystal is of the synthetic "all sensitive" variety. One piece of bakelite should be at least $\frac{1}{4}$ inches long and about $\frac{1}{4}$ of an inch square. This piece is drilled lengthwise through the center with a small drill of a size to snugly accommodate the two thumb tacks. One tack is inserted in this hole to within about $\frac{3}{16}$ of an inch of the center. The crystal should now be pounded to fine grains and $\frac{3}{8}$ of an inch of them poured into the hole from the opposite end. The second tack should now be inserted in this end so that the crystal grains make contact between the points of both tacks. A mounting for this crystal detector may easily be made from



A cartridge form of fixed crystal detector especially adaptable to reflex receivers.


the copper wire and may take the form shown in the diagram. This type of detector will prove both sensitive and stable and may be used successfully in a reflex circuit.

Contributed by E. Lambert McDonald

A HANDY WIRE SKINNER

When using a knife to remove the insulation from a cotton or rubber covered wire it often results in a cut finger. Also, if this work is not done carefully, it is possible that a small fragment of copper in the shape of a splinter will be run into the hand. Herein is described a little device which will safely and easily remove the insulation from any size wire. All that is required is a strip of spring brass $\frac{1}{16}$ of an inch thick, 10 inches long, and $1\frac{1}{2}$ inches wide. This piece of brass should be bent into the shape shown in the diagram. The two edges of the wire scraper should then be sharpened on one side only. To use this device it is held in the hand and the jaws forced together over the wire so that it cuts through the insulation. It is now pulled towards the end of the wire and if necessary the operation is repeated two or three times until all of the insulation is removed. This little instrument will prove extremely efficient in removing the insulation from heavy rubber covered wire.


Contributed by T. J. Hacker.



An excellent wire skinner made from a thick piece of spring brass.

IMPROVED SWITCH STOPS

Switch stops are mighty cheap, but they can, however, be considerably improved, as there are several faults with the ones now on the market. Herein is described a system of constructing switch points which will




A neat switch stop made from a piece of sheet metal and fitted around the switch point.

prove extremely simple and efficient as stops. They can be made of thin sheet brass, copper or tin and require but a few moments to make them, and when made properly they will not detract from the appearance of any set. The idea is (as may best be seen by the drawings) to cut a thin piece of metal so that it is as wide as the head of the switch points are high, and as long as the circumference of the points. A place should be left in the center, bulging up in the shape of a semicircle. The piece of brass should now be bent tightly around the switch point where the stop is required. These switch stops will be found very neat in appearance, can be put on without drilling holes in the panel and can be removed at any time so that the switch point may be cleaned or the tension of the switch lever adjusted.

Contributed by Watson Brown.

INCREASING THE EFFICIENCY OF THE ANTENNA INSULATOR

No matter how efficient an insulator is in dry weather its efficiency will always materially decrease in rain or snow. This is particularly the case of the common ball type insulator. For a number of years I have been using a scheme to protect the insulators on my antenna which has proved extremely efficient. This simply consists of



A protector for the outdoor aerial insulators.

covering the insulator with a tin can as shown in the illustration. This can should be of such size that there is at least $\frac{3}{4}$ of an inch clearance on either side of the insulator, and it should be placed so that the opening is at the lower end. A hole is bored through one end of the tin can large enough to pass the insulator eye through and this hole should afterwards be entirely closed with solder. The can should also be painted inside and out to prevent rust and corrosion. This type of covering will keep the insulator fairly dry in the most severe weather and those weak signals will still be picked up during heavy rain storms.


Contributed by Royle B. T. Snow.

STANDARD HOOK-UPS

EVERY month we present here standard hook-ups which the Editors have tried out and which are known to give excellent results. This leaf has perforation marks on the left-hand margin and can be cut from the magazine and kept for further reference. These sheets can also be procured from us at the cost of 5c to pay for mailing charges.


RADIO NEWS has also prepared a handsome heavy cardboard binder into which these sheets may be fastened. This binder will be sent to any address, prepaid on receipt of 20c. In time there will be enough sheets to make a good-sized volume containing all important hook-ups. Every year an alphabetical index will be published enumerating and classifying the various hook-ups.

Handy Reference Data for the Experimenter




A single tube regenerative set employing a loop aerial.

Where an outside antenna is undesirable and only one tube is to be employed, it is sometimes possible to use a loop when quite near a broadcast station. The circuit for this arrangement is shown in diagram 45. The tuner and tickler may be of any standard form such as a variocoupler, honeycomb or spider-web coils. If a variocoupler is employed, it will be necessary to use 35 turns of the outside winding as the secondary. A separate primary winding may then be wound directly over the secondary and should consist of 25 turns tapped every five turns. The condenser C1 may be of .0005 or .001 mfd. capacity. The condenser C2 which tunes the secondary circuit should be .0005 mfd. capacity. The rotor of the coupler is, of course, used as the tickler.




A circuit using a coupled wave trap.

Another type of wave trap which will prove extremely efficient and which can be incorporated directly in the receiver is shown in diagram 48. This wave trap consists of a primary and a secondary coil, the secondary being shunted by a variable condenser. The secondary consists of 45 turns of No. 22 S.C.C. wire wound on a tube three inches in diameter. The primary consists of 10 turns of the same size wound directly over the secondary and separated from it by a single layer of cardboard. The variable condenser C is of .0005 mfd. capacity. The primary of the wave trap is inserted in the grid circuit of the receiver.




A novel one tube loop receiver.

In diagram 46 is shown another one-tube loop receiver. Two loops are used in this circuit, one as the tuner and the other for regeneration, in the plate circuit. The tuner is the larger loop consisting of 12 turns of wire on a 2-foot frame. As shown in the diagram, the plate loop is placed in the center of the larger loop and is so arranged that it can be rotated similar to an ordinary tickler coil. The number of turns in this loop is not critical, being in the neighborhood of 15. If desired, this loop may be of the same size as the other and arranged so that the distance between it and the other one may be varied. Tuning is accomplished in this circuit by means of the condenser C1, which is of .0005 mfd. capacity. A by-pass condenser will usually be found necessary in this circuit and is shown as C2.




A circuit employing a wave trap.

In circuit 47 is shown a standard regenerative receiver with the addition of a wave trap in the antenna circuit. This wave trap is composed of a fixed inductance L, shunted by a variable condenser C. The fixed inductance may be a honeycomb coil of 50 or 75 turns or, if desired, it may be constructed by winding 45 turns of No. 24 S.C.C. wire on a three inch tube. The variable condenser is of the 23 plate variety and has a capacity of .0005 mfd. When it is desired to eliminate the interfering station the variable condenser should be adjusted until its signal strength is at a minimum or until entirely wiped out.




Circuit system for eliminating interference.

In circuit No. 49 is shown another method of eliminating interference. This consists of a variable inductance, L, in series with a variable condenser, C, connected from the antenna to the plate of the tube. In this case it will be necessary to employ a variable condenser, C1, in the antenna circuit. This condenser may be of .0005 or .001 mfd. capacity. The inductance, L, may consist of 50 turns of No. 22 S.C.C. wire wound on a tube three inches in diameter and tapped every 10 turns. The variable condenser may be of .0005 mfd. capacity. If desired, regeneration may be obtained by inserting a variometer of standard size in the plate circuit of the vacuum tube at the point marked X.



A "B" battery-less circuit.

In circuit No. 50 we have a receiver which operates fairly well without a "B" battery. This receiver is of the single circuit type using a variocoupler for tuning. The condenser, C1, may be either .0005 or .001 mfd. capacity. The secondary of the variocoupler is in the plate circuit of the detector tube for regeneration and should contain at least 80 turns of wire. As no "B" battery is used the phones are connected directly to the positive lead of the "A" battery. A variable grid leak of from one to five megohms resistance will be found advisable and should be connected directly from the grid to the positive terminal of the "A" battery. The grid condenser, C, may be of .00025 or .0005 mfd. capacity.




A circuit incorporating one stage of audio frequency amplification, for volume.

Where greater volume is desired, one stage of audio frequency amplification may be added to practically any detector circuit, and a diagram through which this is accomplished is shown in No. 51. It will be noticed that this one stage of audio frequency amplification is used in conjunction with a standard three circuit regenerative receiver. An audio-frequency transformer must be employed as shown at T. The primary of this transformer is connected in the plate circuit of the detector tube in place of the phones. It is recommended that a transformer with a ratio of not higher than 5 to 1 be employed as otherwise distortion is liable to occur. A hard or amplifying tube such as a UV-201A or a C-301A must be employed as the amplifier. For best results it would also be necessary to use a higher plate voltage on this tube. As a rule 45 volts will be sufficient for one stage of amplification and this is obtained by connecting two 22½-volt "B" batteries in series.

It is almost impossible to obtain an audio-frequency transformer that will not distort to some extent and for this reason a resist-

is connected from the grid of the tube to the negative of the "A" battery.


In diagram 53 is shown another system of providing distortionless amplification. Instead of a resistance a choke coil is em-



A circuit incorporating one stage of resistance coupled audio frequency amplification.

ployed and is shown at X. If desired, this choke coil may be constructed by winding


the ear phones are employed and some means must be used so that the phones may be plugged in on the detector alone and the amplifier disconnected from the circuit. In diagram 54 is shown how this is accomplished by means of a double circuit jack. This type of jack has two outside and two inside springs which normally make contact with each other. However, when a phone plug is inserted the two outside springs disconnect from the two on the inside, thereby breaking this part of the circuit and allowing the current to flow through the phones instead of the primary of the audio-frequency transformer. A single circuit jack is connected in the plate circuit of the amplifying tube so that the phones may be connected at this point when desired. In this circuit, the audio stage is shown in conjunction with the untuned primary receiver described in diagram 28 in the August issue. It may be necessary to connect a by-pass condenser of .0005 mfd. or .001 mfd. capacity in the position shown at C1.



A choke coil audio frequency amplifier connected to the usual form of receiving circuit.

ance coupled amplifier is sometimes made use of. However, since a resistance coupled amplifier will only give about 2/3 the amplification delivered by a transformer, it is not generally used for one stage. A circuit using resistance coupling is given in diagram 52. It is shown in conjunction with a three circuit regenerative receiver, although any type of receiver may be employed. The resistance shown at R should be of the non-inductive type and of a value of 50,000 ohms. It will usually be found necessary to use a higher "B" battery voltage with resistance coupling than with transformer. A grid condenser will also be required in the grid circuit of the amplifying tube as shown at C so that the "B" battery voltage will not be impressed upon the grid. The capacity of this condenser is not critical and may be from .006 to 1 mfd. As an amplifying tube must be operated with a negative potential upon the grid a grid leak of one megohm

5,460 turns of No. 34 S.S.C. wire in 14 layers on an iron wire core 3½ inches long



A detector and single stage audio frequency amplifier circuit employing phone jacks.

Radio Humor

HOW TO ELIMINATE INTER-FERENCE


Radio Editor,
International Paper Monthly,
100 East 42d Street,
New York City.

Dear Sir: I have read in this morning's Times that our local broadcast station is to multiply its power by 10. As I am only a mile away from this station, will you kindly advise me as to the best methods to be used in restraining the impact. Will a shorter aerial help? Thanking you in advance, I am,
Yours very truly,
H. J. BARRELL.

Mr. H. J. Barrel,
Engineering Department,
International Paper Company,
100 East 42d Street,
New York City.

Dear Sir: Your problem is indeed a difficult one. We have submitted it to the best radio talent in the Company and suggest the following:

1. It will be necessary for you to remove the set to the cellar.
2. The set should be bolted to a very rigid table which in turn should be bolted to the floor.
3. To prevent end movements, guy wires should be strung wherever possible and tightened by means of turnbuckles.
4. A trap-door built of a 2-inch plank should be hung over the cellar window as shown in the accompanying sketch.
5. A barricade of 6-inch I-beams and sand



The famous Interference Eliminator worked out by the Radio Editor of the International Paper Monthly. Try this on your set.

6. The mouth of the loud speaker should be covered with planking.
7. For an aerial we would suggest an umbrella which may be closed to increase selectivity.

8. All bus bar wiring should be removed from the set and a special wire having an extremely high melting point and small diameter substituted. (On second consideration we would suggest that the wiring be left out due to the fire hazard.)
9. To prevent personal danger the operator should wear lineman's gloves and stand on a rubber mat.

(Continued on page 518)

Radiotics

If you happen to see any humorous misprints in the press, we shall be glad to have you clip them out and send to us. No RADIOTIC will be accepted unless the printed original giving the name of the newspaper or magazine is submitted. Never mutilate clippings by underlining the misprint. We shall pay \$2.00 for each RADIOTIC accepted and printed here. A few humorous lines from each correspondent should accompany each RADIOTIC. The most humorous ones will be printed. Address all RADIOTICS to
Editor RADIOTIC DEPARTMENT,
c/o Radio News


the writer had in mind. Perhaps it was his view that a combination of cyanide, Paris Green and corrosive sublimate would be calculated to cause said howl to lie down and die. But who can guarantee that such a material and worldly fate would successfully annihilate an undesirable noise in a radio set?



Contributed by Alexis M. Russell.

SLOE GIN OR THE TOWER OF BABLE?

At last a real Radiotic! But for the love of Mike, what's it all about? It appeared in the June 26, 1924 edition of the Philadelphia Inquirer in the following form, under a heading "Answers in Brief."



"LOUIS MANN—If you take the photograph on the plate of a WD-12 tube. The 22½ volt issue of the Inquirer to an up-to-date radio store, someone there should be able to tell you the name of the manufacturer." Someone must be coccoo. That 22½ volt issue of the Inquirer must have had some kick to it. But as for taking a photo on the plate of a WD-12 tube . . . !

Contributed by C. W. Driver.


KEEP AWAY FROM CHICAGO!

This hot one was taken from the Radio Section of the Chicago Daily News, issue of May 10, 1924, and is certainly enlightening. "There are 7,000,000 radiating regenerative sets in the country, 8,000,000 of which ARE BEING IMPROPERLY TUNED EVERY NIGHT



(Continued on page 522)

FOR THE BOUDOIR, MY DEAR



From the July 13, 1924, edition of the New York American we learn that Paster & Company, panel specialists, "have already prepared a Neutroflex panel of bakelite all FRILLED, neatly engraved and highly

polished." We take it that the trade has come to the point where it is both necessary and highly profitable to cater to the fair sex. No doubt there will be embroidered variometers on the market in the near future.

Contributed by John Chareland.

A CATALOG WHAT AM!



By all means read the classified advertisement of the Radio Specialty Co. in the August issue of RADIO NEWS. They say, "Diagrams will be found in the great 'Rasco' catalog, WHICH CONTAINS

RAW MATERIALS AND PARTS IN A GREATER PROFUSION THAN ANY OTHER CATALOG. 15c in stamps or coin will bring the catalog to you." I have sent for several of the catalogs mentioned and I hope to receive enough material so that I may make a set without additional cost.

Contributed by Frederick Attwood.

YOU CAN'T GO WRONG WITH THIS SET



The classified ad. section of the Telegram and Evening Mail (New York) for Saturday, July 12, 1924, carried the following: "5-TUBE ATWATER KENT. COMPLETE. WITH MUSIC

MASTER." From experience we know that most radio sets require lessons in "reproduction." What could be sweeter than a music master? Training radio sets ought to be a good business.

Contributed by B. F. Carbet.

BUT LAST NIGHT, ON THE LOOP, DEAR, I PLAYED IT BEST OF ALL



Now we know radio sets are human. The Marvel Radio Specialty Company advertises, in the August issue of RADIO NEWS, a number of "vacation specials" among which is the following: "\$125 5-TUBE

NEUTRODYNE, CAN PLAY ON LOOP IF DESIRED . . . \$55" Possibly it is a young one that likes to frolic, or has it the intentions of a harpist? At any rate, if you don't desire it, the Neutrodyne will no doubt play elsewhere.

Contributed by E. Rypinski.

IF YOU PLEASE, MIXED WITH WHAT?

A poor radio fan is bothered by a very loud howl in his set. Whereupon our esteemed authority, the Boston Post, advises him under date of July 3, 1924, to use a "1-3 meg. MIXED GRID LEAK." It would be interesting to know just what ingredients

Correspondence from Readers

CONCERNING RADIO DEALERS

Editor, RADIO NEWS:

I have been noticing the complaints of customers against dealers regarding the poor service given them, that have been published in your columns. Since I am slightly acquainted with both sides of the story I have decided to radiate a few tube squeals.

It must be remembered that radio is a new science and even our best experts often get marooned. About the only way a dealer in radio gets his knowledge is through his customers. If he would listen to the high pressure salesmen now on the road his shelves would be stocked with almost worthless junk. One of the best guides for the dealer and customer is the monthly copy of RADIO NEWS, which carries the regular list of Laboratory Tested Apparatus, Questions & Answers, latest discoveries by well known experts as well as the most popular and efficient apparatus as offered by manufacturers or distributors. A better co-operation is needed between the manufacturer, wholesaler and dealer, as I only know of one wholesaler at this time who sells with the guarantee of "Satisfaction or money refunded" and I am glad to say he carries space in RADIO NEWS. If the dealer can only get the guarantee against poor workmanship and materials from the wholesaler how can he guarantee "satisfaction or money refunded" to his customers with the new apparatus coming on the market daily?

Perhaps, after reading the above you will think all apparatus "ought to go right off" after being hooked up. One of the manufacturer's worst enemies is improper connections, for if the set doesn't work the parts are usually blamed.

Fully 95 per cent. of failures are caused by this enemy. If the set is an assembled one perhaps the instruments are unmatched or acid core solder was used in soldering connections. For the set to operate satisfactorily all the parts must be matched the same as the parts of an automobile or any other machine. If you are a beginner and have no one to assist you in choosing the right apparatus, by all means buy the parts from a reliable company which has a service department to help when you get "stuck" and better yet buy all the parts you can, which are made by one company and you will be sure of getting matched parts.

ALVIE HARDING,
Eldon, Iowa.

REDUCING RADIATION INTERFERENCE

Editor, RADIO NEWS:

Your prize offer in connection with radiation elimination interests me and I believe it will do a certain amount of good, but if the correct device is found it will require laws to force its use, for I find there are only too many who do not care a hoot for spoiling the other fellow's concert.

I have experimented in radio for a long time and have several different sets of my own invention, but the better and more sensitive I make a set the more it will pick up the howls from the regenerative sets. How I overcame this may interest your readers.

I live on the top floor of a three-story building in a congested part of a city in what may be called a regular dead spot for radio, but after considerable experimenting I managed to put up an aerial that would bring in the concerts by using four wires 100 feet long, about 40 feet above the roof. But, as I say, it also brought in the howls so very badly that I was forced to wait until the

wee small hours in order to get a decent concert—just a case of sticking it out longer than the howler.

I had a good ground on a water pipe, but so had the howler; therefore, all the sets were connected through the pipe. No wonder I got the howl. I tried out a counterpoise built fan shape 10 feet above the roof and 30 feet under my aerial and the results were surprising, for, while I still get the whistle slightly, it is so diminutive as not to bother. I have been able to pick up many low-powered stations I could not get before and the volume is far better.

The counterpoise consists of 10 wires about 60 feet long.

I suppose if everyone built a counterpoise we would get back to the same old conditions and there would be a law enacted in

40 Non-Technical Radio Articles

every month for the beginner, the layman and those who like radio from the non-technical side.

SCIENCE & INVENTION, which can be bought at any newsstand, contains the largest and most interesting section of radio articles of any non-radio magazine in existence.

Plenty of "How To Make It" radio articles and plenty of simplified hook-ups for the layman and experimenter. The radio section of SCIENCE & INVENTION is so good that many RADIO NEWS readers buy it solely for this feature alone.

List of Radio Articles Appearing in the October Issue of "Science and Invention"

How to Make a Short Wave Set
—By R. A. Marcy.
An Exceptional Portable Loop Set.
New Solodyne Circuits.
Crystodyne—The Newest Sensation.
Building a Two-Stage Amplifier.
Latest Radio Photos.
Radio Tube Data.
Radio Oracle.
Radio Wrinkles—Bushels of them.
Broadcast Calls—Revised to Date.

both the U. S. and Canada forbidding the use of them with radiating receivers.

I should like to hear how others find a counterpoise in this connection; it certainly has improved my reception 100 per cent.

F. L. BELANGER,
General Agent, B. & M. R. R.,
Sherbrooke, Que., Canada.

FROM A NAVY OPERATOR

Editor, RADIO NEWS:

Owing to my present location, I receive your publication about six weeks later than the majority of your readers. Still, after reading the published letter by Mr. E. A. Starkey of Saugus, Mass., in your March, 1924, issue, I am moved to remonstrate.

In the article, Mr. Starkey made several remarks concerning the general uselessness of what he terms "code stations." I presume that he means high power transcontinental and transoceanic stations, by his remark.

That is like "looking a gift horse in the mouth," and I'm led to believe that he should feel highly elated at hearing anything aside from the "tinkle tinkle of a high pitched set, to the grinding crash of the deeper toned code stations."

What reason can Mr. Starkey give for the U. S. Government's actions in allotting the amateur a wave-length of 200 meters or less, and the broadcast stations their shorter

waves? Simply to eliminate their interfering with stations handling the world's traffic.

If Uncle Sam had considered the entertainment of the amateurs as of greater importance than the handling of commercial traffic, he would have restricted the latter stations, instead of the former.

It must be remembered that this nation of ours has thousands of ships, both commercial and men-o'-war, with which communication is limited to nothing but radio, by both commercial and Government stations.

Of course, it would be very pleasant for the millions of fans, if these coastal stations, as well as ship installations, were to "pipe down" during concerts, but taking into consideration that these same concerts are on the air from 16 to 20 hours per day, which would leave but 4 to 8 hours for the "code stations" to get off their traffic to every nation on earth.

Mention was also made of getting Hongkong, Liverpool, and Etah Harbor. I wonder if perhaps these stations don't receive complaints concerning "tinkle tinkles," and "grinding crashes"? I know that one at Hongkong does, and suppose the others are bothered the same way.

Perhaps Mr. Starkey has interviewed the Traffic Managers of a few of these stations, and in turn received the merry Hi Hi, which may account for his gentle razz in your columns.

I get as much kick from tuning in a DX station, and enjoying a little music as the next fellow, but I can at least appreciate a gift, which is all it amounts to. Radio in the States, as well as elsewhere, is primarily for the purpose of communication, and secondarily for pleasure, as reference to our Government's action during the world war will prove.

Don't take me for an old salt who is prejudiced against present day radio, because I owned my own little spark coil before I became one of Uncle Sam's ops, but I sure hate to see the big stations razzed.

L. D. COSS, U. S. N.,
U. S. S. *Elcano*,
Shanghai, China.

RADIO COMPANIES, PLEASE NOTE

Editor, RADIO NEWS:

It would be most highly appreciated if you would consider this letter for publication in RADIO NEWS. Some time ago I read a letter written by a chief radioman of the U. S. Navy, under the title of "The Wanderer." The author of this letter was seeking employment pending his discharge from the navy and his letter was subsequently published in RADIO NEWS. There was also published a number of replies to his letter, offers of employment from various radio companies, etc. It is with this in view that I am submitting the following.

I will be discharged from the United States Navy December 16, 1924, having completed eight years of honorable service as radioman 3rd, 2nd, 1st and acting chief radioman. My experience in this work has covered quite a broad field; I do not believe there is any branch of radio work that I have not had experience in, also general electrical work. This includes the following: Radio telegraph, all makes, all types and descriptions, both commercial and Navy radio apparatus, from the 200 k.w. high-powered arc down to the smallest of transmitters, usually the 5-watt C.W.; including high-frequency alternators 2 and 30 k.w. arcs, 100-watt tube sets, spark transmitters of all types and descriptions, both commercial and Navy. My experience in high-power work consisted of employment

(Continued on page 522)



By JOHN B. BRADY*


VIBRATION TEST FOR TUBES
 (Patent No. 1,487,298, J. H. Venues. Filed Sept. 5, 1919, issued March 18, 1924. Assigned to Western Electric Company.)
METHOD OF, AND APPARATUS FOR, VIBRATION of electron tubes while connected in a circuit for observing any imperfections in the tube arising out of non-rigid mounting of the electrodes.

TRANSMITTER FOR RADIO CONTROL SIGNALS
 (Patent No. 1,488,114, J. H. Hammond, Jr. Filed Aug. 24, 1912, issued March 25, 1924.)
RADIO TELEGRAPHY AND TELEPHONY in which the amplitude, or frequency, or both, of the transmitting energy may be periodically varied. A rotary condenser may be interposed in the antenna circuit and driven at a rate where the periodicity of the circuit is varied at a rate above the limits of audibility. The variation is secured in such manner that the time intensity curves shall be peaked and not flattened, whereby a true sinusoidal wave form may be produced at the receiver.

NEW VALVE
 (Patent No. 1,488,337, H. Gernsback. Filed May 14, 1921, issued March 25, 1924.)
ELECTRIC VALVE containing a filament heated to red or white incandescence in contact with the wall of a highly exhausted glass bulb. A remarkably high current is produced between the filament and an outside external electrode. The electronic flow is made to pass between the filament and the outside element, although these two elements are not in metallic contact. Under the heat of the filament the wall of the glass vessel becomes a conductor which allows the electronic charges to pass. The tube is shown as applied to receiving circuits functioning as a rectifier.

MODULATOR
 (Patent No. 1,488,489, J. C. Gabriel. Filed Dec. 23, 1920, issued April 1, 1924. Assigned to Western Electric Company.)
WAVE MODULATING at a radio transmission station. The invention consists in the provision of means for connecting a signaling wave device to a modulating device in two ways, each of which produce modulation and which together co-operate to modulate more effectively. The signal controlling device operates directly thereon through the agency of an intermediate variable impedance device or system of variable impedance devices such as several discharge tubes arranged to rectify several phases of alternating current and impress the combined rectified current on the modulating device. As a result of the unidirectional conductivity of the variable impedance tubes the current is variably rectified in accordance with the signals, and the resulting waves into which the rectified current is translated are correspondingly modulated in amplitude. Due to the direct action of the signal controlling device arranged in parallel with respect to the modulator, a further modulation or variation in amplitude of the waves results.

METHOD AND APPARATUS FOR INDICATING THE GEOGRAPHICAL LOCATION OR MOVEMENT OF BODIES
 (Patent No. 1,494,770, Walter W. Conners. Filed June 12, 1919. Issued May 20, 1924.)
 Method and apparatus for indicating the geo-




graphical location or movement of bodies by indicating in similitude or intelligible signals the location of a moving body. The moving body carries a radio receiving station for the reception of signals from fixed wave transmitting stations. The receiving station on the moving body is equipped

Patent Lawyer, Orway Building, Washington, D. C.

with an indicating member which is controlled by received signals for indicating in similitude the signals received from the fixed stations. In this manner the course of the moving body is automatically plotted in accordance with the moving of the body with relation to the fixed stations.

COMMUNICATION SYSTEM
 (Patent No. 1,490,958, R. Brown. Filed Nov. 23, 1921, issued April 22, 1924. Assigned to American Telephone and Telegraph Co.)
FREQUENCY CONTROL SYSTEM in which a plurality of radio stations are divided into groups of intercommunicating stations, each group having assigned to it a definite frequency range which shall not interfere with the frequency range assigned to any other group. The frequency used in the various groups for signaling is controlled by generating at a master station a fundamental frequency, transmitting said frequency to the stations of the various groups, generating at said station energy to be used for signaling, and controlling by the fundamental frequency of the locally generated energy without controlling by the fundamental frequency of the locally generated energy without controlling the amplitude of the energy.

ART OF RADIO COMMUNICATION
 (Patent No. 1,946,155, F. J. Fransson. Filed Nov. 8, 1919. Issued June 3, 1924. Assigned American Gasaccumulator Co., Elizabeth, N. J.)




Art of radio communication in which a combination loop antenna and open antenna is employed for duplex operation. A transmitter is coupled to one of the antennae while the receiver is coupled to the other antenna with condensers arranged for balancing out interference between the transmitter and receiver during duplex operation.

ELECTRICAL TUNING APPARATUS
 (Patent No. 1,494,803, Michael J. Pupin. Filed Sept. 17, 1915, issued May 20, 1924. Assigned to Westinghouse Electric and Mfg. Co., East Pittsburgh, Pa.)

Electrical tuning apparatus by which the electrical resistance reaction which a conductor opposes to a simple harmonic electromotive force is rendered selective, that is to say, the conductor opposes a resistance reaction as small as desirable to an electromotive force of a given frequency, while at the same time this reaction may be made as large as desirable to an electromotive force of a different frequency or to electrical impulses. The invention is called a resistance compensator. It is shown as applied to a radio receiver for increasing the selectivity of the receiver by utilizing an antenna system of a resistance sufficient to dissipate the greater part of the incoming signaling energy. The incoming signaling energy of desired frequency is utilized to excite a source of energy by electromagnetic reaction and to transfer to the receiving antenna system a negative resistance reaction of high value as compared with the original resistance reaction of the conductor and of a frequency corresponding to the selected radio frequency to be received.

C. W. RECEIVER
 (Patent No. 1,491,405, A. W. Hull. Filed March 1, 1921, issued April 22, 1924. Assigned to General Electric Company.)
SIGNAL-RECEIVING SYSTEM for the reception of continuous wave signals. A tube circuit




is shown in which the potential of the grid electrode is varied periodically between suitable positive and negative values at a frequency somewhat different from that of the signaling currents to be detected so that the resistance of the signaling circuit will be varied between maximum and minimum values at an audible frequency. By tuning the circuit between cathode and the controlling grid, oscillations will be produced in that circuit and the potential of the grid will automatically be caused to vary periodically at the frequency of the oscillations produced.

HIGH POWER TUBE
 (Patent No. 1,488,613, G. W. Pickard. Filed Feb. 28, 1919, issued April 1, 1924. Assigned to Wireless Specialty Apparatus Company.)
VACUOUS ELECTRICAL APPARATUS of the electron tube class wherein desired vacuum condition is preserved without dependance upon a continuously operating vacuum pump. The invention has particular reference to high power transmitting tubes where steel containers are employed in lieu of glass and vacuum maintained despite inherent joints and seals. The metallic container which houses the tube electrodes in a vacuum is itself within an outer vacuum container.

STATIC REDUCER
 (Patent No. 1,488,791, C. Kinsely. Filed March 29, 1920, issued April 1, 1924.)
SPACE TELEGRAPH RECEIVING SYSTEM for avoiding the effects of static disturbances. A pair of loop receivers which may be differently effected by static disturbances is employed connected to Hall relays. The energies thus separately received in a plurality of wave receiving elements are separately utilized to control the operation of a signal indicator circuit so that the indicator in said circuit is actuated only at times when all of said wave receiving elements are energized. The effects of the strays in several receiving elements are seldom synchronous enough to produce any effect on the indicator.

WATER COOLED TUBE
 (Patent No. 1,491,387, P. R. Fortin. Filed Feb. 12, 1921, issued April 22, 1924. Assigned to General Electric Company.)
ELECTRON-DISCHARGE APPARATUS of high power wherein a cooling fluid is circulated around the exterior of the plate electrode of the tube maintaining the electrode at a proper working temperature. The plate electrode is a cylindrical cup-shaped member making a tight joint with the glass envelope of the electron tube.

ELECTRICAL CONDENSER
 (Patent No. 1,497,095, W. Dubilier, filed May 23, 1922. Issued June 10, 1924. Assigned to Dubilier Condenser and Radio Corp. of Delaware.)



Electrical Condenser of the micadon variety where the alternate conductive and dielectric sheets are secured together under compression by means

(Continued on page 542)



RADIO NEWS LABORATORIES




RADIO manufacturers are invited to send to RADIO NEWS LABORATORIES, samples of their products for test. It does not matter whether or not they advertise in RADIO NEWS, the RADIO NEWS LABORATORIES being an independent organization, with the improvement of radio apparatus as its aim. If, after being tested, the instruments submitted prove to be built according to modern radio engineering practice, they will each be awarded a certificate of merit, and a "write-up" such as those given below will appear in this department of RADIO NEWS. If the apparatus does not pass the Laboratories tests, it will be returned to the manufacturers with suggestions for improvements. No "write-ups" sent by manufacturers are published on these pages, and only apparatus which has been tested by the Laboratories and found to be of good mechanical and electrical construction is described. Inasmuch as the service of the RADIO NEWS LABORATORIES is free to all manufacturers whether they are advertisers or not, it is necessary that all goods to be tested be forwarded prepaid, otherwise they cannot be accepted by the Laboratories. Address all communications and all parcels to RADIO NEWS LABORATORIES, 53 Park Place, New York City.

Apparatus Awarded Certificates

THERMON VARIO-TRANS-COUPLER

A very efficient double circuit receiver can be made by using the tuning unit shown in the illustration. The unit comprises primary, secondary and tickler coils. The tickler coil is mounted on the shaft at an angle so as to give 180 degree control. The tickler coil is wound on a wooden form. When used



with a .0005 mfd. variable condenser, a wave-length range of 270 to 625 meters is covered. By using a smaller condenser the range is more suitable for broadcast reception. Manufactured by Radio Requirements Co., 70 N. Second St., Philadelphia, Pa.

Arrived in excellent packing. AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 511.

JEFFERSON LONG WAVE TRANSFORMER

The Jefferson Type 150 long wave R.F. transformer is of the iron core type designed for amplifying radio frequency currents of long wave-lengths such as are used in Super-Heterodyne receivers. The trans-



former is broadly tuned with a peak in a neighborhood of 12,500 meters. It is enclosed in a metal case and is of very compact construction. Manufactured by the Jefferson Electric Manufacturing Co., Chicago, Ill.

AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 514.

PYREX ANTENNA INSULATOR

Efficiency in receiving apparatus depends more upon good insulation of the parts than upon any other factor. The antenna insulator shown in the illustration not only gives good insulation during dry

weather, but on account of the smooth surface does not collect or absorb moisture and cause leakage of current during wet weather. The




insulator is entirely of pyrex glass and has a high tensile strength. Manufactured by the Corning Glass Works, Corning, N. Y.

Arrived in excellent packing. AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 513.

TRIANGLE 23-PLATE CONDENSER

The Triangle 23-plate variable condenser is of the grounded rotor type. It is insulated with a good grade of hard rubber and has dielectric absorption losses at 1,000 cycles equivalent to a series resistance of 110 ohms. Tests were made




with the condenser set at maximum capacity which was 511.61 mmf. The minimum capacity is 18.60 mmf. The condenser is of very rugged mechanical construction. Manufactured by the Triangle Atlantic Corp., 349 Adams Street, Brooklyn, N. Y.

Arrived in excellent packing. AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 525.

"SYCO" KELCOIL

The "Syco" Kelcoil manufactured by Silverman, Young & Co., 438 Drexel Building, Philadelphia, Pa., is a very compact double circuit tuner. It comprises primary, secondary and tickler coils. With a




.0005 mfd. variable condenser shunted across the secondary winding, a wave-length range of 255 to 550 meters is covered when using

an average size antenna connected to the primary winding.

Arrived in excellent packing. AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 516.

PFANSTIEHL OSCILLATOR

In a Super-Heterodyne receiver it is desirable to have an oscillator unit that delivers a uniform amount of high frequency energy throughout the entire broadcast wave-




length range. The oscillator unit shown in the illustration was found very satisfactory for this purpose. It is of the spider web type and covers a range of 200 to 600 meters when used with a .0005 mfd. variable condenser. A small pickup coil attached to the control device may be moved towards or away from the oscillator coil by turning the dial. Manufactured by Pfanstiehl Radio Service Co., Highland Park, Ill.

Arrived in excellent packing. AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 519.

NOLTE TRAP

As an accessory to any type of radio receiver, the wave trap shown in the illustration will be found very useful for eliminating interference.




This trap is of very neat appearance and covers a wave-length range of 175 to 540 meters. It consists of two windings, one of which is tuned by a variable condenser. Four binding posts are mounted on the panel so that various connections can be used. All insulating material is of hard rubber. Manufactured by Nolte Mfg. Co., 61 Gautier Avenue, Jersey City, N. J.

Arrived in excellent packing. AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 520.

RIBBON ANTENNA

The ribbon antenna manufactured by the Colonial Brass Co., Middle-




boro, Mass., is made of a special alloy giving it high tensile strength. The ribbon is $\frac{3}{8}$ of an inch wide and is fitted with snap hooks at each end so as to facilitate erecting it. The finish is such that it does not corrode.

AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 522.

MATHIESEN LOOP AERIAL

The Mathiesen loop aerial is of very good construction and attractive in appearance. It is of the folding type, the upper arm telescoping into the lower square brass tube. It may be turned on its base to obtain directional effects, and connections are made to the loop with two flexible wires; 13 turns of stranded wire clamped with bakelite strips are used. With a .0005 mfd. condenser, the wave-length range of 240 to 630 meters is covered. Manufactured by the Mathiesen-Sandberg Co., 5249 E. Ravenswood Ave., Chicago, Ill.

Arrived in excellent packing. AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 515.




POLLARD LOOP AERIAL

This loop aerial is of the folding type and consists of 11 turns of stranded wire clamped with bakelite strips on the loop frame. The frame measures three feet across corners. When used with a .0005 mfd. condenser, the wave-length range of 190 to 525 meters is covered. Manufactured by Pollard Bros., 4034 N. Tripp Ave., Chicago, Ill.

Arrived in excellent packing. AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 518.

CONNECTICUT WAVE METER AND FILTER

The Connecticut type D-5 wave meter and filter is of very elaborate construction and of pleasing appearance. It consists of two windings, one of which is tuned by a variable condenser. By means of a tap, two wave-length ranges are obtained. One range is from 280 to




630 meters and the other from 370 to 850 meters. Binding posts are provided for both coils so that various combinations can be tried. The instrument makes a very efficient wave trap that may be used with any receiving set for eliminating interference. Manufactured by the Connecticut Tel. & Elec. Co., Meriden, Conn.

Arrived in excellent packing. AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 521.

AMERICAN BRAND CONDENSER

The American Brand 23-plate variable condenser is manufactured by the American Brand Corporation, Inc., Philadelphia, Pa. This condenser is of the grounded rotor type and has a worm drive vernier attachment with a reduction ratio of 100 to 1. This gives exceptionally



fine tuning control. The dielectric absorption losses at 1,000 cycles are equivalent to a series resistance of 110 ohms with the condenser set at maximum capacity. The maximum capacity is 461.59 mmf. and the minimum 19.80 mmf.

Arrived in excellent packing. AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 526.

RADIOLAMP

The usual type of loud speaker is, no doubt, the most unsightly part of the radio equipment. The loud speaker shown in the illustration is not only of artistic design but serves a double purpose. It com-




bines both a table lamp and loud speaker. The phone unit is placed in the base of the lamp and the sound passes up through the stem, where it is reflected by the semi-transparent lamp-shade. Very good

volume and quality were obtained from this loud speaker. It is fitted with two sockets for lamps. Manufactured by the Radiolamp Co., 334 Fifth Avenue, New York City.

Arrived in excellent packing. AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 527.

ULTRA VARIO-CONDENSER

The Ultra vario-condenser is of the triple range type comprising two separate condensers of accurate mechanical construction. The two condensers may be connected in parallel, series or one may be used alone, thus giving three ranges. The maximum capacity with the two units in parallel is 521.37 mmf., the minimum capacity with the two units in series of 6 mmf. This condenser is of the grounded rotor type and is furnished with hard rubber insulation. The equivalent series resistance at 1,000 cycles was so low that it could not be accurately measured on our capacity bridge. Both plain and vernier types were submitted by the Bruno Radio




Corp., 300 Water Street, New York City. The vernier type is shown in the illustration.

AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 528.

VELDAR VARIABLE CONDENSER

The Veldar variable condensers employ die cast plates, which construction, being very accurate, allows very close spacing of the plates. Consequently for the same capacity rating, this type of condenser may be made much smaller than the ordinary type. Both plain and vernier type condensers were submitted by the Radio Development and Mfg. Co., 45 Lispenard Street, New York City. The illustration shows the vernier type condenser. A gear drive is used having a reduction ratio of eight to one. The maximum capacity of the



plain condenser is 539.67 mmf., and the minimum 7.80 mmf. The dielectric absorption losses at 1,000 cycles are equivalent to a series resistance of 400 ohms. The vernier type condenser had slightly higher losses on account of the extra insulating material used in the vernier attachment.

Arrived in excellent packing. AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 524.

STROMBERG-CARLSON TRANSFORMER

The Stromberg-Carlson Type 3-A audio frequency amplifying transformer has an exceptionally flat characteristic curve extending far




into the lower audio frequencies. This transformer is of compact construction and is inclosed in a metal

case. It causes practically no distortion when used in standard vacuum tube amplifier circuits. Manufactured by Stromberg-Carlson Tel. Mfg. Co., Rochester, N. Y.

Arrived in excellent packing. AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 517.

MARLE TYPE A-11 TRANSFORMER

The Marle Engineering Co., Orange, N. J., has submitted one of its improved amplifying trans-



formers having a three to one ratio. This transformer has a very flat characteristic curve which covers the lower audio frequencies. This makes it highly desirable for use in broadcast reception as distortion will be reduced to a minimum.

Arrived in excellent packing. AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 512.

AEROVOX CONDENSER

The Aerovox fixed condensers are made in various capacities and are furnished with or without mountings for grid leaks. The .00025 mfd. condenser with the grid leak mountings is shown in the illustration. This condenser and a .001 mfd. type, were submitted and found to be very accurate as regards capacity ratings. The dielectric absorption losses at 1,000 cycles were equivalent to a series resistance varying from 500 to




3,000 ohms in the different condensers. Manufactured by the Aerovox Wireless Corp., 489 Broome Street, New York City.

AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 530.

LIBERTY INTERMEDIATE WAVE TRANSFORMER

The type R-41 input transformer and the type R-42 intermediate transformers furnished with the Liberty Super-Heterodyne kit are of the air core type and operate with maximum efficiency at a wavelength of 5,200 meters. These transformers give very good results when used in a Super-Heterodyne receiver if constructed according to directions furnished with the kit. They are compact in size and make a neat looking receiver.

Arrived in excellent packing.




AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 533.

LIBERTY OSCILLATOR PICK-UP COIL

The Liberty Super-Heterodyne kit comprises one oscillator pick-up coil one input transformer, three intermediate wave transformers, one bypass condenser and constructional blueprints. The illustration shows the type R-41 oscillator pick-up coil. The windings are on the inner tube and protected by the outer one. With a .0005 mfd. variable condenser, this coil oscillates satisfactorily from 170 to 550 meters. This coil is manufactured by the


Liberty Electric Corp., Port Chester, N. Y.

Arrived in excellent packing. AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 532.



AMBASSADOR COIL

The well-known Ambassador coil is here shown with a Litz wound secondary instead of the usual winding. This improvement increases the selectivity of the tuning unit and also its efficiency. Connected to a .0005 mfd. variable condenser, it covers a wave-length range of 180 to 550 meters. This coil was submitted by the Ambassador Sales Co., 74 Cortlandt Street, New York City.




Arrived in excellent packing. AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 531.

PRECISE INTERSTAGE R. F. TRANSFORMERS

The Precise No. 901 long wave transformers for use in Super-Heterodyne receivers are of very compact construction and shielded. They give high voltage amplification at a wave-length of 8,500 meters. The peak is somewhat broad and the instruments give excellent service when used with the proper input or filter coupler. They are of the iron core type. Manufactured by the Precise Manufacturing Co., 254 Mill Street, Rochester, N. Y.

Arrived in good packing.



AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 529.

THERMOTRON TUBE

The Thermotron type 201-A vacuum tube is of the standard construction and works very efficiently when used as detector, amplifier or oscillator. The sample tubes submitted by the Emko Radio Mfg. Co., 97 Springfield Ave., Newark, N. J., were found entirely up to standard as regards characteristic curves and operation. The filament is rated ¼ ampere at five volts and may be used with a six volt storage battery and rheostat.




AWARDED THE RADIO NEWS LABORATORIES CERTIFICATE OF MERIT NO. 523.



The Log of a Lightning Jerker

By J. E. Brockway



The S. S. *West Wind*, one of the U. S. S. B. vessels upon which Mr. Brockway shipped is here shown in its home port, Portland, Oregon, after a rather eventful voyage. In the latter part of 1919 she caught fire in the harbor of Yokahama, lost a propeller blade in the run through the Inland sea and last, but not least, left Shanghai for Honolulu with an empty bottom, struck a storm, ran out of food half way across, secured some beef and potatoes from a ship bound west, thanks to the radio, and limped into Honolulu on the last few drops of oil exactly one month after leaving Shanghai.

SEPTEMBER 18, 1919.—Started out from our well-known Oregon Tech. Radio School, full of confidence in my ability to acquire that coveted sheep-skin known as a "commercial radio operator's license, first class." I was successful—the only one out of five who took the examination that fateful day in Seattle.

I returned to Portland and placed my application with Charley Austin, then handling operators for the Shipping Board at that port. He placed me aboard the S.S. *Latoka*, which was loading ties for the United Kingdom. About the same time Ray Foley, now chief on the *President Lincoln*, and "Ben" Enderlin, third-trick operator at "KEK," were also signed for the same destination aboard sister ships to mine. "Ben," I understand, is since code instructor at the same school where he got his start—Oregon Tech.

Those days we had to worry along with only a crystal, but managed to keep "QSO" with each other practically all the way around to the other coast. At Philadelphia my ship got side-tracked and I was paid off with the rest of the crew and furnished transportation back by rail to Portland.

My next venture on the briny deep was undertaken aboard the wooden steamer *Mendora*, which finally landed me in England after all. On this trip we stopped in the Panama Canal for two days, thence proceeding to Horta, Fayal, Azore Islands. It was on this leg of the voyage that we ran afoul of the notorious 1920 Gulf hurricane and were blown far off our course. I thought then that if ever I got firm ground under my feet again, nothing short of an earthquake would drive me back to sea.

At last, after 28 days of battling with wind and wave, we made the Azores and laid there for three weeks waiting for coal; our bunkers had been depleted during our struggle with the elements. During our sojourn there I took about 200 pictures of various places of interest. Arriving at the mouth of the Mersey River at last, we were

directed to proceed to Birkenhead across the river from Liverpool to discharge. While in this port I journeyed via subway to Liverpool almost daily and visited the British Museum, "Knotty Ash," the Art Gallery and many other places of interest—always armed with the trusty old Kodak.

Upon completing discharge we were ordered to Cardiff to load coal for Malta, but lost the charter. We waited at Cardiff for three weeks before we landed another, and this time managed to get our cargo aboard before expiration of charter.

We cleared for Malta, but had no more than left "Land's End" behind than "GLD" called me with a message diverting us to Gibraltar. We experienced a nasty stormy passage through the Straits of Gibraltar and pulled into the harbor at night with a drenching rain obscuring the shore lights.

Next morning old Gibraltar loomed up even more massive and stern than the insurance ad, pictures show it. There are two towns on the "rock," Irishtown and Waterport, the latter skirting the harbor on the shore side. It is connected with the Spanish town of La Linea by a narrow neck of land called neutral territory. We lay in port long enough to give me plenty of opportunity to explore the surrounding country. I investigated the natural cave that runs under the Mediterranean Sea to the African shore, saw the Governor's Palace, Victoria Gardens, and climbed to what is known as Mid-point, a place on the road half way up the rock which is as far as one is permitted to ascend without a special permit from the commandant. The fort, you know, is a British stronghold.

Next I ventured over to the Spanish town of La Linea and witnessed an exhibition of the national sport, bull-fighting—sometimes a thrilling, but at best a disgusting sight. It did not appeal to my sense of fair play in the least.

Accompanied by the third mate, I boarded a small passenger boat to Tangiers, Mor-

occo, where I snapped many interesting pictures during the three days of my stay in that most colorful international port. We voyaged out on the Sahara desert aboard a "Rocky Mountain Canary" to view the sunrise's "a la Shiek." Warm? No, hot! Say, when old Sol fixed his burning gaze down upon us, sitting on a hot stove was cool and refreshing compared to the heat of that donkey's back.

Having somehow misplaced my passport, we decided to report the loss to the American Consul and proceeded to call upon him. He was the usual type of American to be found representing us in most any such small country, and deeply grateful for our visit. He told us that we were the only countrymen of his who had been there in the last year and a half, so you see how popular the place was.

We met an old Moor who had once been in San Francisco and who greatly obliged us by showing us the town. "Le Café Chantant" was one of the most popular nocturnal attractions and featured among other things Spanish and French dancers. My friend the third officer "fell" for one of these girls and I had to pay his way back to Gibraltar. Fatty degeneration of the pocket-book invariably yields to liberal doses of champagne. A detailed account of the many and varied experiences which befell us since leaving Portland would undoubtedly make interesting reading, but space forbids. To say that we had a good time, if somewhat hectic, is putting it mildly.

Another trip I made to Europe was on the S.S. *West Wind*, an Emergency Fleet vessel which boasted a gold star on her stack, denoting that she was officially credited with the sinking of a German sub. On the way around to the Atlantic after passing through the Panama Canal we were compelled to put in at Charlotte Amalie, St. Thomas Island, Danish West Indies, for fuel. This group of islands had just recently been acquired by the United States as a naval base, and at one time there were 57 other vessels in the same plight as ourselves. We had to wait nearly a month for our bunkers, then proceeded on our way once more. Among the many places visited during our rambles ashore while laying there was the famous "Blue Beard's Castle," the Miller Estate, and Magen's Bay.

Upon arrival at Liverpool I had the opportunity of renewing many acquaintances made during my previous visit and thoroughly enjoyed myself. Our stay was uneventful, but the same cannot be said of our run back across the stormy North Atlantic. In fact, it can hardly be called a "run"; it was more like a limping crawl, for with frequent delays due to turbine and generator trouble, and other annoyances too numerous to mention, it was 28 days before we reached New York. When almost within sight of the Statue of Liberty we ran out of oil, necessitating the sending of an SOS for tugs.

After enjoying myself in the "big city"

(Continued on page 584)



I Want to Know

THIS Department is conducted for the benefit of our Radio Experimenter. We shall be glad to answer here questions for the benefit of all, but we can publish only such matter as is of sufficient interest to all.

1. This Department cannot answer more than three questions for each correspondent.
2. Only one side of the sheet should be written upon; all matter should be typewritten or else written in ink. No attention paid to penciled matter.
3. Sketches, diagrams, etc., must be on separate sheets. This Department does not answer questions by mail free of charge.
4. Our Editors will be glad to answer any letter, at the rate of 25c for each question. If, however, questions entail considerable research work, intricate calculations, patent research, etc., a special charge will be made. Before we answer such questions, correspondents will be informed as to the price charge. You will do the Editor a personal favor if you will make your letter as brief as possible.

POWER SUPPLY FROM A.C. SOURCE


(201) Mr. Henry Smith, Plainfield, N. J., asks:

Q. 1. What is the diagram of connections of a four tube set, using a crystal for detection, when a 110-volt, alternating current source supplies the necessary "A" and "B" potentials?

A. 1. We are showing the diagram of connections for a four tube set incorporating two stages of radio frequency and a crystal detector. An untuned primary circuit simplifies the tuning. The center-tapped transformers are designed for the output voltages shown.

Q. 2. How can the choke coil, usually used in such circuits, be made?

A. 2. A low-frequency choke coil of about 30 henries may be made according to the description given in the June, 1923, issue of RADIO NEWS. This description appeared in the I-Want-To-Know department, in answer to question No. 683. The primary of a Wayne, or Jefferson bell-ringing transformer will be satisfactory also.



A receiving circuit equipped to derive the necessary "A" and "B" potentials direct from a 110-volt alternating current source. A rectifier and filter system is utilized to eliminate the A. C. hum.

SUPERDYNE

(202) Mr. Antone Galy, Lyons, France, asks:

Q. 1. In what way can the Superdyne principle be applied, to use the tube unit of an RC set?

A. 2. The method is shown in these columns. The untuned primary consists of about eight turns of insulated wire wound over the secondary.

Q. 2. Are there any special points to be borne in mind when laying out the instruments?

A. 2. It is very important that the plate tuning coil be placed in non-inductive relation to the coils in the grid circuit. If the plate coupling coil (the rotor ball) is placed too close to the stator coil to which it is coupled, regeneration control will not be satisfactory.

Q. 3. Are air-core or iron-core radio frequency transformers most susceptible to close coupling effects?

A. 3. Iron-core radio frequency transformers may be placed much closer together than air-core transformers.

NEUTRODYNING THE REFLEX

(203) Mr. Herbert Chamberlain, Plainfield, N. J., wishes to know:

Q. 1. Is it possible to incorporate the Neurodyne principle in a reflex set, thereby eliminating the usual potentiometer used to control tube oscillation?

A. 1. We are showing a reflex circuit incorporating the Neurodyne principle.

Q. 2. What type of transformers should be used in a circuit of this type, incorporating four tubes, one as detector?

A. 2. Regular neuroformers will give excellent results. Plusiformers will also be satisfactory.




Diagram of connections for changing an RC set into a Superdyne. No change of wiring within the RC unit is necessary.

It is probable that ordinary radio frequency transformers will have too great coupling and too many turns on the primary.

Q. 3. How many frequencies, in kilocycles, be determined, given the wave-length? In cycles?

A. 3. Dividing 300,000 by the wave-length will give you the frequency in kilocycles. To convert kilocycles to cycles, multiply by 1,000.

DEFINITION

(204) Mr. Urlin Page, Salem, Ore., wants to know:

Q. 1. Is a tuned impedance radio frequency, or a Neurodyne, circuit better for DX reception?

A. 1. They are about the same. Theoretically, the Neurodyne has the advantage of voltage step-up, but the tuned impedance radio frequency amplifier more closely approaches the point of maximum regeneration.

Q. 2. Would a potentiometer improve the Neurodyne?

A. 2. If a potentiometer were used, the advantages of the Neurodyne would be lost.

Q. 3. Which of the above mentioned circuits is the most selective?

A. 3. They are both exceptionally selective.

RADIO STABILITY

(205) Mr. Miar Palmer, Jackson, Mich., requests:

Q. 1. Am considering the construction of a set. Is there much possibility of its being useless in a short time, due to changes in the radio field?

A. 1. If a standard circuit is used the set should be useful for a long time to come. The laws governing radio communication are the same now as they were in 1898 and a set built along the standard lines is not likely to pass out of date due to any radical changes.

STUDIO DESIGN

(206) Mr. Otto Isler, Union Hill, N. J., asks:

Q. 1. Please describe the construction of a modern broadcast station studio.

A. 1. The walls may be constructed of gypsum block. Over this is placed a layer of lith. This is a sound absorbing material. It is also applied to the ceiling. A triple wall construction should be used. Between the walls a thick layer of sound deadening material is laid. The furniture should be wood-doweled, not nailed.

Q. 2. Should draperies be used to prevent echoes?

A. 2. A certain amount of reverberation is required. By use of a partial drapery, the correct balance between reverberation and a total absence of echo may be easily obtained. If the special wall construction described above is used, no drapery is required.

Q. 3. What is the difference between reverberation and echo?


A. 3. Reverberation is a type of echo so closely spaced to the original sound that the separation cannot be detected by the ear. An echo is so timed that the separation can be readily detected.

SUPER-HETERODYNE RADIATION

(207) Mr. Ivan M. Levy, Wellington, New Zealand, asks:

Q. 1. Kindly explain in detail why 8-tube Super-Heterodynes do not radiate.

A. 1. This is due to the fact that the first tube does not oscillate and therefore acts as an effective blocking tube for currents generated by the oscillator tube, or the intermediate frequency stages. While it has been claimed that there is



Circuit diagram of a four tube reflexed Neutrodyne. Through this arrangement the utilization of a potentiometer is done away with. The four tubes in this circuit do the work of five.

a radiation of the oscillator currents this radiation can be detected only a short distance from the set. Of course, there is generally conceded to be a radiation from the oscillator coils, which cannot be prevented except by shielding and it is probably this current, rather than the aerial current, which is picked up by receiving sets in the immediate vicinity. While these coils form an effective antenna and counterpoise system, the amount of energy that can be radiated is very slight indeed. Such currents as may pass the blocking tube due to the grid-to-plate capacity, are only weakly radiated from the aerial. When a loop is used, even this possibility of interference becomes a minimum. Reviewing these facts we may consider Super-Heterodynes as non-radiating.

ELECTROLYTIC RECTIFIERS

(2028) Mr. Hanson Houck, Louisville, Ky., writes:

Q. 1. What is the metal used in the Balkite "Fansteel" charger?

A. 1. It has lately been found commercially possible to use tantalum. That metal is now used in the Balkite charger.

Q. 2. Why are several electrolytic rectifier cells required when charging a high-voltage battery?

A. 2. At 30 to 35 volts aluminum begins to disintegrate. This is also true of tantalum. It is for this reason that storage "B" batteries of more than 20 volts should be connected in series parallel so the battery will comprise banks of cells of 20 to 24 volts each. In this manner a charging rate, equal to the sum of the charging rate of each bank of batteries, is used.

Q. 3. How is it possible to use a tube as a radio frequency amplifier in conjunction with a crystal detector?

A. 3. The diagram shown in answer to your inquiry makes this clear. Need for a potentiometer has been dispensed with by the use of the Superdyne method of controlling oscillations. The inductances used have the constants of those in the circuits shown in answer to question No. 2022. If the aerial is not long, the primary winding may be dispensed with and the connection shown used. The arrowhead indicates the connection for the rotor plates.

DIELECTRIC

(2029) Mr. Victor W. Rausch, Battle Creek, Mich., wants to know:

Q. 1. I recently noticed an article stating that the wax on annunciator (bell) wire reduces the efficiency of an inductance formed with this wire, due to a high distributed capacity. Does it mean that a small amount of paraffin accidentally put on a small portion of the Ultradyne transformers will reduce their efficiency?

A. 1. The reference you mention was to the use of wax or paraffin in considerable amounts. A small amount on the Ultraformers is not injurious.

Q. 2. Does the UV-1714 transformer have a tapped primary and secondary?

A. 2. Yes. There is a tap for short wavelengths taken from both windings.

TUNING

(2030) Mr. John F. Taylor, Pinehurst, N. C., writes:

Q. 1. What is the proper method to tune a three circuit set consisting of a variocoupler and two variometers?

A. 1. The variocoupler is adjusted for the approximate wave-length desired. The two variometers are then varied in unison, for maximum response. The variocoupler coupling is made tight until the desired station has been tuned in. Sharp tuning then results by loosening this coupling as much as possible and re-adjusting the two variometers at the same time.


Q. 2. In such a set as the above, if the variocoupler has a range of 200 to 1,000 meters, the variometer in the grid a range of 200 to 600 meters and the variometer in the plate circuit a range of 200 to 900 meters, what is the wave-length range of the set?

A. 2. The approximate wave-length range of the set is determined mainly by the inductance and capacity of the secondary or grid circuit. This gives an approximate figure of 300 to 700 meters as the range of the set.

ACOUSTICS

(2031) Mr. Curtis E. Scherrmacker, Great Kills, N. Y., wants to know:

Q. 1. What is the proper connection for my headphone cords marked red and black? How



A circuit employing the vacuum tube as a radio frequency amplifier and a crystal as the detector. This circuit should prove quite sensitive and selective.

should they be connected to the set for best results?

A. 1. This depends on the make of the receivers. While listening to a weak station reverse the leads and leave the headphones connected in the way that gives loudest response. Make note of the color that connects to "B" plus and always connect the headphones in that way, when trying other sets or circuits. Most usually the red cord should be connected to the "B" battery plus.

Q. 2. What are the first and second series of vibrations of a sound?

A. 2. The first series is the basic tone and that is called the fundamental. The second series is called the second harmonic and has just twice the number of vibrations in the space of a second as the fundamental.

Q. 3. What is the effect of the fundamental and harmonics produced by a musical instrument?

A. 3. Harmonics produce the timbre, or characteristic sounds of the instrument. One musical instrument may radiate 50 per cent. of the sound energy on the fundamental note and the balance is divided in various proportions on higher frequencies or harmonics. Another instrument may radiate 65 per cent. of the energy on the fundamental note and the balance in various harmonics. The easily distinguished tone of the brass horn is due to strong vibrations at the seventh and ninth harmonics.

COMPARISON CIRCUIT

(2032) Mr. J. D. Robson, Dubois, Pa., wants to know:

Q. 1. Please show a diagram of connections of a switching system for making a comparison between a single circuit receiver and a three circuit receiver. One stage of audio frequency amplification may be used for either set.

A. 1. The diagram you request is shown in these columns. Note that provision has been made to apply the correct "B" battery voltage to the particular tube that is used in each set.

Q. 2. Kindly state the general rules for increase of inductive impedance and of capacitive impedance.

A. 2. The inductive impedance increase of a coil is directly proportional to the increase in cycles per second of the current. Capacitive impedance varies as the reciprocal of the frequency.

PHONE CORD CAPACITY

(2033) Mr. F. E. Stewart, Los Angeles, Calif., wants to know:

Q. 1. What type of coil can be used for the iron core choke coil of 50 henries value, shown in the diagram on page 1085, in the February, 1924, issue of RADIO NEWS?

A. 1. The coupling impedance shown may well be a spark coil secondary. A Wayne or Jefferson bell ringing transformer primary will also be satisfactory. If either of the latter impedances are used, it will be well to try connecting the primary and secondary coils in series.

Q. 2. How can capacity effect from the phone cord be reduced?

A. 2. Connect the primary of a transformer in the set, in place of the headphones. The secondary connects to the headphones. It will be necessary to use an iron core transformer having the same primary impedance as the plate circuit of the vacuum tube and a secondary resistance equal to the headphones. A regular audio frequency transformer will often do. Its primary connects to the headphones and the secondary connects in the plate circuit of the set, or vice versa, depending upon the transformer. Or, a 1:1 ratio transformer may be used. It is to be noted here that phones having a very low direct current resistance, for example the standard line telephone receivers of 80 ohms, can be efficiently operated in a set by the use of a properly designed transformer having a secondary resistance equal to the resistance of the phones.

Q. 3. What is the approximate increase of "B" battery voltage required when resistance amplification is used?

A. 3. About 50 per cent.

INDUCTANCES

(2034) Mr. J. F. Flores Bayals, Rio Piedras, Porto Rico, asks:


Q. 1. What type of inductances are required for the Kennedy Type 220 regenerative receiver shown in the "I-Want-to-Know" department of the August issue?

A. 1. The first two inductances may be a standard variocoupler. The coil inductively coupled to the variometer may be about 60 turns of wire tapped every 15 turns.

Q. 2. Please describe the inductances used in the Zenith Model 3-R receiver shown in the "I-Want-to-Know" department of the July issue of RADIO NEWS.

A. 2. The coil tapped in the units and tens manner may comprise 80 to 100 turns of insulated

(Continued on page 546)



By employing this arrangement the set can be switched from a single to a three circuit tuner at will. The audio frequency amplifier can also be used with one or the other circuit by throwing a second switch.



Big Radio Book

Send For it At Once

Send For This Sensational Radio Bargain Book-FREE

Order Direct From This Page! Save About One-half! Compare our prices with others. Only highest grade nationally known GUARANTEED parts. OUR GUARANTEE PROTECTS YOU. Money cheerfully refunded if you are not satisfied. Be sure to write your order and state prices plainly.

Send post office or express money order or bank draft for total amount to insure prompt shipment. **ALL PRICES ON THIS PAGE INCLUDE SHIPPING CHARGES RIGHT TO YOUR DOOR.** Refer to any bank or commercial agency regarding our reliability. If your favorite circuit is shown here, order direct from this ad. No skill required to build your own radio with Randolph parts, Panels are all drilled. Instructions are simple and complete. Everything comes ready to assemble. Order direct! All shipping charges prepaid.

OUR CATALOG IS FILLED WITH Bargains Like These

- CONDENSERS**
 23-plate plain Cond'n'r. \$1.29
 23-plate Vernier Cond'r 2.59
- RHEOSTATS and POTENTIOMETERS**
 Bakelite Rheost't, 6-ohm .38
 Bakelite " 30-ohm .59
 Bakelite Vernier Rheos't 1.15
 Bakelite Potentiometer, 200 ohm .59
- TRANSFORMERS**
 Randolph Special, 6 to 1, 2.16; 3 1/2 to 1, 1.89
 Sinclair Special, 6 to 1, 2.55; 3 1/2 to 1, 2.24
- TUBE SOCKETS & DIALS**
 4" Hygrade Dial .29
 Bakelite Socket .28
 Weston Plug .75
- VARIOMETERS**
 Moulded Variometer .239
 Bakelite moulded .345
- HEADPHONES**
 Randolph Special, 2200 ohms .265
 Blue Bird Special .395
- LOUD SPEAKERS**
 American Bell .395
 With adjustable loud speaker unit .695
- COUPLERS and COILS**
 180° Variocouplers .95
 Reinartz Coils .125
 Electric Soldering Iron .129
 Cockaday Coil .165
 Three-Circuit Tuner .295
 Ambassador Coils .295

Complete Parts for Two-Stage Amplifier


- May Be Used in Connection With Any Receiving Set
- 1 7x9 or any standard Bakelite Panel.
 - 1 Thordarson or Columbia High-ratio Transformer.
 - 1 Thordarson or Columbia Low-ratio Transformer.
 - 2 Bakelite Rheostats.
 - 2 Bakelite Sockets.
 - 2 Circuit Jacks.
 - 1 1-circuit Jack.
 - 1 Baseboard.
 - 9 Binding Posts.
- \$10.90**
- Diagram and Instructions for wiring.



COMPLETE PARTS FOR 3 AND 5-TUBE NEUTRODYNE RECEIVING SET

- Genuine Hazeltine Licensed Fada, Freed-Elseman, or other
- FOR 3-TUBE SET:**
 1 7x28 1/2 Drilled Panel.
 2 All American or Columbia Audio Transformers.
 3 4" Bakelite Dials.
 3 Filament Control Jacks.
 1 Vernier Rheostat—30-ohm.
 1 Plain Rheostat—6-ohm.
 1 strip Bakelite, 6x1x 1/2.
- FOR 5-TUBE SET:**
 8 Binding Posts.
 1 Grid Leak and Condenser.
 2 Bakelite Sockets.
 1 .001 Condenser.
 1 Dubilier By-Pass Condenser.
- Genuine Licensed Parts
 3-Gang Bakelite Socket.
 35 feet Hook-up Wire.
 1 Wave Control Neutrodyne.
 2 R. F. Neutrodyne.
 1 Baseboard.
 2 Neutrodons.
 3 Bezels.
- \$43.75**
- Complete blue-prints and working diagrams and instructions.

PRICE—3-Tube Set, \$26.45



COMPLETE PARTS FOR 3-TUBE COCKADAY RECEIVING SET

- 1 Cockaday Coil.
 - 2 23-plate Hy-Grade Cond.
 - 1 Bakelite Rheostat, 30-ohm.
 - 1 Bakelite Rheostat, 6-ohm.
 - 3 Bakelite Sockets.
 - 1 high ratio Columbia or All-American Transformer.
 - 1 Single Circuit Jack.
 - 1 low ratio Columbia or All-American Transformer.
 - 1 Baseboard.
 - 1 7x21 1/2" Drilled Bakelite Panel.
 - 2 Double Circuit Jacks.
 - 2 3" Bakelite Dials.
 - 1 Grid Leak and Mica Cond.
 - 7 Switch Points, 2 stops.
 - 1 Bakelite Binding Post Strip.
 - 8 Binding Posts.
 - 1 7x21 1/2" Drilled Bakelite Panel.
 - 3 Bezels.
 - 1 Baseboard.
- \$19.95**
- Complete blue-prints and wiring diagrams.


1-Tube Set \$10.45

SUPER Heterodyne

Containing 3 Intermediate Frequency Transformers, Filter Transformer, Oscillator Coil and 2—1 M. F. Condensers.

\$19.75

with Audio frequency Trans. \$26.65



PARTS FOR REINARTZ RECEIVING SET ONE-TUBE

- 1 7x18 Bakelite Panel.
 - 1 Vernier Bakelite Rheo.
 - 1 Bakelite Socket.
 - 1 23-plate Lo-loss Var. Cond.
 - 1 11-plate Lo-loss Var. Cond.
 - 2 Bakelite Dials.
 - Blue-print and Complete Instructions.
 - 1 Genuine Rheinartz Coil.
 - 2 doz. Switch Points and Stops.
 - 3 Switch Levers.
 - 25 feet Busbar Wire.
 - 1 Freshman Grid Leak and Condenser.
 - 1 Baseboard.
 - 9 Binding Posts
- \$10.45**
- 3-Tube Set \$17.55

Our Guarantee

Every article exactly as represented. Every article is tested before shipping. Complete satisfaction guaranteed or money will be cheerfully refunded.

Complete Parts for ACME 4-TUBE REFLEX

- 3 Acme A-2 Transformers
 - 1 Acme R-2 Transformer
 - 1 Acme R-3 Transformer
 - 1 Acme R-4 Transformer
 - 4 Bakelite Tube Sockets
 - 1 Duplex or Bremer-Tully Lo-loss 23-plate Condenser.
 - 1 Frost Potentiometer-Rheostat.
 - 1 .00025 Fixed Condenser with grid leak mounting.
 - 1 .0025 Fixed Condenser.
 - 2 .002 Fixed Condensers.
 - 1 .005 Fixed Condenser.
 - 1 RV Crystal Detector.
 - 8 Binding Posts.
 - 1 3" Bakelite Dial.
 - 1 2-circuit Phone Jack.
 - 1 length Spaggetti.
 - 25' No. 14 Hook-up Wire.
 - 1 50,000-ohm Grid Leak.
 - 1 "C" Battery
 - 1 7x21 1/2" Bakelite Panel—drilled.
 - 1 Baseboard.
- Complete set blue-prints and instructions for wiring.

\$39.85

1-Tube Set \$17.45



COMPLETE PARTS SUPER-HETERODYNE FOR 3-TUBE

- 1 23-plate Lo-loss Vernier Bremer Tully or Duplex Condenser.
 - 1 23-plate Lo-loss Vernier Bremer-Tully or Duplex Condenser.
 - 1 400-ohm Frost Potentiometer.
 - 2 6-ohm Rheostats.
 - 2 30-ohm Bakelite Rheostats.
 - 1 .00025 Fixed Condenser.
 - 4 .002 Condensers.
 - 1 .006 Condenser.
 - 1 Bakelite Terminal Strip for Binding Posts.
 - 1 Multicolored Cable for connecting batteries.
 - 1 8x36x 1/2" Dr'd. Bak. Pan.
 - 8 Bakelite Sockets.
 - 7 Binding Posts.
 - 1 Filter Transformer
 - 1 Oscillator Coupler.
 - 1 "C" Battery.
 - 1 Battery Switch.
 - 3 All-American or Columbia Long-wave Transformers.
 - 2 All-American or Columbia Audio Transformers.
- \$59.75**
- Instructions, blue-prints and complete layout.

FREE


BIG MONEY-SAVING RADIO CATALOG

containing a thousand bargains of everything on radio—parts, supplies, complete parts for sets, complete sets, etc., also a mine of very latest information on all different circuits, complete list of broadcasting stations, and other valuable, up-to-the-minute radio data. Send your name and address on a card or letter. We will send catalog free.

Free Service Department

Our radio engineers will help you solve all your radio problems, and furnish up-to-date information on set construction, operation and improvement. This service is free to our customers.

RANDOLPH RADIO CORPORATION
 159 N. Union Ave. Dept. 22 Chicago, Illinois



Police Sergeant Charles E. Pearce who erected and operated the first successful police radio station in the world—a former student of the Radio Institute of America.

Radio— your chance

Write for Information Today

From no knowledge of radio— to licensed operator. From operator up the opportunity ladder to the big jobs at the top. And a life of fascinating interest, well paid. That is every man's chance now that the famous course of America's oldest radio school is offered for home study.

The Radio Institute of America is conducted under the auspices of the Radio Corporation of America, the greatest radio organization in the world. This insures the most thorough and up to date instruction and therefore means preference for positions when you earn your government license.

The demand for trained men is great—and growing. Now, no matter where you live you can study at home under the best instruction. Write today! Get your start—and grow with radio.

Advanced Radio Course

Great popular demand by the advanced student, experienced amateur and wireless operator has led to the opening of an **ADVANCED HOME STUDY RADIO COURSE**, specializing in C. W., I. C. W., telephone and radio measurements. Investigate!

Radio Institute of America

(Formerly Marconi Institute)
Established 1909

324 Broadway, New York City

Indicate by a cross X the course you are interested in:

Radio Institute of America,
324 Broadway, New York

Please send me full information about radio opportunities today, and your
COMPLETE RADIO COURSE
ADVANCED RADIO COURSE

Name.....

Address.....

The Wail of the Lonesome Shrine

(Continued from page 485)

counters. "Do I what?"
"Do you believe in ghosts?"
I feels a comedy jag coming on. "Well," I says, "I don't know if I believes 'em or not, because they ain't none of 'em ever told me anything yet."
Bang! The big suggestion comes.
"Jerry," I says slowly, "do you remember Jim McKenna?"

Jerry does, vigorously. You see, Jim's trained crow accidentally put the hook out on a little scientific demonstration of The Master's, and although it wasn't exactly anybody's fault, Jerry sort of has it in for Jim, in a congenial way, if you gets what I means.

"Would you like to put one over on Jim?"
He would.

"Then lend an ear, Friend Roman," I requests. "Jim McKenna don't believe in ghosts. Moreover, he says so every chance he gets. He's positively a nut on the subject. Last winter in Sacramento he offered to sleep alone all night in a graveyard. Does the general idea assimilate?"

It does. The Master catches on with grace.

"Jim's coming back for a few days in a week," I hints.

That starts Jerry's gear-box to running like a mouse animates a meeting of the W. C. T. U. "Do you think he will consent to do the trick when put to it?" he inquires.

"Sure he will," I states. "Jim may be a liar, but he ain't no quitter. He'll sleep—or at least try."

The Master emits a low laugh.

"Do you know any good spooky cemetery?" I asks.

"How about the one on Fairview Hill?" he inquires.

"Too close," I says. "Go out a ways."

The Master brings his hand down on the table with a smash. "I have it!" he exclaims. "I have it!"

"You won't have it long if you treats it like that," I grins. "But where's this lay?"

"About ten miles inland there's an old deserted cemetery, half a mile or so from a road. It's in the center of a grove of trees, and should be ideal."

"Fine," I says.

Jerry rubs his hands in excitement. "Tonight I'll work out an idea I have in mind," he says. "Come over early tomorrow and we'll take a run up to the place."

Well, we does. All The Master said about it don't half describe it. This graveyard, so Jerry says, was built about seventy-five years ago by a bunch of nuts that tried to put over a new religion that flopped. The cemetery is located in what looks like the crater of a small-time volcano; in reality it's just a small hill with a sunken top. There's trees all around the base and up the sides, also well into the cavity, except for a clearing about fifty yards square. The graveyard is inside the clearing, and for a perfect set of run-down tombstones and decayed fences I ain't never seen the beat. But the central figure is a big image that looks like Buddy but has more clothes on. This statue is about fifteen feet high, of solid bronze, and shows a man praying with his hands outstretched towards the sky. A brass plate fastened on the base of the image says the bozo doing the calisthenics is Ezekiel Wells, the producer of the act. The whole place ain't been given no attention for five or ten years, and as a ghost breeder it's a headliner.

"Great little yard," I says. "Now, let's get the mental opus. Radio, I suppose? We scares him out of a week's salary, huh? But won't it interfere with broadcasting?"

"One question at a time," laughs The Master. "This is the proposition. Of late I have been experimenting with short wave transmission. You understand what I mean."

I does, and says so.

"Very well. As it happens, I have successfully transmitted with waves as low as fifty meters, although for our purpose we sha'n't go as low as that. Seventy-five meters will suffice."

"Sure," I agrees.

"You will notice," he goes on, "that many of the lesser tombstones are very thick. This one, for instance, while not high, is better than a foot across. My plan is very simple. We shall construct, out of wood, of course, four imitation tombstones, using old lumber, and paint to achieve the granite effect. These 'stones' will be placed at vantage points about the cemetery, one being just behind the bronze image. In each 'stone' will be a small radio receiving set with a loud speaker, connected with a 48-hour time clock, which will actuate the outfit at a previously arranged time. I shall wire the sets on different wave-lengths; one will be 75 meters, another 85, another 95 and the last one 105."

"And we sets back in the lab and knocks him for a row of skulls," I snickers. "This'll be good."

"No," contradicts The Master. "If we talk, he will recognize our voices. I will arrange a detail of phonographs to take care of that end, using the voices of others. And we must not be in the laboratory. We must be—just a moment! How are we to know Mr. McKenna will stay in the yard?"

Now it's my turn to hog the spotlight. "Easy," I says. "You will observe that from the top of this rim there ain't a farmhouse visible between here and any road."

"There is not."

"He can't get no place without he crosses a road, can he?"

"No. But—"

"Easy," I says grandly. "We takes him up there, undresses him, and leaves him with only an army cot and his pajamas. No sane guy is going to chase around across country roads without his pants."

The Master sees the point. "Capital, Joe," he compliments. "And we shall spend the night at the country club, just to have an alibi."

It's settled. For the next week there ain't a busier couple of spook serenaders in captivity. We gets the fake tombstones and the receiving sets all rigged up in no time; the big bow-wow is Jerry's phonograph outfit. Each transmitter has its own master's voice, consisting of six 24-inch record turntables, with special size records, each turntable above the other like a pile of chips in a game of stud. When it comes to the little intimate details, you can't beat The Master. Not only does each set of turntables work in order, but they mix between the different transmitters, causing the four receiving sets to sort of carry on a conversation between themselves. Jerry has six servants, and he drafts them into making the records, which he tells them is a new device of his to test lung power. Servants is useful sometimes. Anyway, The Master has read up on the history of Ezekiel Wells, and written a neat one-act sketch about him, with four wooden-headed principals. We tries out the works in the lab, and I confesses I gets the creeps right there.


Jim is due Sunday morning, so Saturday afternoon we dresses up the act for the try-out. First we rattles up to the graveyard, sets up the four "stones," and pulls up the aerial. It's a four-wire arrangement, one

Radio Without the Horn!



Goodbye to the Old-Fashioned Horn Speaker!


A Vastly Better Reproduction With this New Radio Console!



"Our old horn speaker never gave tones like this! An artistic addition to the living room—everything in its place—it's a joy!"

New Console Has Its Own Perfect Loudspeaker!

Ample Space for All the Rest of Your Outfit!



HERE is something that enables you to enjoy radio in the home without the clutter of unsightly apparatus that plays havoc in the decorative scheme of your living room! The horn speaker is out of date and out of place in radio for the home. This console with its in-built loudspeaker is scientific and sightly.

A Truly Wonderful Tone

It does a better job of reproducing, for it has the best unit of all that have been tried and its sound-box is of resonant wood instead of metal, fibre, or composition.

The appearance of a Windsor loudspeaker console is a delight. Its convenience is a joy. A piece of real living room furniture of pleasing lines and finish—and it accommodates all the miscellany of equipment which hitherto had no place except on table tops, shelves or floor. Ample space on top for any set, with plenty of elbow room in front. Nothing in sight but the dials. Everything else goes inside—from behind—in spaces cleverly designed to hold the largest batteries and outfit—besides the self-contained loudspeaker—all unseen and protected from dust or disturbance.

You Need This Console Whatever Your Present Outfit Is

It makes no difference what kind of radio outfit you have—this console was designed for your use. The graceful exterior of this console gives no hint of its inner utility, for it is a simple and effective piece of furniture in every line. But a glance at the interior reveals a most ingenious arrangement of the in-built loudspeaker with space either side and in front. These spaces are ample for the largest A battery, and the largest wet B batteries and the largest charging outfit. It is 38 in. long, 18 in. deep, and 29 in. high. Notice the artistic grill that conceals sound box, and the provision of "knee room" beneath. Made in mahogany or walnut finish, and the price is only \$40!

Dealers!

The sale of these consoles has already reached extraordinary figures. They are selling in surprising quantities in even smallest stores where there is one in the window or on the floor. It is a convenience and a value not to be duplicated.

Write us for discounts and particulars of big newspaper advertising campaign.

Free!

Dealers are now showing Windsor loudspeaker consoles and have them for immediate delivery to your home. Write us for name of nearest dealer who has the Windsor franchise. Special: We will mail you free on receipt of coupon printed below the Windsor Amusement Bulletin for radio fans. It not only lists the name, location, wave-length and time of broadcasting but describes the character and kind of amusement. With this bulletin on hand you know when and where to get what you want on your radio. This bulletin is Radio's amusement guide. Clip coupon!



\$40

Loudspeaker Included

Windsor Loudspeaker Console

WINDSOR FURNITURE COMPANY

(2)

1422 Carroll Ave., Chicago:

Please furnish name of dealer showing the new Windsor loudspeaker console, and also forward me without any cost or obligation your complete Radio Amusement Bulletin that gives the kind of entertainment provided by the different broadcasting stations throughout the country.

Name

Address



Patents Pending

Deresnadyne Receiver

An epoch making achievement. Introduces an entirely new principle which makes superior performance possible. Establishes a higher standard in radio reception.

The DERESNADYNE circuit is the first tuned radio-frequency circuit in which the undesired oscillations that produce whistling and distortion are eliminated by properly proportioning and placing the fundamental elements of the circuit.

The inventions of E. F. Andrews and E. A. Beane covering the DERESNADYNE principle have opened up new possibilities for radio enjoyment. The inventions are fully protected by pending patents.

Some of the Universally desired qualities of the new receiver are—

- Unequaled clarity and beauty of tone*
- Remarkable distance*
- Tremendous volume*
- Knifelike selectivity*
- Freedom from oscillation*

The outward appearance of the set is in keeping with its superior performance. The instrument is enclosed in a handsome hand-rubbed mahogany case of pleasing proportions and distinctive design. The best of apparatus is used. The craftsmanship throughout is of the finest.

The Andrews DERESNADYNE is the only receiving set which the testing laboratory of the Chicago Daily News has given unqualified endorsement.

Write for complete information and for DERESNADYNE article from the Chicago Daily News.



Andrews Radio Company
327 S. La Salle St., Chicago, Ill.

wire for each receiver. Then we hook up a temporary field radiophone set for our own personal conversation and The Master goes back to town to start the wheels in motion. I feels somewhat out of place, up there all alone, even in the day. I keeps Coueing myself about what a hot time Jim is in for, but it don't do much good. Well, in about half an hour the cross-fire begins. They ain't a hitch; it's worse than I thought. Little cold chills plays leap-frog up and down my spine; I craves distance without no delays. But I sticks it out by sheer force of necessity. Then I calls up Jerry on the radiophone.

"She spooks O. K.," I' tells him. "It sounds like a convention of saxophones playing off key."

I fixes the time clocks for 11:30 P. M. Sunday, brushes up my footprints and sets the stage for the big show. I takes a last look at the receiver behind the shrine, and in so doing comes face to face with one of these forest felines with a white stripe down its back. Not having no gas mask I beats it pronto, running across the cemetery towards where the radiophone set is at. In running I trips across the cable carrying the aerial wires and falls flat on my Rand-McNally, taking a few cubic inches of flesh off my frame and a load of profanity from my mind.

I ain't particularly superstitious, as stage folks go, but there's one thing that's a sure jinx. For a dancer to fall or tumble the day before he breaks in a new act means trouble, and plenty of it. This is my own pet superstition, and I don't feel so good as I jogs homeward in my rattleabout. I tells The Master, and gets a laugh for my pains.

"Nonsense," he says. "We must all take our bumps as they come, Joe. Cheer up! Think of our mutual friend Mr. McKenna."

I shakes my head. "Never you mind," I insists. "It ain't never been known to fail on anybody else, and I ain't no exception."

The Master laughs. "Really, Joe, I thought you knew better. Forget it."

Well, Jim gets in Sunday morning about eleven. We plays golf most of the afternoon, arriving home about four. We talks shop for a while, until about four-thirty, when The Master, casual-like, drops in. This hands Jim a wow-line.

"How's the voice-thrower, Doc?" he jibes. "Still crowing over it?"

Jerry passes it up like the true gent he is. Pretty soon Jim lets up. We keeps on talking a' little longer, until The Master idly picks up the Sunday sheet and gives it the twice under. This is my cue.

"What's new tonight, Jerry?" I asks innocently.

"Oh, the usual thing," he replies. Mostly political scandal. Several holdups. A murder. And—say! Here's a new article by Sir Arthur Conan Doyle on Spirit Moving."

The boy feeds his lines like a veteran trouper. And Jim jumps at the remark like a thirsty man grabs at a straw.

"Ghosts!" he snorts. "There ain't no such animal!"

From this point on it ain't no trouble at all to get Jim heated up and boiling over. The Master and me quietly makes a remark and Jim keeps on denying louder and louder until finally he baits his own trap.

"Ghosts!" he nearly yells. "There ain't none! Why, I—I'd sleep all night in a graveyard just to prove it!"

"The deuce you would," I contradicts mildly.

Amid a new flow of naughty words Jim declares he not only would, but will, and puts up a bet. Just to make the thing ring true me and Jerry puts in ten bucks apiece, figuring it's worth that much to pound a bit of human intelligence into his hardwood cupola.

The Master is very surprised. "Do you really mean it?" he asks.



The HARKNESS RECEIVER

A Two Tube Reflex that is both Simple and Inexpensive

The Harkness, since its inception, has always been one of the most popular radio receivers for the reason that it fills a very definite place in the field of radio sets. The Harkness is the supremely ideal set for those, and only those, men who want a sturdy reliable instrument for loud speaker that will consistently give fine reception on local broadcast and which will entail practically no upkeep of any kind.

"Conrad" Pattern No. 11, "How to Build the Harkness Receiver," shows you how to construct this receiver using the simplest and most direct method known. A complete set of full-sized blueprint patterns is furnished consisting of two sheets and a four page instruction sheet that gives all detailed information on construction operations and other special instructions. Comes enclosed in a handsome two-color printed heavy envelope size 9"x12".

AT ALL RELIABLE RADIO DEALERS

Or direct from us.

PRICE
50¢

Prepaid
Pattern
No. 11


Conrad

"RADIOS FOREMOST PUBLISHERS"

The Conrad Co.

233 Fulton Street
New York City

TESTED AND LISTED AS STANDARD BY UNDERWRITERS' LABORATORIES



This noiseless battery charger can be used while the set is in operation

The Balkite Battery Charger is entirely noiseless. Its operation does not create disturbances in either your set or your neighbor's. It ends the nuisance of weak batteries, for if the battery should happen to be low, the charger can be used while the set is in use, without affecting the set or its operation, and without disturbing sounds.

This charger is based on a new principle, the use of Balkite, a rare metal which changes the ordinary AC current used for lighting to the DC current necessary for charging storage batteries without the use of noisy vibrators or fragile bulbs.

The Balkite Battery charger has no bulbs, contact points or moving parts. It has nothing to break, adjust, or get out of order. It cannot deteriorate through use or disuse. It delivers a taper charge. It cannot discharge, short cir-

cuit, or damage the battery by overcharging. It needs no attention other than an occasional filling with distilled water. It will charge a completely discharged battery. It is unaffected by temperature or fluctuations in line current. It is simple, efficient, cannot fail to operate if properly connected, and is practically indestructible except through abuse.

Designed primarily for charging radio "A" batteries, the Balkite Battery Charger can also be used, without added attachments, to charge "B" batteries of the lead type. It operates from 110-120 AC, 60 cycle current, and charges the ordinary 6-volt "A" battery at 3 amperes. Special model for 50 cycle current.

Sold by leading radio dealers everywhere—more than 30,000 were sold last year in little more than half the season. If your dealer cannot supply you, sent direct prepaid on receipt of price.

Manufactured by FANSTEEL PRODUCTS CO., Inc., North Chicago, Ill.

DEALERS: Order through your jobber. JOBBERS: Write to our factory representatives in your territory. Where we have no representatives, write to us

Factory Representatives

Ekko Company, 111 West Monroe Street, Chicago
Chas. F. Saenger & Co., 919 Huron Road, Cleveland
J. P. Rainbault, 50 Church Street, New York City
Detroit Electric Co., 113 East Jefferson Street, Detroit

Wood & Lane, 915 Olive Street, St. Louis
The Hoy Company, 719 McKnight Building, Minneapolis
A. S. Lindstrom, 111 New Montgomery St., San Francisco
Burndept of Canada, Ltd., 172 King St., W., Toronto, Ont.
Sparling-Markle, Ltd., 276 Smith Street, Winnipeg, Man.

FANSTEEL
Balkite Battery
Price \$19⁵⁰ Charger
West of the Rockies \$20 • In Canada \$27⁵⁰

Learn Electricity



Earn \$200 to \$800 a month!
New Enlarged Course

I train you on everything from door-bells to power-plants—everything to make you a \$50 to \$200 a week EXPERT. You get complete PRACTICAL training in Circuits, House Wiring, D. C., A. C., Armature and Stator Winding, Drafting, Auto, Truck and Tractor Electricity, Battery Building and Repairing, and Radio. Everything to make you a thoroughly trained, BIG PAY, Electrical EXPERT.

CHICAGO

The Electrical Center of the World

The whole world of electricity is open to the COYNE trained Electrical Expert. Come to Chicago—the Electrical Center of the World. I pay your fare. Get your training at COYNE—the oldest, largest and best school of practical electricity in the country—endorsed by Electrical Industry. I do not offer a number of individual courses—I give you just one complete course so that you will be an Electrical Expert capable of commanding big pay. You can become an Expert and get big money in ANY branch of electricity if you come to COYNE.

Learn in 12 Weeks!

NOT A CORRESPONDENCE SCHOOL

No books or useless theory. I train you on the greatest outlay of electrical apparatus of any institution in the country. I give you FREE complete Radio and Automotive courses. I also give you FREE a Life Membership which enables you to stay longer if you want or to come back at any time and take up any new work which is constantly being installed to keep my school the most modern at all times.

You Don't Need Education or Experience COYNE gives you education and experience by actual work—that's why you don't need education or experience to start with.

Earn While You Learn! I help students to secure jobs to earn a good part of their living expenses while studying.

Send Coupon Now

Don't delay a minute—send that coupon right now for my big free catalog and full particulars of special offer. **ACT NOW!**

Free R. R. Fare to Chicago Come to Chicago—the country's greatest summer resort city—and be ready for BIG MONEY in 12 weeks!



Endorsed by Electrical Industry

1300-1310 W. Harrison St., Dept. 594-7, Chicago

Coyne Electrical School, Dept. 594-7
1300-1310 W. Harrison St., Chicago

Mr. H. C. LEWIS, Pres. Dear Sir:—Please send me free your big new catalog and full particulars on free railroad fare offer and two free courses.

Name.....

Address.....

Jim explains that he is serious. "Tonight?" I asks. "Tonight!" snaps Jim. I turns to Jerry. "Say, where's a good cemetery hereabouts?" I asks. "The only one I know of is the one on Fairview Hill," he says, scratching his head. "That's right close in." "Pick a good one," jeers Jim. "A nice lonely one."

Suddenly The Master remembers an old deserted graveyard about ten miles out. He describes it adequate, and I says for Jim he never flinched.

"It's a bet," says he. "How about arrangements?"

"Let me see," meditates The Master. "You will be permitted to have only a small cot and no clothing except your pajamas. We will leave you there, stay all night at, well, say the country club, and call for what remains of you in the morning. How's that?"

Jim don't like the pajama idea none too well but he sees our logic.

"All set," he agrees. "Let's start."

First we has dinner, and we takes our time getting ready, so it's well after nine-thirty when we arrives at the cemetery. The sun has long since done its stuff and taken its bows, so there ain't no light except the stars and our flashes. We sets the cot up, and Jim undresses and hops into his pajamas. I been in a lot of places where I couldn't find no excuse to remain, but this dump wins the celluloid underwear. I feels cold and clammy, and Jerry don't look exactly in his elements, but Jim is as chipper as ever. He even whistles "You Gotta See Mamma."

The Master and me don't waste no time repeating good nights. We steps on the gas and I never saw no fancy edifice that looked more like home than the country club.

There's a Mother Jong contest in full tilt, so we looks on a while just to have an alibi in case Jim makes inquiries. After an hour or so we strikes the new mown, but it's a case of no can do. Both of us keeps wondering how much of Jim is still intact, and our consciences begins to pain a little. After all, Jim never did nothing to us except kid The Master, which ain't no crime legally. I feels slightly guilty, like the first-time tourist who smuggles in a nine dollar pewter spoon. Sleep ain't in us; we simply destroys the bed clothes. Finally, about seven o'clock, we decides to face the opera. So we vaults into the rattler and makes ruts for the spook flop.

When we nears the hill I has a sort of morbid hope to see a few torn pieces of blue cloth on the bushes, but there ain't even a sample. And when we finally gets down into the silent city there is Jim, sound asleep, with all six cylinders hitting regular.

We wakes him up. We should never have done it.

Jim grins sleepily.

"Had a great nap," he yawns. "Outside air's great. Think I'll sleep here right along."

"You slept all night?" demands the two of us.

Jim looks up indignant-like. "Sure I slept," he comes back. "Why not?"

"Didn't the—er, spooks keep you awake?"

"Spooks my eye! I'm telling you there wasn't none, ain't none, and never will be none!"


"T-Then everything was all right?" I asks.

Jim looks kind of funny. "What you guys driving at?" he demands. "Of course everything was all right. Quiet and restful. That is, except for a radio concert about half-past eleven."

"R-radio concert?" repeats The Master.

"Yeh," yawns Jim. "Must be a farmhouse somewheres near here. The fellow had a big horn on it. I guess. Leastwise, I heard it like it was all around me. Had

Plug In-Pull Out



For All Temporary Connections

Union Radio Tip Jacks

25c a pair

The greatest little part in all Radio. Just what you need when building sets, or when trying new hook-ups. They replace binding posts and give quick, positive, electrical connections. Heavily nickeled, they add to the attractiveness of your set. Are now adopted by leading manufacturers because of superior merit over binding posts.

Two sizes for all mountings. STANDARD TYPE A for panels up to 1/4" thickness. SPECIAL TYPE B for panels, cabinet walls and partitions from 5/16 to 1/2" thick. Will firmly grip all wires from No. 11 to No. 24 B & S Gauge. Can easily be reamed to hold antenna wire, loading coil, etc.

Other Guaranteed Union Radio Parts

TUBE SOCKETS of highly polished moulded condensite. Phosphor bronze contact springs. Reinforced bayonet slot. For all standard tubes. Price.....70c


DIAL ADJUSTER: for minute adjustment of dials, necessary for close tuning. Price.....60c

RETAILERS—
WHOLESALE

Write for free samples of our guaranteed reasonably priced Quality Radio Products. Get details of our dealer proposition. Also write for your copy of our Catalogue H.

UNION RADIO CORPORATION
200-MT. PLEASANT AVENUE, NEWARK, N.J.
NEW YORK OFFICE 116-WEST 32ND STREET

Philco Type 248 DX Battery for the "B" Circuit (48 volts).
 Price—with de luxe mahogany-finish case with cover \$20.00.
 Price—with handsome mahogany-finish case without cover \$16.50.



Philco Noiseless Charger for Philco "B" Battery and Type UD44 Price—\$9.75.



Type UD44 "A" Battery for low-voltage Peanut Tubes, with built-in Charge Indicator (Glass Case) Price—\$8.00.



Type UD86 "A" Battery for standard 6-volt tubes, with built-in Charge Indicator (Glass Case) Price—\$16.00.



Type RW "A" Battery for standard 6-volt tubes, (Mahogany-finish Case) Price—\$14.50 to \$37.50, With Philco Charge Tester, \$1.00 extra.

The world's finest "B" Battery

Philco Rechargeable Radio Storage Batteries deliver strong, uniform, non-rippling current, *without hum, roar or buzz*—an absolute essential for clear, unbroken, long-distance radio reception.

Here is a rechargeable storage "B" battery with all the advantages of the famous glass-case Philco Dynamic Storage "A" Batteries.

Glass Cells with acid-tight sealed covers. Safe for use anywhere in your home. Mahogany-Finished Cabinet. Beautiful and decorative.

Charge Indicators. Exclusive Philco feature that tells all conditions of charge and discharge. No more bothering with old-fashioned hydrometer—or guess-work charging.

Tremendous Capacity. Double that of the ordinary "B" Battery. Needs recharging only once every two or three months—refilling with water only once or twice a season.

Easily Recharged. With the new Philco NOISELESS Charger, just a throw of a switch—a plug in a socket. No noise—impossible to overcharge. Recharging cost only 5 to 10 cents.

Dynamic Feature. Insures your getting a fresh, new battery. The life of a Philco Radio Battery doesn't start until you or the dealer pours in the electrolyte.

You'll want to know more about this remarkable new Philco "B" Battery. Also Philco Radio "A" Batteries. See them at your nearest Philco Service Station, Radio or Music Dealer's or fill out the coupon below and mail to us.

The Philadelphia Storage Battery Company

Philadelphia

PHILCO DYNAMIC RADIO BATTERIES

RADIO WHOLESALERS—Make certain your radio sets give satisfactory service by also wholesaling Philco Batteries. Write for details.

SIRS:—I am interested in learning more about the new Philco Rechargeable Storage Batteries for radio.

Name.....

City.....

Name of Radio Set.....

If you are a dealer in radio, please state.....

Duo-Spiral


Folding Loop

No outside aerial or ground wire necessary

Increases selectivity

Reduces static

Easily portable



The DUO-SPIRAL FOLDING LOOP represents the highest development in a portable aerial. Besides being the most convenient type of antenna, it makes possible better reception. It brings in stations from coast to coast. It folds and can be used anywhere.


The loop proper is about two feet square and is made of stranded copper wire with heavy silk insulation. The patented DUO-SPIRAL winding gives maximum signal strength. Connection is made direct from antenna wire to receiver. Tension is always just right to insure neat appearance and greatest efficiency. The swivel base is graduated for calibration. A convenient handle permits adjustment for greater selectivity without body capacity effects. The DUO-SPIRAL has been adopted as standard equipment by many leading manufacturers of complete sets. Workmanship throughout is first class. The handsome silver and mahogany finish harmonizes with the finest furniture. It can be used indoors or wherever you go when you want to take your receiving set with you.

Price complete, \$8.50

Tiny-Turn

A Superior Vernier Control
Which Makes Perfect Tuning Easy

Every owner of a radio set knows how difficult it is at times to tune in distant stations. All adjustments must be exact. Only one position on each dial gives maximum signal strength. The greater the selectivity of the set the greater the need of close adjustment. TINY-TURN makes it easy to adjust the dials to exactly the right position. It has a gear ratio of 30 to 1. Fine adjustment is easily secured. Signal strength is increased by perfect tuning instead of by drawing on the batteries.



TINY-TURN rotates in the same direction as the dials, and can be instantly disengaged for making adjustments when precision is not necessary. It fits any standard panel and can be easily attached in a few minutes. It increases range and volume and improves tone quality. It makes tuning easy and saves batteries. Handsome nickel and ebony black finish. Price 75 cents. If your dealer cannot supply you, write to us direct.

Radio Units, Inc.

1300 First Avenue
Maywood, Ill.

a good program. Say, yuh got any cigarettes?"

"C-concert?" mumbles The Master.
"Yeh. Lot of good jazz stuff. The announcer said it was WJX broadcasting. New York, ain't it?"

"Uh-huh."
There is silence while Jim dresses. Then he speaks.

"This sure is a wonderful age," he comments. "Say, where's them cigs?"

"I left a pack of 'em over in the car," I tells him. "Run along, we'll bring the cot."

Jim sets foot over the hill. As soon as he's out of sight The Master turns to me.

"Something went wrong," he says. "There isn't a farmhouse in a mile."

"Correct," I agrees.
"The transmitters couldn't all have failed," he goes on. "I took care to arrange them so at least one would operate."

"Yeh," I concurs, not feeling any too keen.

"Therefore, the trouble must have been here. Joe, did you alter anything after I left?"

I shakes my dome. "Not a switch, except to set the time like you told me to."

The Master examines one of the sets. "The time released the switch O. K. here," he says. "Funny. I wonder if—"

He don't say no more, but takes a run up the slope to where the aerial is at. He looks it over. Then he calls me.

"Jim," he asks quietly, "did you say you stumbled over this cable yesterday?"

"I did," I tells him. "Observe my mug and be convinced."

He looks at me sadly, but don't speak.

"Furthermore, it brought bad luck, like I said it would," I states.

"It surely did," agrees Jerry. "Do you know what happened?"

My face gives me away.

"Each wire in the aerial serves one receiver," he explains. "When you fell you jerked the cable, which as it happens twisted the four bare lead-ins together."

"But—"

"But indeed. That threw all the tuning devices in series."

"Well—"

"75 plus 85 plus 95 plus 105 equals 360," says The Master.

It dawns on me. "WJX broadcasts on 360," I says dumbly.

"Precisely."

We don't say nothing for a few minutes. Then I can't help but grin.

"Say, Jerry," I inquires, "do you believe in ghosts?"

"Do I what?"

"Do you believe in ghosts? I never thought to ask you before."

He scratches his head. "There have been some manifestations I have not been able to comprehend," he admits. "However, in this case, there is no doubt as to the source of the trouble. It is obviously earthly."

"Not only obviously, but aromatically," I snickers. "Look behind you."

He does. There sits the wood pussy with the white stripe.

The Master stares at the animal. Then he slowly turns to me.

"That, I believe, is the indirect cause of our difficulty." Then his face brightens up and I can see a clever line coming.

"One might call it a radio spook," he smiles.

"Yeh," says I, "the original broadcaster."

The funny part is The Master sees the point before we're half way home.

TUBE OR NOT TUBE, THAT'S THE?

"You know what the bootleg tube makers are doing?"

"Sure, OM, they are just Flem-Fleming the public."—Jack Bront.

DEAL WITH THE MANUFACTURER
DIRECT AND SAVE MONEY

Insure yourself for BETTER SERVICE
and GREATER SATISFACTION,
HIGH QUALITY and LOW PRICE.

NEUTRODYNE

A & P 5-TUBE SET

SPECIAL

KNOCK-DOWN

Every part that is needed to build an A & P NEUTRODYNE is included in the kit at this remarkably low price.




Price, \$25.95

These parts are constructed in our factory according to NEUTRODYNE specifications, and are guaranteed to be the BEST MONEY CAN BUY. Neutro coils have silk covered wire wound on genuine Bakelite. No shellac or varnish which introduce losses. Panel is drilled and engraved. Set of diagrams are included.

ENCLOSE POSTAGE WITH ORDER

WEIGHT: 2 pckgs., 9 and 5 lbs.

A & P NEUTRODYNE



THE STANDARD 5-TUBE SET . . . \$65

THE BEST AND MOST POPULAR NEUTRODYNE IN THE WORLD WITH OUR UNCONDITIONAL GUARANTEE.

Every part is DESIGNED TO match, and the set is BALANCED TO PERFECTION.

Designed for both indoor or outdoor aerial. RECEIVES LONG DISTANCE EVEN ON INDOOR AERIAL clearly and loudly.

Tunes very easily, and always "picks up" stations on the SAME DIAL READINGS.

By actual comparison the MOST EFFICIENT NEUTRODYNE made, regardless of price.

You can pay more, but the BEST RESULTS are obtained with an A & P NEUTRODYNE.

KNOCK-DOWN

All parts to BUILD one like our STANDARD NEUTRODYNE \$32.50. Cabinet extra.

GREATER ATLANTIC AND PACIFIC RADIO CORP.

223 W. 34th Street, New York City

RADIO TUBE EXCHANGE

We Repair All Standard Makes of Tubes
Including

W.D.-11 or 12
U.V.-199 or C.-299
C.-11 or 12
U.V.-201A or C-301-A
D.V.-1 or D.V.-2
U.V.-200 or 201
C.-300 or 301



\$2.00

U. V. 202 Repaired, \$3.50

All tubes guaranteed to do the work.

RADIO TUBE EXCHANGE


200 BROADWAY NEW YORK CITY, N. Y.

All Mail Orders Given Prompt Attention

Orders Sent Parcel Post C. O. D.

Insure your copy reaching you each month.
Subscribe to RADIO NEWS — \$2.50 a year.

The New Pfanstiehl System Is Revolutionizing Radio



*Simple—
Unfailing—
Enjoyable—*

HITHERTO radio development has advanced along the line of more and more complication. To get greater distance and louder tone more amplification was needed. Unfortunately, that meant more internal noise, due to the disturbing oscillations inside the set itself. To overcome these, complicated devices were resorted to: potentiometers to choke down the oscillations, neutralizing condensers to offset them. These have never been satisfactory. They only partially do the job. They complicate operation. They get out of adjustment. In spite of them, the undesirable noises occur and re-occur.

A New Principle Needed

Along these lines radio could never become the unfailing and enjoyable instrument of reception people want in the home. There was too much uncertainty about it. The whole dynasty of "dynes," a long line of "supers" and "heters" and "neuters," each contributing its share to the advancement of radio reception, must yield to something very different. They must give place to something much simpler and more trouble-proof. And that something is an entirely new system of radio design, one that is fundamentally correct in so relating the electro-static and

electro-magnetic fields in the set that no disturbing oscillations can occur.

A Non-Oscillating System

That is exactly what has been accomplished by the new Pfanstiehl non-oscillating system in the Pfanstiehl Model 7. No oscillations can occur. They are **kept out**. For the first time in the history of radio, the full benefit of tuned radio frequency amplification can be enjoyed always at its best, without the least complication or need for adjustment.

Clear as a Bell

This marks a new era in radio. It makes radio as dependable as a phonograph or the telephone. Reception is as clear as a bell, as natural as the human voice. In this respect distance makes no difference. However great the amplification, no oscillations arise. You can change tubes as often as you like. There is no need of adjustment.

Simplicity Itself

How this has been accomplished is briefly and clearly explained in an illustrated folder which will be sent to anyone on request. Simplicity has been attained by a very simple means.

The "Station Finder"

A NEW simplicity of tuning is attained by the Pfanstiehl Model 7. There are three large dials, which tune the three successive circuits. Therefore, these dials are turned identically, or to the same number, for any given station. This means that to receive on any one "wave length" you need to know but one number. That number is given by the "Station Finder" on the right-hand upper corner of the panel. On its lower scale, read the "wave length" of the station desired. (This information is obtained from the daily program in the newspaper.) Directly above the "wave length" read the number at which the three large dials are all to be set to secure reception. The Pfanstiehl "Station Finder" takes the guesswork out of tuning.

Pfanstiehl

*5-tube set
tuned radio frequency*


Exclusive local franchise still open to strictly high grade dealers in a number of desirable territories. Quick action is necessary.

PFANSTIEHL RADIO COMPANY, HIGHLAND PARK, ILLINOIS

FOR SUPERIOR REPRODUCTION WITHOUT EXTRAVAGANCE



TRIMM
Home Speaker
\$10



DEPENDABLE
\$5.00

EVEN though you pay more money for a loud speaker or a headset, you will not obtain a better value than the Home Speaker or the Dependable Headset. Their performance ranks with that of reproducers costing twice the money.

The Home Speaker horn is 22 inches high, with a diameter of 10 inches at the bell, and has an attractive appearance that meets with the approval of every discriminating radio fan. Its clearness and volume is guaranteed by a factory regulated diaphragm.

The Dependable Headset is wound to full 2400 Ohms resistance and has a one-piece *formed* magnet. Perfectly matched tone is the result of thorough factory testing, while sensitiveness equals that of many higher priced headsets.

Trimm Quality Reproducers are displayed at your dealer. If unable to secure them, send for *free* illustrated folder giving dealer's name.

TRIMM RADIO MFG. CO.
24 So. Clinton St. Chicago, Ill.

Member Radio Manufacturers' Ass'n

Radio Humor

(Continued from page 501)

10. The operator's ears should be filled with cotton and old-fashioned ear-muffs worn.

11. Important. All spirituous liquids should be removed from the premises due to the fire hazard.

Yours for better broadcasting,
RADIO EDITOR.

REPLYING TO INQUIRY ON REFLEX

By "ROLAND DAINTY HANDS"

(RADIO NEWS, August, 1924)

Reflexes are nice; I have one which doesn't flex, so feel competent to advise him fluently, as follows:

To increase selectivity, erect antenna of standard Pyrex cable parallel to 4th dimension and extend to nth degree. Galvanized insulators match beautifully.

Shield panel with German marks and put vernier on steering wheel.

Solder grid leak and test for capacity in pints.

Larger honeycomb coils will help keep the weak "B" battery alive.

The lack of pep indicates worn pistons which cause carbon deposits inside tubes, and the frying noise is caused by poor lubrication. Respectively remedy by replacing new pistons with oversize filaments (also the use of Tetra-ethyl-lead is highly recommended by its makers), and then drain crank case and refill with Crisco.

Disconnect original leads from cigar lighter on dash, and run square buss wire inside round hose from lighter to center of distributor. Hold well damped tickler closely coupled to lighter and start motor. If it works, test wheels for alignment and inspect ground. Have wheel base lengthened and calibrated with wave meter.

If it doesn't flex, advise you to correspond with the inventor of "27 miles on air" device, or take to roof of Woolworth building and direct dials toward northeast.

Contributed by 9BSK.

RADIO PROVERBS

By PIERRE MACISAACS

- Dead tubes bring no music.
- Well tuned is half received.
- Many tubes make loud music.
- One good turn deserves a station.
- A rapid turn gathers no stations.
- Make haste while the tube shines.
- The more wire, the less stations.
- "B" batteries make the radio go.
- A switch in time saves nine.
- Don't hide your tube under a coil.
- Distance wise and tuning foolish.
- One condenser does not make a radio.
- Faint phones ne'er won fair station.
- A letter to the singer is sufficient.
- The receiver is as bad as the aerial.
- It's a long aerial that has no turning.
- A radio is known by the stations it gets.
- A tube in hand is worth two on the floor.
- A little "B" battery is a dangerous thing.
- It's a wise owner that knows his own radio.
- Many talk of stations who never tuned a set.
- Give a man a radio and put him on a desert island.
- Don't count your stations before they are tuned.
- You can't teach an old battery to get new stations.
- He who reckons without static must reckon again.
- Take care of the tuning and the stations will take care of themselves.

The "LINCOLN"


Enclosed Fixed Adjustable Detector

Kills your Reflex Troubles

New List Price **\$1.50**

Manufactured by

The LINCOLN MFG. CO.
Dept. E. 1 LOS ANGELES, CAL.



BROWNLIE CRYSTAL

Guaranteed the Best **\$1.00**

"REFLEX SPECIAL" QUICK CONTACT RECTIFIER

Withstands Heavy Plate Voltage
The Acme Apparatus Co. says "prevent distortion and howling by using a BROWNLIE CRYSTAL in REFLEX SETS."

Order From Your Dealer or Direct

ROLAND BROWNLIE & CO.
22 Saunders Street Medford, Mass.

Insure your copy reaching you each month. Subscribe to Radio News—
\$2.50 a year. Experimenter Publishing Co., 53 Park Place, N. Y. C.

Dear Jim:

You know how I've been spending my money for parts. Well, last night our home-made "superhet" was making a lot of noise but little music, when I happened to remark to Nell that a couple of new vernier condensers at \$7 each might improve it.

And she snapped right back at me, that one new hat at \$14 would improve *her* con-sid-er-ably, and what was more she intended to be improved. Women are so inconsiderate.

I was ready to kick the set to pieces and give up Radio forever, when Eddie who works at Whump's Radio Store called to ask about a little bill which had escaped my mind.

I asked him to look over the set and see if he could tell what was causing the trouble.

"What's the use?" he said. "The set is probably O. K. Why don't you get some batteries you can recharge when they run down? That's what's making it noisy."

Well, to make the story short, I got him to trust me for a set of Willard A's and B's, and you should hear that "super" perform now.

Wife Nell hasn't said any more about the hat either.

Yours for better reception,

Sam.



WILLARD

RADIO

BATTERIES

WTAM

[The Voice of the Storage Battery]

WTAM is the Radio Research Laboratory and Broadcasting Station of the Willard Storage Battery Company, Cleveland, Ohio.

Its function consists of research which is being done to improve the quality of radio reception and the broadcasting of radio programs for your entertainment.

Write for WTAM's own booklet, "Better Results from Radio." Most interesting booklet ever published on this subject. Mailed to you with our compliments.



Tear me off the page and mail me to WTAM. I'll bring you "Better Results".

.....
Name

.....
City and State

.....
Street Address


A Whirlwind Success!

AMERICAN BRAND CONDENSERS

These Condensers are now ready for you. Jobbers and dealers everywhere should have them to fill the public demand.

American Brand Condensers are made with the highest ratio geared adjustment ever developed on variable condensers. They are without question the *Lowest Loss* condensers available today. Their price is no higher than the price of ordinary condensers.

Please ask your dealer to show you this condenser—if he can't do so, write us for a descriptive folder and send us your dealer's name.



with the **100 to 1 Worm Drive**
23 Plate, only \$5.00

NOTE TO DEALER: *If your jobber can't supply you, write us.*

American Brand Corporation

8 West Park Street

Newark, N. J.

Factory: PHILADELPHIA

FREE—Log Book with each purchase
FACTORY GUARANTEED MDSE. BY MAIL
Genuine New Cunningham and Radiotron Tubes
C299, C300, C301A, C11, C12.....\$3.39
UV199, UV200, UV201A, WD11, WD12.....
Fresh Burgess or Eveready "B" Batteries
2 1/2 Volt large size \$1.68—45 Volt \$3.00 size \$3.33
Write for new Complete Free Catalog
STONE ELECTRIC CO., 714 Pine St., St. Louis, Mo.
All Mdse. F.O.B. St. Louis, Mo. Dept. N

THOMPSON
NEUTRODYNE and SPEAKER
\$150 \$35
Representing 14 years' experience by an organization devoted to wireless and radio apparatus.
R. E. THOMPSON MANUFACTURING CO.
150 Nassau St., New York
Factory: Jersey City, N. J.

MORE PROFITS
To Dealers Who Buy Nationally
Advertised Radio Goods from Our
Bargain Catalog! Write for It Today!
AMERICAN RADIO MFG. CO.
Dept. A 6 WEST 14th ST. KANSAS CITY, MO.

Wholesale
Radio
Equipment
UNITED ELECTRIC STORES CO.
East Pittsburgh, Pa. Next door to KDKA
Same Day Shipments

RADIO STORE OPERATES RADIO SCHOOL

At last has come the radio store school for radio fans. A Chicago radio company which operates 12 stores in the city has what it calls radio schools in each.

These schools are, in reality, work shops where the radio builder may come and build his set. To guide him, instruct him, and help out with difficult hook-ups, and to check up the finished set before the current is turned on, is a radio instructor. One instructor is kept at each store. He will be trained by the company before being put in charge. Where it is possible, the instructor also attends to the sales of the radio supplies and sets. Where the volume of business is too great or demands of the "students" too heavy, a clerk is put in charge of all sales and the instructor does nothing but help the builders in the workshop.

In the workshop, which is in a room apart from the sales room of the store, may be found electric drills, soldering irons, pliers, screw-drivers, voltmeters, ammeters, and all the other necessary tools and apparatus to build and test radio sets. At any time of the day, in these stores, may be found men, boys, and sometimes girls and women busily constructing sets.

The work benches are large enough to conveniently accommodate several builders at the same time. Leads from "A" and "B" batteries are connected to marked binding posts on bakelite panels above the work benches so that when a builder has completed his set, he may connect it up in the workshop and test it. Aerial and ground leads are also conveniently placed on the panels.

The instructors have all been trained to explain radio in the simplest terms so that the novice may understand them. Due to the number of complicated and "freak" circuits that appear in radio magazines, and Sunday supplements of the newspapers, the instructors are compelled constantly to study in order to help the builders with the thousands of different hook-ups that are used.

These work shops and the help are offered to the public absolutely free. The reason for it is that they boost the sales of the company. When a man has been striving for weeks to get his pet circuit to bring in the music, without success, he is ready to do anything for the man who can make his set work or show him where the trouble lies. That is what the radio "schools" do.

Only recently a street car conductor brought a three tube set into one of the stores for the instructor to look at. The conductor was about ready to give up. He had worked for weeks and had not heard a sound come from his loud speaker.


When the instructor looked over the set he could not find a thing wrong with it. Connecting up the set, the loud speaker still remained as quiet as the Sphinx. When a new detector tube had been inserted, the set almost broke the loud speaker with music. The owner of the set exploded with pride, and in a husky voice he said, "Gee, won't the kids be happy when they hear her now?"

That one man, in appreciation of the little accommodation the instructor gave him, has brought nine customers into the store since then and they have bought several hundred dollars worth of supplies. According to the manager of the company, that is a typical instance of how the radio schools are succeeding in bringing in business.

BEAT INTERFERENCE PRODUCED BY RADIO TRANSMITTING STATIONS

One type of interference to radio reception that is sometimes noticed is the constant pitch whistle produced by the "beat-

Radio News for August, 1924



Rear view of the Tropadyne receiver.

The spacing of the R. F. transformer coils can be clearly seen. The numbers designate the following instruments: 1, the tuner; 2, the oscillator coil; 3, the grid leak; 4 and 5, fixed .0005 condensers; 6, the tuning condenser; 7, oscillator condenser; 8, loop jack; 9, tuned R. F. transformers; 10, A. F. transformer; 11, potentiometer; 12, rheostats; 13, jacks for detector and loud speaker.

the Tropadyne circuit one tube acts both as oscillator and detector, and is a frequency changer. This is where this circuit gets its name; *tropaia* from the Greek, meaning change, and *dyne* meaning force.

Fig. 1 shows the Tropadyne circuit. Only one tube is shown, which is merely a frequency changer when used in a Super-Heterodyne receiver, and may be used with any type of Super-Heterodyne now in use. As shown in the diagram, the circuit has both loops...

The electrical center of the oscillator circuit is approximately at the center turn of the coil. In practice, this connection is not critical. It may be two or three turns either side of the center, without seriously decreasing the efficiency.

Although the flow...

be tuned independently to the same or different wave-lengths. This is a condition that has never before been attained by any tube...

THE TROPADYNE

Improved Super-Radio

(Reprinted from August Radio News)

In the August, 1924, issue the Editor of RADIO NEWS has this to say about the TROPADYNE circuit:


"Here is a remarkable Super-Heterodyne receiver which we warmly recommend to our readers. It has several new and unusual features. In the first place only six tubes are used giving as much volume as the average 8 tube Super-Heterodyne. The selectivity of this set is unusual. Unequalities of the intermediate transformers have now been done away with by tuning each transformer. After the transformer has been tuned it can be left this way, no further tuning being necessary. This system makes for maximum sharpness and maximum volume. Another outstanding point of superiority of the Tropadyne circuit is that it practically does not radiate, thereby not interfering with other nearby receiving stations. Most Super-Heterodyne circuits, as is well known, are powerful radiators."

For the first time it is now possible to build a real Super-Heterodyne that not only exceeds them all, but is the only Super-Heterodyne that is scientifically balanced. Heretofore when building a Super-Heterodyne you either made or bought the intermediate transformers. These never matched as it is impossible to make two windings exactly electrically alike.

While some firms are advertising matched

or balanced transformers this is a misleading statement because even though they are balanced ever so well, when placing them in the circuit they become unbalanced automatically due to inductive effects between transformers, lead wires, etc.

The TROPAFORMERS built according to the inventor's—Mr. C. Fitch—specifications can be scientifically balanced by any-



(Patents Pending)

The TROPAFORMER here illustrated is the only scientific balanced intermediate Super-Heterodyne transformer. It combines transformer and condenser, and enables the transformer to be tuned to the very finest degree. Once tuned it need not be touched again. Built entirely of hard rubber.

This TROPAFORMER does away with exchanging tubes in order to balance the circuit. Each TROPAFORMER is tuned to its tube and vice-versa.

one. Each transformer is equipped with one of our well known condensers which is shunted across the secondary of the transformer. This is the big secret of the TROPADYNE circuit and accounts for its wonderful work. Once the TROPAFORMERS are tuned by means of the shunt condensers they need not be touched again; the balancing is permanent.

Any other technical information will be gladly supplied by us. We offer to the trade and those interested in building their own TROPADYNE Super-Heterodyne the following:

- No. 350 Kit containing four TROPAFORMERS with shunt condensers, tuner, shown under (1) in the above illustration, and one oscillator coil, shown under (2). Price complete with booklet giving full directions **\$28.75**
- No. 351 Tropaformer, each **6.75**
- No. 352 Tropadyne Bakelite Tuner, each **1.25**
- No. 353 Tropadyne Bakelite Oscillator coil, each **1.50**

Use Coupon if Your Dealer Cannot Furnish.

SEND NO MONEY

Radio Industries Corp., 131 Duane St., New York, N. Y. RN 10

Gentlemen:

As my dealer cannot supply my needs, kindly ship to me direct the following articles, for which I will pay the postman on arrival.

.....

.....

Name

Address

City

My dealer's name is

RADIO INDUSTRIES CORPORATION

131 Duane Street, New York

Cable Address: Ricotrade, New York

The Set for Every Home





1 tube Regenerative long distance wonder. M R C 10. \$27.00



3 tube receiver in handsome case with inlaid panel door, and compartments for batteries, head phones, etc. M C R 3. \$87.50



Michigan "de Luxe" 4 tube receiver, 1 stage R.F. amplification. Built-in adjustable loud speaker. Solid mahogany case. "America's most beautiful set." M R C 4. \$150.00

Michigan 12, \$57.00

THOUSANDS of satisfied owners all over America vouch for this three tube, long distance wonder.

No set, regardless of price, has ever out-distanced it. No set will give you greater satisfaction—no set is easier to operate. Michigan lever controls give you vernier adjustment without any additional parts.

Selectivity—stations but a few meters apart are easily separated.

Works equally as well with 6 Volt or Dry Cell standard tubes. Ample space for batteries. Beautiful mahogany finish. A set you can rely on to perform consistently.

Write for illustrated folder. Ask your dealer to give you a demonstration.

Other Michigan styles and types, from \$27.00 up.

Licensed under U. S. Pat. 1,113,149-letter pending 807,388

MICHIGAN RADIO CORPORATION

34 Pearl Street

Grand Rapids, Michigan

AUTOMOBILE MAKES 27 MILES ON AIR

An automobile goes 27 miles on air by using an automatic device which was installed in less than 5 minutes. The automobile was only making 30 miles on a gallon of gasoline, but after this remarkable invention was installed, it made better than 57. The inventor, Mr. J. A. Stransky, 1141 Eleventh Street, Pukwana, South Dakota, wants agents and is willing to send a sample at his own risk. Write him today.—Adv.

RADAK

RELIABLE RECEIVING SETS

Licensed Under Armstrong Patent 1,113,149

BUILT BY AMERICA'S OLDEST MANUFACTURER

Clapp Eastham Co.
107 Main St. Cambridge, Mass.

ing" of the carrier waves of two transmitting stations. However, the Bureau of Standards says that the assignment of frequencies to the Class B broadcast stations is such that this interference should not occur. Radio supervisors assisted by the Bureau of Standards are doing their best to set and keep transmitting stations on their assigned frequencies and so eliminate this type of interference. If radio listeners will identify any two stations producing beat interference and report them to the Supervisors of Radio, Bureau of Navigation, it will help very much in this work.

A CURIOUS WIRELESS EXPERIMENT

One morning early in July, a very curious experiment was tried with some carrier pigeons at the radio telegraphic station of Paterna, near Valencia, Spain.

Several of these birds were released near the aerial mast at the same moment as the station was transmitting messages, and it was observed that the birds, through the influence of the electric waves, lost their sense of direction, turning round and round in confusion.

The tests were repeated many times, invariably with the same result, thus proving that the sense of direction of the carrier pigeons was destroyed by the influence of the electro-magnetic waves.

BRAZIL AUTHORIZES BROADCAST STATIONS

Permission to establish four radio broadcast stations has been granted by the Ministry of Public Works of Brazil to the Brazilian Radio-Telegraph Company for the purpose of broadcasting information, lectures, concerts, etc. The four stations are to be located at Sao Paulo, Bello Horizonte, Bahia and Pernambuco.

Radiotics

(Continued from page 501)


ON CHICAGO'S NORTH SIDE." This is indeed unusual, in fact it is alarmingly queer and decidedly improper. Imagine the condition in which Chicago's "north side" must be in. And the sets must be ten deep.

Contributed by Robert H. McCormac.

THIS SET WOULD FOIL AN EXPERT

From an article in the July 1924 issue of *QST* we are made acquainted with a new but intricate type of receiver. In the description it is stated that "The primary coil has five tuners." Just how the primary coil can have five tuners is a mystery, but if such be the case, the psychological effect of a glance at the secondary coil controls would paralyze us.

Contributed by A. Gough.



Correspondence from Readers

(Continued from page 502)

in the Navy at the following naval stations: Newport, R. I.; New Orleans, La.; Port Arthur, Texas; Galveston, Texas; Pensacola, Fla.; Charleston, S. C.; Cayey and San Juan, Porto Rico. My experience with

Insure your copy reaching you each month. Subscribe to Radio News—\$2.50 a year. Experimenter Publishing Co., 53 Park Place, N. Y. C.

The Radiotrola "Baby Grand"

Radio Frequency Receiver

Range
500
to
1,000
miles



\$18.50
Without
Tube, Phones or
Batteries



HERE is the New RADIOTROLA "Baby Grand" outfit which fills every requirement necessary to enjoy all radio broadcast entertainment.

From its conception, the MONODYNE was marketed as a single unit so that batteries and headphones remained exposed in the open. To meet an incessant demand, we designed a new cabinet, provided with compartments for all accessories and which outfit we take pleasure in presenting herewith.

The RADIOTROLA "Baby Grand" has a beautifully designed compact wooden cabinet finished in leatherette throughout. The connections are all wired,—ready for batteries, aerial and ground. A hinged cover with snap-lock protects the entire apparatus from dust. Cover specially provided with a broad flexible leather strap for vacuum tube. The cabinet is also provided with two compartments for phones, "A" and "B" batteries.

For sheer performance, dependability, appearance, quality, long distance reception and price, the RADIOTROLA "Baby Grand" has no equal nor peer and stands in a class by itself.

The original RADIOTROLA unit, Model GT2, of which tens of thousands are now in use all over the country, are still giving the highest of satisfaction in efficiency and long distance reception. Good as the old MONODYNE is, we have embodied a number of far-reaching improvements which make the RADIOTROLA "Baby Grand" incomparably better.

The RADIOTROLA "Baby Grand" is a tuned radio frequency amplifier and detector, which receives radio broadcast clear and loud without distortion over an average radius of 500 miles. Good reception over a radius of 1,000 miles has been frequently obtained.

The RADIOTROLA "Baby Grand" has ONLY ONE TUNING KNOB. Stations always come in on the same point on the dial. In addition it now is equipped with a new *Volume Control* permitting fine adjustments for long distance reception.

Size of complete outfit $7\frac{1}{8} \times 7\frac{1}{4} \times 11\frac{1}{4}$.

Net weight, about four pounds.

DEALERS:—Write for Prices and Our Special Agency Proposition.

IF YOUR DEALER CANNOT SUPPLY YOU USE COUPON BELOW

NATIONAL
AIRPHONE
CORPORATION

18 HUDSON ST.

NEW YORK

S-E-N-D N-O M-O-N-E-Y


NATIONAL AIRPHONE CORPORATION R.N.-10
18 Hudson Street, New York City.

Gentlemen:—Please send prepaid one No. GT-10 MONODYNE BABY GRAND outfit, for which I will pay the postman, upon delivery, the advertised price.

Name


Address

City State.....



The New SATURN Improved Automatic Radio Plug

The famous SATURN Plug radically improved to meet the latest requirements. Neat, polished case of genuine Bakelite—no exposed metal to produce capacity effects or short circuits. Remember the big SATURN feature—no tools to connect—just insert phone cord terminals into plug. Held in a vise-like grip; electrically perfect; instantly released by a touch on the small release lug. A real guarantee backs every SATURN Plug. Although so much improved, the price is reduced. Greater value than ever. Reduced to 75c.



The SATURN Battery Switch

Velvet—smooth action—the result of perfectly balanced blade construction. A slight pull makes connection! an easy push breaks it. Fits any panel. Built according to the SATURN standard of materials and workmanship.



LIST PRICE 75c

SATURN

Easy soldering terminals with crowfoot offset, tinned with non-corrosive solder flux compound. Rounded corner brass brackets, nickel plated. German silver blades with sterling silver contact points.

Perfect Jacks

How to Buy SATURN Radio Products

In case your dealer has not yet received his stock of SATURN Products, you may order direct, being sure to mention his name. Satisfaction guaranteed or your money returned.

Write for our new circular



The SATURN Manufacturing and Sales Company, Inc.


Dept. N.

48 Beekman Street,
New York City

For better connections
SATURN Products



"Lighting Fixtures"
READY TO HANG
(Direct from Manufacturer)
Completely wired including glassware.
Send for Catalogue No. 26.
(Just off the Press)
Special Proposition to Dealers
ERIE FIXTURE SUPPLY CO.
STATION R ERIE, PA.



Main Storage "B" Batteries

Soon save their cost! Give better reception and are more satisfactory.
Rechargeable at home from house current.

NOW AVAILABLE IN RUBBER TRAYS
WE CAN SAVE YOU MONEY. WRITE TODAY.
MAIN RADIO BATTERIES, CLEVELAND, O.

Perpetual Radio Fuse \$2.50
\$100.00 reward if you can blow your tubes with this protector in your circuit according to our instructions.
SUPER ULTRADYNE Transformers, complete set including blue print.....\$16.00
ULTRA SYNCHRODYNE Coils, set of three.....\$7.00
Including blue print. With condensers.....\$17.00
DEALERS and JOBBERS we have an attractive territory proposition.
THE STANLEY RADIO COMPANY, Manufacturers.
2947 Lorain Avenue Cleveland, Ohio

10 cents will bring one can of ALLEN SPECIAL RADIO SODERING PASTE if you mention this advertisement. A limited number of booklets on "How to Soder Radio Sets" will be given free to early replies.
L. B. ALLEN, Inc.
4564 N. Lincoln St.
CHICAGO, ILLINOIS

receiving apparatus has covered a broad field, all types and descriptions of Navy apparatus, commercial and amateur receiving sets, including the Super-Heterodyne, Neutrodyne and many others.

While stationed at the above mentioned shore stations, my duties were confined to alternate shifting of power man and operator, at the control stations, that is, I was fortunate enough to be able to work at both ends of the line for a considerable period of time, at all these stations. The result was that I developed into a fair operator and a good power man. I understand fully the principles and operation of the aforementioned types of apparatus, which includes the radio compass.

My sea service consisted of two years and eight months during the Great War. I was stationed aboard the Cruiser U. S. S. *Rochester*, and had considerable experience in the war zone; in addition I was stationed on the Destroyers U. S. S. *Nicholson*, U. S. S. *McDougal*, U. S. S. *Hopkins*, and the following light vessels, Nantucket Shoals, Nantucket, R. I., Charleston Light vessel, and Martins Industry Light vessel. This service was during my first enlistment from 1916 until 1924. During my second enlistment I have been doing duty at the aforementioned land stations.

In addition, I have had some experience as a broadcast operator. While stationed at Charleston, South Carolina, was operator in charge of station "WFAZ," of the Jordan Music Company, that city. I do not know whether this station still remains in commission or not. The writer has also had experience in the art of radio salesmanship, having worked in several stores during spare time, selling radio apparatus, demonstrating, installing, repair work, etc.

At the present time I am stationed at the remote control station of the Navy's high powered 200 KW arc station, located at San Juan and Cayey, P. R., jointly, and have been operating here for the past two years, as first class radio operator. I am also the holder of a commercial operator's license, a member of the American Radio Relay League, a member of our local radio club of San Juan, and a graduate from the "International Correspondence Schools" in Electrical Engineering.

The above is only a brief description of my long experience in radio and general electricity. It would require many pages to describe fully and in detail the entire story of my past and present work in this, the greatest and most wonderful of all sciences. The writer is seeking some form of electrical work either in radio or general electrical line, and will be satisfied with most any kind of a reasonable position, and guarantees to do his best and utmost in whatever may follow. The best of references can be furnished if required regarding my ability. It is my hope and desire that this letter may be read by someone who may give it consideration, as I would like to have the assurance of at least obtaining work before my final discharge becomes effective.


STEWART H. BUCHANAN,
U. S. Naval Radio Station,
P. O. Box 788,
San Juan, Porto Rico.
P. S. I also work Morse.

APPRECIATION

Editor, RADIO NEWS:

Let me express my appreciation of Mr. Cowper's article on page 49, July issue of RADIO NEWS. I have experimented with a great many reflex sets for over a year. With Mr. Cowper's circuit I got fair volume on my phonograph through a Baldwin loud speaker on local stations, by adding one stage of audio frequency amplification. I get all seven local stations with terrific volume, also KQO, Oakland, Calif.

new-
in Appearance
in Principle
in Results



Imported

LOUDSPEAKER

TYPE W

THE new N&K Loudspeaker, Type W, has broken away from all tradition. It is specially designed to overcome the faults common to the hastily produced speakers of the early days of radio.

It projects sound by *reflection*. In this process the sound is *diffused*, so that it issues from the speaker *in all directions*, not merely in one direct line. And it projects the sound waves in their *full roundness* thus avoiding distortion.

Type W is new and pleasing in shape, which, together with its handsome finishes, will harmonize with the most artistic surroundings.

Instead of wood or metal, a new light-weight material, *burtex*, is employed. This material has a quality of eliminating chatter and false vibrations, which so often ruin the effect of a speaker. The base is of wood, felt protected to prevent the marring of polished surfaces. The speaker unit has been designed

by the same engineers and developed in the same factory as the famous N&K Phones. As a result, Type W is characterized by extreme clearness, mellowness and the accurate reproduction of high tones as well as low ones.

Operates without auxiliary batteries, and on any plate voltage from 45 to 150 volts. Requires no adjustment, thus eliminating the uncertainty and annoyance of adjustable units.

The N&K Imported Loudspeaker is now having an advance showing at a number of the leading stores in each city. Write us at once for names of dealers in your vicinity. The speaker is sold under a definite guarantee of satisfaction or your money back. Dealers are authorized to send it on *five days' approval* to responsible customers.

Try the N & K Loudspeaker in your own home, on your own radio set, at your convenience and convince *yourself* that it is *the* Loudspeaker for you. Price, complete with 6-foot cord, \$27.50.



Free descriptive

folder on request

TH. GOLDSCHMIDT CORPORATION, Dept. R10, 15 WILLIAM STREET, NEW YORK

This Loudspeaker is made by the makers of famous N & K Imported Phones, Model D, 4000 Ohms, price \$8.50, and the N & K Phonograph Unit, price \$7.50

DOING THE "IMPOSSIBLE"

with

Richardson Replacement Parts

for Superheterodynes

It's one thing to sit quietly at home in the evening with your radio set—all conditions favorable—and get good results. It's quite another thing to get satisfactory daylight reception on an express train, rumbling through tunnels, clanking over steel bridges—a rushing mass of metal!

But D. W. Richardson persisted for two years on the Lackawanna trains, and despite these most unfavorable

conditions was finally able with his perfected and simplified superheterodyne circuit to insure consistent selective reception at very long distances, as well as perfect tone-quality.

A similar set, operating in Brooklyn in April, 1924, received clearly three California stations and the Hawaiian Islands!

YOU CAN NOW GET THESE SAME RESULTS, for

RICHARDSON REPLACEMENT PARTS

can now be had through your dealer or direct from
RICHARDSON RADIO INC.

- 1. *Oscillo-Coupler*—does not have to be adjusted . . . \$6.00
- 2. *Tuned Intermediate Transfer*—tuned at factory, no need to add inaccurate condensers . . . \$8.50
- 3. *R. F. Transformer*—12,000 meters . . . \$8.50

If you order direct from us, send name and address of your regular dealer. With each set of parts will be sent a blue print of the hook-up and the RICHARDSON "SELF-EVIDENT" WIRING SYSTEM—so simple that a ten-year-old child can assemble a Superheterodyne set unaided.

RICHARDSON RADIO INC.
CANAL 0100



Trade Mark Reg. U. S. Pat. Off.

FACTORY
45-51 LISPENARD STREET
NEW YORK CITY

UNITY VERNIER RHEOSTAT



The Highest Type Instrument Made
Any Resistance \$2.00
"Hear a Set That Uses One"

ELIMINATE THE NOISES IN YOUR SET

The book "TUBE CONTROL," written for the amateur, and for the benefit of Radio Reception, by J. Elliott Jenkins, Engineer of Broadcasting Station W. D. A. P. will tell you how to clear up your signals.

Every set owner should have this book.

10c at your dealers, or 14c postage to UNITY MFG. CO., 224 N. Halsted St., Chicago
NEW YORK OFFICE, 50 Church Street

DEALERS



OUR LIBERAL DISCOUNTS
Will Save You MONEY

Standard Quality Parts.
Send for this Free Catalog.

All Orders Shipped the Same Day.

WESTERN RADIO MFG. CO.
Manufacturers and Distributors

138 W. Lake Street, Chicago, Illinois

I am using UV-201A tubes and 112 volts on the plate. The plate and Neutrodyne coils have 40 turns each; the choke coil is a 200-turn honeycomb. The panel is 11 x 14 inches, and the crystal is a 25-cent adjustable one. Audio frequency transformer, American 10 to 1 and Jefferson 7 to 1 ratio.

Distant stations require extremely sharp tuning and the local high power stations separate well.

Let me again say it's a bear.

Yours truly,
JOSEPH ERNST,
Seattle, Wash.

TELEPHONE RINGER INTERFERENCE ELIMINATED

Editor, RADIO NEWS:

I would like to express through the columns of your magazine my appreciation of the recent service rendered the radio listeners of our town by the local telephone company. Most of those who live in a small town know what a disturbance is created in local receiving sets by the ringer at the telephone exchange. This interference takes form of a continuous grinding which is impossible of elimination, even with the best of sets.

A few weeks ago I wrote to the American Telephone Co., telling them of this interference and asking them for some suggestion for its elimination. Two days ago their Kentucky representative from Louisville arrived in our little city and stated that he had come to remedy the trouble. After listening in on a local receiving set to ascertain the extent of the disturbance, he proceeded to the telephone exchange and placed two choke coils and a bridging condenser in the ringer circuit. Now, I am pleased to state, all interference has been completely eliminated. This simple trick was the solution to all our troubles.

I have told this because I feel sure there are hundreds of persons in the small towns who are being interfered with in their radio reception by the telephone exchange of the town. By suggesting to the local telephone exchange that the above mentioned remedy be used, all noises from this source can be eliminated and listening in will be once more a pleasure.

H. K. MAYFIELD.

ANOTHER REMEDY FOR "RINGER" INTERFERENCE

Editor, RADIO NEWS:

As an appreciative reader of RADIO NEWS, there is something I would like to pass along to other fans experiencing the same form of interference I did for some time.

I am right across the street from the local telephone exchange, where they have pole changer ringers which formerly created grave interference with the reception of broadcast programs on my set. I tried changing the position of my aerial several times and also tried using a loop, but to no avail.

About a week ago the manager of the telephone exchange placed a 250-turn honeycomb coil in series with the ground lead of the ringer circuit and since then I have experienced no interference from the ringers, in fact, I cannot tune them in on any wavelength.

W. E. PERRY,
Hebron, Ill.


RADIO LITERATURE FOR CANADA REQUIRES IMPRINT

Editor, RADIO NEWS:

Inasmuch as the United States radio manufacturers are now shipping large quantities of radio apparatus into Canada, of necessity they send catalogs, leaflets and other printed sales helps to their Canadian jobbers and dealers and, while it is generally not known in the States, the Canadian Customs will not permit literature of any kind printed in the

Insure your copy reaching you each month. Subscribe to Radio News—\$2.50 a year. Experimenter Publishing Co., 53 Park Place, N. Y. C.

**KARAS
HARMONIK**
TRADE MARK



\$7⁰⁰

A \$20 Transformer for \$7

"The Best Transformer Money Can Buy"

BEFORE KARAS designed this perfect transformer, any transformer that could deliver TRUE music would have had to be so large and would have cost so much to build that \$20 would be a cheap price for it.

Over a year ago, our engineers were instructed to design the best transformer that could possibly be built — one that would excel all others — one that would greatly improve the quality of radio reception — both speech and music — and yet sell at a low price.

After a year's work and expenditure of many thousands of dollars the Karas Harmonik is ready.

It is not intended for folks who are content with the quality of radio speech and radio music as it has been up to now; but rather for those enthusiasts who want something better.

The price of the Karas Harmonik is \$7.00 — no more than the price of other transformers that used to be considered best. Only long experience and a highly efficient manufacturing organization could effect the economies that make this price possible. We gained this experience making hundreds of thousands of a very popular brand of transformer, on contract during the past 3 years. Before that we had been making precision electrical instruments for 30 years.

When you first hear music or speech amplified through

Karas Harmonik Transformers, you will be delighted with the rich, full, round, natural tones. Musicians have criticised radio for lack of this quality heretofore. But it doesn't take the trained musical ear to recognize it now that we have achieved it — it is at once apparent.

What is it that has brought this wonderful change? The scientist will point to the nearly straight line amplification curve produced by the Karas Harmonik in laboratory tests. He will show you that the low audio frequencies that are not amplified by previous transformers ARE amplified by the Karas Harmonik.

He will show you how the high audio frequencies are amplified through the Karas Harmonik to the same degree as the middle tones. He will explain how this even amplification brings out the all-important Harmonics of musical tones — and that the presence or absence of Harmonics makes all the difference between music and noise.

But after all, the one real test is what your own ears tell you. Put a pair of Karas Harmonik Transformers in your old set and see what a tremendous improvement they make in the quality of your reception. Or if you are building a new set, and want the best possible results, use Karas Harmonik Transformers, by all means. They are unconditionally guaranteed to deliver a maximum volume of the best quality of amplification you have ever heard. In case your dealer is not yet stocked with our product, we will gladly supply you with a pair direct. Just fill in and mail the coupon below. No need to send any money unless you prefer to. When the Transformers are delivered to your home, just hand the postman \$7 a piece with few cents for postage.

Never before have you been offered any radio apparatus so vital to the satisfaction and pleasure of your radio operation. Make sure of getting what you want by ordering right now, while you have our name and address before you. The coupon will bring you a pair of Karas Harmonik Transformers by return mail. Fill it in and mail today.

KARAS ELECTRIC CO., 4040 N. ROCKWELL ST., DEPT. 59-47, CHICAGO

Radio Jobbers and Dealers

Distribution of Karas Harmonik Transformers through regular jobber and dealer channels is being carried out as rapidly as the output of our factory permits. In the meantime mail applications will be taken care of in the order they are received, on an allotment basis.

Karas Harmonik Transformers will prove money makers for you. They sell on sight, and their unequalled performance in use will bring new customers. Write us today for full information concerning the Karas Harmonik, the laboratory and audibility tests it has passed, discounts and allotments.

To Set Manufacturers

We can positively prove that Karas Harmonik Transformers will vastly improve the musical quality of your set by any form of test you wish to impose. When you are convinced of this you will naturally want to use them. Write or wire us and arrangements for tests will be made promptly.

Karas Electric Co., Dept. 59-47
4040 N. Rockwell Street, Chicago, Ill.


Please send me pair of Karas Harmonik All Stage Ratio Audio Frequency Transformers. I will pay the postman \$7 a piece, plus postage, on delivery. It is understood that I am privileged to return the transformers any time within 60 days if they do not prove entirely satisfactory to me, and my money will be refunded at once.

Name

Address

City

If you send cash with order we'll send transformers postage prepaid.



Nine out of ten sets use MICADONS

NINE out of every ten sets made use Micadons—the standard fixed radio condenser. Set builders choose them for many reasons.

They know that the Micadon is a Dubilier product: hence supreme in quality and efficiency.

They know that Micadons can be obtained in accurately matched capacities and the capacity is permanent.

They know that Micadons are easily installed, equipped as they are with extension tabs for soldering and eyelets for set screw assembly.

They know that Micadons are made with type variations to meet every possible requirement.

For best results use Micadons.

Dubilier

CONDENSER AND RADIO CORPORATION



The Traffic Cop of the Air

He arranges in orderly fashion the mass and jumble of Broadcasting Stations that are seeking entrance to your set and brings 'em in, one at a time, so you can enjoy them! Never reduces, but nearly always increases volume. Add a Ferbend Wave Trap to your set and "Police" your reception. Regulate the Traffic!

Guaranteed to tune out any interfering station. The price is \$5.50. Shipment is made parcel post C. O. D. plus a few cents postage. If you prefer, send cash in full with order and we will ship postage prepaid. Send us your order today.

FERBEND
Wave Trap

FERBEND
ELECTRIC
COMPANY
25 E. South
Water St.
Chicago, Ill.



RADIO HORN

Let the whole family listen to the music. Add to the appearance and value of your set. Mail a dollar bill for horn like picture, knocked down, prepaid. Easily assembled by anyone.

\$1.00

FOX MFG. COMPANY, DEPT. B
247 So. Broadway, Los Angeles, Cal.



Ask Your Dealer For a MONTROSE VERNIER CONDENSER

The condenser with genuine bakelite end pieces. Has positive contact between the vernier plate and main shaft. Will get the results where others fail, guaranteed to give entire satisfaction.

MONTROSE MFG. CO.
1333 Fulton St., Brooklyn, N. Y.
Phone Decatur 7382

U. S. A. through the Customs unless it bears the imprint "Printed in U. S. A."

It occurred to me that, through the medium of your columns, you might advise them of this fact, saving considerable expense and delay in getting the proper literature to their Canadian friends.

E. RYPINSKI,
Manager Radio Department,
Perkins Electric Limited,
Montreal, Canada.

WIRING DIAGRAMS EASY

Editor, RADIO NEWS:

Since I read Mr. Roux's letter in the July issue, I have been thinking about it. Being a school teacher, I am used to making criticisms (both constructive and adverse). In regard to the intricacies of "wiring diagrams," I do not find them any harder than reading a book. The reason is simple; in school we had to learn the alphabet, thus getting a good foundation, upon which to build. If these radio infants would attempt to learn a few conventional radio signs, I do not believe they would find the diagrams hard to follow. I have built numerous sets and of varying types and in no case have I found it necessary to resort to "picture diagrams." The schematic diagrams were sufficient.

I find your magazine very interesting and often read several of the articles two or even three times.

Your RADIO NEWS READER'S BUREAU is a very good idea, since it helps to bring the advertisers and public closer together.

RADIO NEWS is very helpful to me in my experimental work because I can learn what others are doing, compare results and may, perchance, discover something new.

MAURICE A. CHRYSLER,
Topaz, Michigan.

A SUGGESTION FROM A SEA GOING OP'

Editor, RADIO NEWS:

As a radio operator, sea-going at present, and of past broadcasting experience, I have been doing a lot of thinking lately and have a grievance to get off my chest. The other day, while on watch, I happened to remember an article published in the official publication of the Union of Radio Telegraphers. This was written by an old telegraph operator, and as some of his remarks are applicable to radio operating, I am giving them as best I can remember. His remarks were about as follows:

"When I first got a job as telegraph operator in a little water-tank town, and still under the delusion of my own importance, the Division Superintendent came around. He patted me on the back, bade me remember that I held a job of great responsibility—that I was the personal representative of the company, etc. Of course, at that time I was all fed up on the "glory" of my position, but later on began to come out of it when I saw that while glory was a nice thing it didn't pay my bills. My pay was very low, as was usual at that time, and I had a hard time getting along." The writer of this article went on to state that finally the other operators got tired of the "glory" of their jobs, and struck for higher pay, which they got.

Now the condition of railroad telegraphers is much better than formerly, and because they got out of the Glory stage. This same disease is troubling the radio operating game at present. The fledgling operator, usually fresh from a training school, or with a correspondence school certificate in his pocket, goes aboard his first ship, his head full of the Glory of his new position. He remembers the wording of the school ads—"Be a radio Officer—see the world," etc., and consequently is elated with the thought that by a few months' schooling, he has attained the

Get a Handy Binder for your RADIO NEWS. Holds and preserves six issues, each of which can be inserted or removed at will. Price 65c. Experimenter Pub. Co., Inc., Book Dept., 53 Park Place, N. Y.

When the Votes Are Counted— be there with a Murdock Neutrodyne

THIS is going to be the most bitterly contested presidential election in years. The dominant issues will be fought out by radio. It's really going to be a radio election. When the "big guns" turn loose their battery of eloquence—get it all with a Murdock. Keep on the firing line. Feel all the thrill of it. Be there when the votes are counted.

Hear the real voice of the nation. To hear it full and clear—you want volume. You want selectivity. You want distance. You get all this with the Murdock. Volume that floods your room. Selectivity that enables you to tune out local stations and tune in distant stations—without interference. Distance that permits you to listen-in on the best radio programs of the country.

The unfailing resources, skill and experience of a pioneer manufacturer, who has been making radio equipment of the highest engineering standard for 20 years enter into the construction of the Murdock Neutrodyne.

Radio at its best

THE Murdock is the ideal receiver for home use. It meets the most exacting tests of sound reproduction. It is so simplified and sensitive that no technical knowledge is necessary for its operation. You can place the Murdock in your home with full assurance that it will retain its efficiency for years.



Go to your dealer and let him demonstrate the Murdock Neutrodyne for you. He will arrange for installation. Our trade-mark symbol is your guarantee of complete satisfaction.

WM. J. MURDOCK CO., 367 Washington Ave., Chelsea, Mass.

Branch Offices: New York, Chicago, San Francisco

MURDOCK RADIO PRODUCTS

Standard since 1904



Mail
Coupon
for Free
Booklet
—Today

WM. J. MURDOCK CO.,
367 Washington Ave., Chelsea, Mass.

Gentlemen:
Please send me, without obligation, your Free Booklet describing the Murdock Neutrodyne Receiver.

Name

Street

City State

The Radio Page of The Christian Science Monitor

This daily feature of the Monitor came into being because of a definite demand from our readers for authentic, up-to-date news of developments in the field of Radio.

The Monitor's Radio Page is international in character. It gives the latest news of radio activities in all countries and is always in the foreground with novel and improved hookups with complete constructional data.

Already the Radio Page has brought much favorable comment. It is ably edited, as is every department of this International Daily Newspaper, and is one of the most comprehensive and instructive daily radio pages published.

The Monitor's Radio Page is read by fans who would keep abreast of the times on radio programs, news and tested circuits presented in a nontechnical and interesting way, and who desire a question box that gives each query a comprehensive reply.

See our exhibit at the FIRST RADIO WORLD'S FAIR, Madison Square Garden, New York City, SEPTEMBER 22-28, 1924. Also at the Chicago Radio Show, NOVEMBER 18-23, 1924.

The Christian Science Monitor

An International Daily Newspaper

Back Bay Station, Boston, Mass.

BRANCH ADVERTISING OFFICES

New York Office, 270 Madison Avenue
Cleveland Office, 1638 Union Trust Building
Chicago Office, 1458 McCormick Building
Detroit Office, 455 Book Building

Kansas City Office, 705 Commerce Building
San Francisco Office, 625 Market Street
Los Angeles Office, 620 Van Nuys Building
Seattle Office, 763 Empire Building

London Office, 2, Adelphi Terrace, W. C. 2

RADIO CATALOG

Established Radio Dealers and others contemplating going into the Radio business should send for our new large Radio Catalog No. 26-R. All standard quality lines listed. Dealers' discounts very liberal. WRITE TODAY.

OHIO RUBBER
228 W. 7th St. Cincinnati

"HARMONIC"

The Best Transformer Money Can Buy
Correspondence Invited
Frank A. Ryder
19 South La Salle Street, Chicago

EARN MONEY AT HOME

YOU can earn \$1 to \$2 an hour in your spare time writing show cards. No canvassing or soliciting. We instruct you by our new simple Directograph System, supply you with work and pay you cash each week. Write today for full particulars and free booklet.

WEST-ANGUS SHOW CARD SERVICE LIMITED
Authorized Capital \$1,250,000.00
154 Colborne Building, Toronto, Can.

HUDSON-ROSS

Largest exclusive Radio
Jobbers in middle West.
Write for discounts.
123 W. Madison St. Chicago

glorious position of radio "Officer" on ship, failing to consider that although he is called an officer, his pay envelope remains thin. After a few months of the glory, he begins to wish that he could trade some of it for hard cash.

Now another howl. Most people after reading glowing advertisements of a radio operator's life, come to the conclusion that it is a snap, with nothing to do but listen in, occasionally punch a key, and immediately when in port, go ashore and "see the world." They don't know that much of the operator's time in port is taken up with necessary repairs on equipment, shining brasswork, and making out abstract sheets, which is a real job. Also there is nothing especially alluring in the prospect of sitting and calling a station for a couple of hours, and then after getting him, wrestle with interference and static while clearing the hook. All ship jobs aren't alike—a tanker or cargo job is pretty good—a man can set his own hours, and doesn't have to dress for dinner. But the grub on board most cargo boats and tankers could be considerably improved. On most passenger ships, except the very largest, two operators are carried, and as the government requires a constant watch held, the ops take turns on duty, in eight hour shifts. This is hard work, as there is little time left for anything except eating and sleeping. Also there is heavy traffic to be handled on passenger ships, so the operator is kept pretty busy all the time.

Now, to get at the root of my kick. Conditions in the game aren't as good as we could make them—and the sooner we operators get out of the glory stage, the better. There are no reasons why a union of radio telegraphers would not be practical now, and if one were formed, it would help to improve conditions. It is true that an attempt was made back in the early days to form a union, and that it blew up. But the reason for its failure was not in the principle, but in the application. If operators would only express their opinions through the columns of RADIO NEWS, and attempt to get together on the question, we could undoubtedly form a successful organization.

JOHN M. BALDWIN,
Operator, KDI; ex-KFGD.

WANTED—RADIO FRIENDS

Editor, RADIO NEWS:

Being a subscriber of your magazine, and having a growing interest for radio and electricity in general, I should be greatly obliged if you would put me in touch with friends through the columns of your magazine.

I am 19 years of age and should prefer to correspond with young fellows of about the same age.

It is my idea to exchange experiences with them.

ERNESTO DIAZ,
Box 224,
Caguas, Porto Rico.

MORE INFORMATION ON STATIC

Editor, RADIO NEWS:

The communication by Mr. Mason in the July issue of RADIO NEWS under the title of "Interesting Notes on Static" is very interesting, but in one instance, at least, somewhat misleading.


Mr. Mason states that "In very dry climates, like in California, there is very little static." As a general proposition this is probably true, but from my personal observation I question whether this is due to the "dry climate." Imperial Valley has practically no rainfall and is about the driest place in the entire State, being surrounded entirely by desert land and depending entirely upon irrigation for crop raising. The month of May was especially unfavorable for radio reception, owing to static which often reminded us of a "bull in a china-shop."



FIL-KO-STAT

SCIENTIFICALLY CORRECT RADIO RHEOSTAT

with Battery Switch




\$2

FIL-KO-LEAK

SCIENTIFICALLY CORRECT VARIABLE GRID LEAK

its calibrated



\$2

FIL-KO-LIGHTNING ARRESTER

SCIENTIFICALLY CORRECT RADIO LIGHTNING ARRESTER

with the \$100⁰⁰ Guarantee



\$1.50

FIL-KO-SWITCH

SCIENTIFICALLY CORRECT "A" BATTERY SWITCH

Simple - Sturdy - Sure



50¢

New!

Remember—These parts are new this season! Be Sure to see them at your dealer's.

Improved Reception

The One Big Thing in Radio That Interests Everyone!

Improved Reception Through "Tube Tuning" with a Scientifically Correct Radio Rheostat.

There have always been plenty of rheostats that served to open and close the "A" battery circuit, but until the Fil-Ko-Stat was made it was impossible to adjust the filament heat to the most efficient operating point, giving maximum audibility in phones or loud speaker. Only the Fil-Ko-Stat, designed to give improved reception, allows infinite control of filament current, making possible louder, clearer signals from distant and local stations in any Radio Receiver using any type of tubes. And now—the NEW model (*insist on the NEW model at your dealer*) gives even finer control than ever before. It's \$2 including the battery switch attachment. And it's unconditionally guaranteed.

Improved Reception Through Maintaining Correct Grid Bias with a Hand Calibrated Grid Leak.

Likewise, there are many forms of grid leaks, some variable, others fixed. The Fil-Ko-Leak, however, is the only grid leak that can be set for a *specified* resistance and adjusted for best results. It's hand calibrated (and double checked) over the operating range for all tubes— $\frac{1}{4}$ to 5 megohms. Markings can be read through a panel peep-hole, and it's also equipped for table mounting [bracket packed with each instrument]. Guaranteed perfect electrically and mechanically, it gives scientifically correct control of grid potential—for \$2.

Leakage Losses You Never Thought of are Eliminated by this Scientifically Correct Radio Lightning Arrester.

Even were the Fil-Ko-Lightning Arrester no better than the average, it would still be worth far more because it comes to you with a guarantee that is virtually an insurance policy. You get \$100 or we repair or replace your set if damaged through fault of the arrester. But the Fil-Ko-Arrester is better. It eliminates all leakage losses from aerial to ground, all radio impulses reaching the antenna are sure to pass through your radio set, insuring maximum reception. Hermetically sealed Bakelite insulation is protected by an umbrella-shaped shield that keeps off dust, moisture and other conductive matter. You get positive protection for \$1.50.

There's also the Fil-Ko-Switch, at 50c. It won't improve reception—but it's one of the few battery switches that won't impair it. Made of non-magnetic metal, wipe-action contacts, assuring sharp, clean "make and break", entirely insulated from nickel-plated brass housing and knob. Scientifically correct to avoid current leakage and extra capacity. Carries the usual Fil-Ko-Part for Radio guarantee!



This book will help you get better results from your radio sets; tells all about vacuum tubes and how to control them as to get more DX, greater volume, longer tubes and battery life—maximum regeneration and clearest signals. Write to Dept. R. N. 1024 for free copy.

Foreign Representatives
Radio Stores Corporation
NEW YORK

MADE AND GUARANTEED BY
DX INSTRUMENT CO.
HARRISBURG — PENNSYLVANIA

NEW YORK OFFICE
220 W. 34th St.

If your dealer does not carry these FIL-KO-PARTS for Radio, send his name, with your remittance for parts wanted, direct to the factory.



**Look at
that
Finish!**

—and the High Gloss Is Everlasting

A beautiful black, high gloss finish is but one of the superior features Spaulding Bakelite-Duresto panels can offer you.

Bakelite-Duresto panels drill and engrave easily without chipping. Will not warp, shrink, or split. Highest in dielectric strength. The best that money can buy.

Insist on Bakelite-Duresto. Your dealer will cut and drill it for you. In buying complete sets look for Spaulding Bakelite-Duresto panels—a good sign of quality.

MANUFACTURERS

Manufacturers who desire to build quality into their products and who insist on speed and economy in their plants should write our nearest office for complete information on Spaulding Bakelite-Duresto.

Sales Offices—Warehouses

484 Broome St. N.Y. City
141 N. Fourth St., Phila.
659 W. Lake St., Chicago
15 Elkins St., Boston
Los Angeles, California
San Francisco, California

Write for descriptive circular

SPAULDING FIBRE COMPANY, INC.
TONAWANDA NEW YORK

Spaulding
BAKELITE-DURESTO
Panels-Sheets-Tubes & Rods

ELGIN SUPER-REINARTZ
The Set Which Copied
2LO LONDON, ENGLAND

ON
ONE TUBE
Send Stamp for Descriptive Circular

ELGIN RADIO SUPPLY CO.
207 E. Chicago Street, Elgin, Ill.

Greater
Volume—Distance

Guaranteed
With the New Low Loss
180° Gold Seal-tuner

Special Regenflex Coupler for Reflex Circuit
Hookup and Illustrated Folder for Stamp
THE PUTT ELECTRIC SHOP
ELKHART INDIANA

DEALERS SAVE MONEY
By Ordering from Our Bargain
Catalog of Nationally Advertised
Radio Goods. Write for It Today.
AMERICAN RADIO MFG. CO.
Dept. A 6 WEST 14th ST. KANSAS CITY, MO.

Phenix Radio Varnishes

and CEMENTS are high grade, pure, Nitro Cellulose products, especially developed for manufacturers of the highest class of Radio work.

Water, oil and heat proof. No shellac or gums.
Write for details. 3 oz. Bottle for amateur use, by mail, 25 cents.

PHENIX AIRCRAFT PRODUCTS CO.
Williamsville, N. Y.

Not being a technical man, I cannot perhaps make clear my theory regarding static under conditions such as ours, and so I shall not try to use technical terms. I shall simply give the results of my personal observations covering a period of nearly two years. When we have a hot day with a temperature ranging from 100 to 115 degrees followed by a cool night we then have static, and the greater the difference in temperature between noon and night the greater the static. If a hot day is followed by a warm night, there is less static than when followed by a cool night. In other words, when the surface of the earth becomes heated, the radiating heat coming in contact with the cool air generates static in a way which our experienced technical men can explain to us. In mid-day, reception is clear, though not strong, but as evening comes on static begins, increasing until about nine o'clock, after which hour it gradually decreases, until by midnight, and often before that time, it has disappeared. It is my belief that the decrease is due to the equalizing of the temperature between the earth's surface and the cool air above. In the winter months we have no static to speak of because we do not have the extremes in temperature between noon and night.

While on the subject of static, may I add this further word. While static cannot at present be entirely overcome, reception has been made much better and therefore much more enjoyable by the installation of the high-powered broadcast station. We have no difficulty in getting the programs of KGO broadcasting on 1000 watts even when the static is quite bad, whereas static interferes greatly with reception from broadcasters using 500 watts. However, the 500-watt stations with low wave-lengths such as KFSG and KFKX come in much better than 500-watt stations with longer wave-lengths.

You certainly are to be congratulated on the splendid magazine you are publishing in the interest of radio.

C. HOUSTON SMITH,
Imperial, Calif.

ANOTHER LETTER FROM BRITISH 5XZ

Editor, RADIO NEWS:

If I may occupy your valuable time once more, permit me to thank you for sending me a copy, gratis, of RADIO NEWS for June. Owing to the policy of your Government in retaining second class mail matter for shipment in American bottoms, it did not arrive until my English suppliers of foreign periodicals had obtained and sent me your July issue, and if your manufacturers have their catalogs, etc., dealt with similar dilatoriness, they have my sympathy.

I have had a large number of communications from various American friends consequent on your publishing my original letter, almost all of which show that the ideas current in U. S. A. as to working and incidence of our licensing fees (what you call "Radio Tax") are hopelessly wrong. You no doubt are aware of exactly how our system works, but for the benefit of others may I explain it to you from the listeners' point of view.

Firstly, up to now there have been four sorts of licenses.

Broadcast Listeners' License.—Issued to those who have not ability to construct their own sets and who consequently should not be trusted with regeneration. They must use sets manufactured by members of the B. B. C., which are so designed as to not readily radiate or oscillate except under the conditions of ultra high plate voltage, etc., such as would not be used in ordinary reception. Fee \$2.

Constructors' License.—Issued to those who are able to construct their own sets. May use any circuit they choose. If they radiate and make a nuisance of themselves,

Insure your copy reaching you each month. Subscribe to Radio News—
\$2.50 a year. Experimenter Publishing Co., 53 Park Place, N. Y. C.



3 exclusive features of the Navy Type Headset

A—Weather-proof cloth covering
 B—Braided copper tinsel radio-frequency shield
 C—Headset conductors (+ and -)
Patented 6-12-24
 (other patents pending)

TWO extra technical developments and one extra testing operation! These add clarity and distance. These are the three exclusive features which make the Brandes Navy Type the ideal long distance headset.

- 1.—The development of the braided copper tinsel radio-frequency shield [shown at the left] surrounds the conductor cords and grounds all radio-frequency currents which might cause detuning effects in the receivers. And in addition, it eliminates cord capacity.
- 2.—The use of inside terminals, so designed that the cords may be removed or replaced without taking off the cap of the receiver or in any way disturbing the perfectly matched tone.
- 3.—A very delicate testing operation matches the tone of the two receivers so that both ears hear exactly the same sound at the same instant.

And to assure absolute perfection of every detail, every Navy Type Headset must pass 22 different tests and inspections.

Brandes

Superior Matched Tone Headset
 \$6
 \$7 in Canada

Table-Talker
 \$10.
 50¢ extra west of the Rockies
 In Canada \$14

Navy Type Matched Tone Headset
 \$8
 \$11 in Canada

The name to know in Radio

THE ONLY ELECTRICAL
MAGAZINE FOR THE LAYMAN

Practical Electrics

Interesting Articles
to Appear in October
"Practical Electrics"

Hornless Loud Speaker

Applications of
Photo-Electric Cells
By H. Vigeron

Phenomena of Magneto-Striction
By Edward Shaw,
A.M. A.I.E.E.

Talking Transformers and
Dynamos
By Eugene J. Dwyer

Induction Motors
By Harold Jackson

Exhibits at the National
Academy of Sciences Meeting

Vacuum Tube Oscilloscope
By Charles D. Savage

Electric Chimes
By Earle R. Caley, B.Sc.

25c the
copy
*on all
newsstands*

R.N.-16

GERMOTT
PUBLISHING
CO., INC.,

53 Park Place, N. Y.
City

Enclosed find \$2.50 for my
subscription to PRACTICAL
ELECTRICS for one year.

Name

Address

City, State

A Continuous Review of ELECTRICITY

*In Simplified Non-
Technical Terms*

ELECTRICITY covers such a tremendous field that the man who does not keep abreast with it does himself a great injustice. PRACTICAL ELECTRICS covers that field from every angle. It is written in plain every-day language that all can understand. It portrays the entire electrical development of the month faithfully in non-technical language. It caters to everyone interested in electricity, be he a layman, an experimenter, an electrician or an engineer—each will find in this magazine a department for himself and plenty more.

PRACTICAL ELECTRICS is probably the most novel magazine of its kind ever conceived. It is personally edited by H. Gernsback, editor of SCIENCE & INVENTION, MOTOR CAMPER & TOURIST and RADIO NEWS. Mr. Gernsback, who founded the old "Modern Electrics" as well as the "Electrical Experimenter," knows thoroughly what his readers want and have wanted for many years.

Month after month PRACTICAL ELECTRICS prints vital, interesting news. **Subscribe Now!** using the coupon provided in the corner for that purpose.

SUBSCRIPTIONS

25c. the Copy

\$2.50 a Year

Canada and Foreign—\$3.00 a Year

Germott Publishing Co., Inc.
53 Park Place, New York City

subject themselves to penalty of withdrawal of license. Must use British parts. Fee \$3 (more than BCL license as they do not bring any profit into the B. B. C., not necessarily having to buy parts made by members of B. B. C.).

Experimental Receiving License.—Issued only to those who have serious scientific investigations in view or who are competent to undertake same. May use any circuit or nationality of material. Penalty for interference with others as before. Fee \$2.

Transmitting License.—Almost same terms as those in use in U. S. A. Fees depend on size of station, special facilities, etc. Although ordinary transmitting license is subject to a lot of restrictions they are easily waived, the Post Office being only too anxious to help the serious worker. The object is to cut out as far as possible the man who plays at transmitting.

The first two classes of license can be purchased over the counter at any post office.

The fees received from the first three classes are not a tax in the ordinary sense of the word, i.e., they do not go to swell the national revenue. From each is deducted a sum for administrative purposes, average 25 cents, the rest is paid to the B. B. C.

As you know, in the very small area of the British Isles (exclusive of Ireland) there are now eight main (5 k.w. input) B. B. C. stations and five relay stations. (The 25 k.w. station is also under test and will open soon.) This condition compares favorably with the number of stations in any state of similar size in the United States. If what my numerous correspondents tell me is correct, the stations must be fairly efficient as they appear to be often picked up by friends on your side as far west as California.

What all the correspondents who have written me appear to overlook is the fact that someone has got to pay for the loss of interest on the capital outlay of the American broadcast stations, the salaries of their staffs and the stores and current consumed even if the artists give their services free, which is not often the case if first class talent is to be got to broadcast twice, and that the cost of all that comes out of the public somehow. Apparently, the main difference with our system and yours is that the cost of broadcasting is got out of the public through the profits made in the radio industry in your case, which, of course, means that the incidence of the cost is unequal as between the parties benefited, whereas under our system all parties pay roughly equally for what they receive. A sidelight on how broadcasting is paid for in your country is furnished by the letter of Mr. Mortimer on page 76 of your July issue. By the time you get this letter, all receivers here will pay not only roughly, but exactly, equally for the service available to them.

I observe the note to your photograph of the Savoy Band in the July issue refers to their having attempted to broadcast to U. S. A. Why only attempted? I heard from one gentleman who was very proud of the ease with which he had heard them on three tubes in the Middle West.


A. F. C. BAYES,
48 Lavender Gardens, S. W.,
London, England.

BROADCASTING IN MEXICO

Editor, RADIO NEWS:

Two reasons, among others, have prompted me to write this letter to you, and they are the following: (1) The list of broadcast stations published in your July number, and (2) the fact that even though most BCL's consider a good record broken when they listen to some station located in a foreign country, very seldom reference is made to

The LATEST and BEST!



The Sensational Shamrock-Harkness Receiver

THE Shamrock-Harkness Reflex has created a sensation among experimenters and amateurs by its amazing performance. Combines the best features of the most powerful circuits in use today. A set that you can build yourself in a half-day—and get results equal to a standard five-tube receiver.

- Operates a loud speaker.
- Two tubes do the work of five.
- Cuts battery cost 60 per cent.
- Does not squeal or radiate.
- Stations can be logged—and come in with amazing clearness and wonderful volume.

THE amazing performance of the Shamrock-Harkness Receiver depends as much on the use of specially designed parts and the mechanical arrangement of these parts—as upon the wonderful circuit itself. Shamrock engineers have spent months perfecting a set of these parts. The Shamrock Kit contains genuine, guaranteed Harkness parts. Avoid imitations—accept only the genuine.

Before building your set send for the book below

SHAMROCK MANUFACTURING CO.,
Dept. 64, Market St. Newark, N. J.

Shamrock-Harkness

Kit contains all parts to build the Shamrock-Harkness Reflex.

Licensed under U. S. Patent Office, Serial No. 719,264 for Radio Receiver Stations.

LIST PRICE

\$35

Complete



The set for the masses, as well as the classes.



Shamrock

FOR SELECTIVE TUNING


SHAMROCK MANUFACTURING CO.,
Dept. 64, Market St., Newark, N. J.

I enclose 10 cents (U. S. Stamps or coin) for copy of "Shamrock Radio Builder's Guide Book," containing log record. Also diagrams and complete instructions for building 10 sets at prices ranging from \$15 to \$50.

Name


Address

Dealer's Name



BAKELITE

TRADE MARK REG. U. S. PAT. OFF.



Standard Insulation —wherever Dials turn

With every facility for testing materials used in radio work, the United States Signal Corps chose Bakelite for the potentiometer base here shown. We also illustrate a Rogers Radiometer, Kellogg Condenser and Fil-Ko-Stat, all of which are Bakelite Insulated.

These critical radio experts, as well as the most inexperienced amateur, have come to recognize the phrase "Made of Bakelite" as a guaranty of excellence in radio insulation.

Bakelite enhances the value of any radio set. Its high electrical resistance, stability and beauty of finish have led to its adoption as standard insulation by the large majority of radio manufacturers.

Send for a copy of our Radio Booklet B

B

BAKELITE
Condensite
REDMANOL

are the registered Trade Marks for the Phenol Resin Products manufactured under patents owned by **BAKELITE CORPORATION**

Send for our Radio Map

The Bakelite Radio Map lists the call letters, wave length and location of every broadcasting station in the world. Enclose 10 cents to cover the cost and we will send you this map. Address Map Department.

BAKELITE CORPORATION

247 Park Avenue, New York, N. Y.
Chicago Office: 636 West 22d Street

THE MATERIAL OF A THOUSAND USES

PROGRESSIVE DEALERS everywhere buy RADIO SUPPLIES from

CLARK & TILSON, Inc.

The Nationally Known House
552 Seventh Avenue, New York City

Send for price list and discount sheet.

Wholesale radio supplies of national reputation since 1921.

**Build your set
the AMPLEX
"KIT" way!**

Save Money, Time, Trouble. No technical skill required. Drilled Panel and complete instructions with each kit.

Cockaday Imp. (5 Tube)	\$56.50
Cockaday Imp. (1 Tube)	19.50
Superdyne (4 Tube)	33.75
Neutrodyne (with Pada Kit)	46.25
Tobias (3 Tube)	33.50
FREE: Kit Katalog R.10	

AMPLEX INST. LAB.
88 W. B'way N.Y.C.

some Mexican station, even though our stations are undoubtedly heard by you in the United States, which can be proven by the 9,700 letters which one station alone received from the U. S. in the short space of 10 days.

At the London International Radiotelegraphic Conference, two sets of letters were assigned to stations located in Mexico. They are: all combinations from CYA to CZZ and also all combinations from XAA to XDZ. The Mexican Government has reserved the use of all combinations beginning with an "X" for its own stations, and has assigned radio broadcast stations different combinations of three letters starting with CY or CZ. Broadcast stations operating at present are the following (by alphabetical order):

CYA, Mexico City.—Partido Liberal Avanzado, a political organization. It is now using a 100-watt set, which will be changed to a 500-watt one as soon as installation is completed. Its wave-length is 540 meters.

CYB, Mexico City.—"El Buen Tono," cigarette manufacturing company. A 500-watt transmitter is used. Wave-length is 380 meters. (This station has been reported from Rio de Janeiro, Brazil, a distance of nearly 5,000 miles.)

CYL, Mexico City.—"El Universal" and "The House of Radio," which are, respectively, a newspaper and a radio distributor. They use a 500-watt set and transmit on a wave-length of 510 meters. They have received reports from nearly every state in the American Union and every province in Canada, as well as from Panama and Colombia, in South America.

CYO, Monterey, State of Nuevo Leon.—Owned and operated by Constantino Tarnava, Jr. Wave-length used is 280 meters.

CYR, Mazatlan, State of Sinaloa.—Owned and operated by Rosseter & Co. It is a 250-watt station and it broadcasts on a wave-length of 440 meters.

CYX, Mexico City.—"Excelsior" and "Compania Parker." They are also a newspaper and a radio dealer, respectively. A 500-watt transmitter is used on a wave-length of 350 meters. They have also received reports from very many places in the United States.

CYZ, Mexico City.—"Liga Central Mexicana del Radio" (Mexican Radio League). 100 watts, 400 meters.

CZA, Mexico City.—Aviation Department, Ministry of War and Navy. This station is using a Mexican built (everything but the tubes was built in Mexico, and even the tubes could have been constructed here, but it would not have been economical), 100-watt set, while another Mexican built 2,000-watt transmitter is completed and installed.

IJ, Mexico City.—An experimental station, owned and operated by Mr. F. C. Steffens, which also broadcasts very fine music on a 250-meter wave.

CYC and CYG are the respective call letters of the experimental (500 watts) station of the Ministries of Communications, and War, respectively. The Ministry of Public Education is now installing a station, which is said to be very powerful and through which courses and general educational features will be broadcast regularly.

Another 500-watt station is now being installed in the southern part of the republic in the city of Oaxaca, State of Oaxaca. As far as the writer knows, no call letters have been assigned to it yet. (As soon as it starts operating we will also have "our voice from the south.")

So you see, we have all the stations we need and, at least here in Mexico City, we get all the radio service we wish. We have our 1:30 p. m. concerts and every evening two different stations broadcast, the first from 7:30 until 9:00 and the second from 9:00 until 10:30.

Get a Handy Binder for your RADIO NEWS. Holds and preserves six issues, each of which can be inserted or removed at will. Price 65c. Experimenter Pub. Co., Inc., Book Dept., 53 Park Place, N. Y.



THIS BATTERY WILL
MATERIALLY REDUCE
YOUR OPERATING
COSTS ON HEAVY
CURRENT SETS

NEW!

Eveready Heavy Duty "B" Battery, 45 volts. Three Fahnestock Clips. Length, 8 3/4 inches; width, 4 3/4 inches; height, 7 3/4 inches; weight, 13 3/4 pounds.

New low price, \$4.75

New Heavy Duty 45-volt "B" Battery No. 770 Extra Large Cells— Extra Long Service

FOR maximum "B" Battery economy, use this *New Eveready Heavy Duty 45-volt "B" Battery*, in the following general cases:

- 1—On all receiving sets operating at 90 volts or more, having four tubes without a "C" Battery, and all sets having five or more tubes, with or without a "C" Battery.
- 2—On all power amplifiers.
- 3—On all sets that pull heavy currents from the "B" Battery.

Under the above conditions, the *New Eveready Heavy Duty 45-volt "B" Battery* will give much longer service than the 45-volt "B" Battery of usual size.

If your receiving equipment falls under any of the above classifications, you can make a big saving in "B" Battery costs by using this *New Eveready Heavy Duty 45-volt "B" Battery No. 770*. Buy it and you get the biggest battery value on the market to-day!

Manufactured and guaranteed by
NATIONAL CARBON COMPANY, INC.
Headquarters for Radio Battery Information
New York—San Francisco

Canadian National Carbon Co., Limited, Toronto, Ontario

If you have any battery problem, write to Mr. G. C. Furness, Manager, Radio Division, National Carbon Co., Inc., 122 Thompson Ave., Long Island City, New York.

EVEREADY

Radio Batteries

—they last longer

No. 7111
Eveready Radio
"A" Dry Cell
Specially
manufactured for
use with dry cell
tubes



Eveready 6-volt Storage
"A" Battery

No. 766
Eveready "B"
22 1/2 volts. Six
Fahnestock Spring
Clip Connectors




No. 772
Vertical 45-volt, large
size "B" Battery

No. 771
Eveready "C" Battery
Clarifies tone and
prolongs "B" Battery
life



No. 764
Vertical 22 1/2-volt
"B" Battery

Do You Want Improved Reception?



13 PLATE\$4.50
 23 PLATE\$5.00
 35 PLATE\$6.50

We guarantee you'll find in the Bremer-Tully "Lifetime" Condenser more advanced features, more vital improvements, more essential advantages than any other.

No matter what circuit you're using, this condenser will improve it. This product is electrically perfect and mechanically beyond comparison. The only low-loss condenser that gives real straight line wave length. Better and simpler tuning.

Examine it at your dealer's. Write for "20-point" folder; it gives the details.

Bremer-Tully Leads Again with Real Low Loss Tuner

This is the original Bremer-Tully product, already known as the first "tuner," but improved with the new B-T method of inductance winding and the new adjustable untuned primary which gives results heretofore impossible.

Low dielectric losses, windings supported with least possible insulation.

Adjustable untuned primary successfully meets the great problem of the past—that of adapting a tuner to the various types of antennae, circuit requirements and local receiving conditions.

Adjustments permit greater selectivity or increased signal strength as desired.

A new support providing either panel or base mounting. Single hole mounting can be used if desired.

A new adjusted lubricated cone bearing.


Binding post connections—with tinned soldering lugs.

Adjustable to any circuit requiring a tuner.

Two Types Broadcasting 215-285 meters. For Short Wave Work 60-220 meters.

Price \$5.00

BREMER-TULLY MANUFACTURING COMPANY
 CANAL & HARRISON STREET, CHICAGO



"Better Tuning" (now in sixth edition) packed with each tuner or sent on receipt of ten cents. Tells you why and shows you how. Complete instructions and diagrams for progressive construction from Crystal to Reflex and Radio Frequency circuits.

As to the music broadcast, after having heard repeatedly 36 of the finest American stations, I can truthfully say that any of them would be proud to broadcast the music that our Mexico City stations broadcast. The selections played by the orchestra of our best hotel are broadcast by a station located about a mile away; so you can plainly see we are up to date.

Now, therefore, you BCL's all over the United States, perhaps you have not heard any of our stations just because you have not tried hard enough to. After reading this letter you know that there are good stations both north and south of the Rio Grande, so tune them in, be delighted by good Mexican and Latin-American music, and let us hear from you!

FRANCIS GOMEZ, JR.,
 Amado Nervo 61,
 Mexico City.

Reflex Radio Receivers In Theory and Practice

(Continued from page 495)

potential is now applied to the grid, either in a positive or negative direction radio-frequency currents will travel beyond the bends, and the radio-frequency currents will consequently be modulated.

This is probably best explained by Fig. 14. The top line A shows the radio-frequency currents generated by the tube, and the line B shows an audio-frequency alternating current which is applied to the grid.

Fig. 15 shows, on the top line C, the sort of modulated radio-frequency currents produced by the tube as a result of the alternating potentials on the grid. These radio-frequency currents generated by the tube are rectified by the crystal detector in Fig. 12, or by any other detector used in a reflex amplification circuit, because the remarks made here apply equally to all reflex amplification receivers. The radio-frequency currents shown in line C of Fig. 15 are rectified and produce uni-directional currents as shown in line D, and these produce an average current in the form of uni-directional pulses which pass through the primary of the transformer T₁, T₂ in Fig. 12. The transformer converts these uni-directional impulses to alternating currents of the kind illustrated in line E, Fig. 16. These currents are now fed into the grid circuit and reinforce those which we have assumed are already being introduced into the grid circuit by T₂.

AUDIO FREQUENCY

We thus have a chain of audio-frequency feed-back which, while quite different from the ordinary kind of chain of audio-frequency feed-back, yet possesses the same properties of enabling audio-frequency oscillation to take place. The audio-frequency currents are, in fact, carried by the radio frequency currents generated by the tube, and only appear again after rectification by the crystal detector D.

When considering the generating action of an oscillating tube, we always presume that something has set up a momentary oscillation which is rapidly built up and maintained by the tube. So, in the same way, we may assume, in a circuit of the Fig. 12 kind, that there is some momentary audio-frequency potential applied to the grid of the oscillating tube. This will modulate the radio-frequency currents generated by the tube; these radio-frequency currents are rectified by the crystal detector, and the



Our New Fall Catalogue

is the most complete list of Radio Supplies and Sets ever published and contains hundreds of new articles which are hard to get.

Be Convinced—Send 5c for your copy today.

BURGESS large 22½-V "B" Battery.....\$ 1.89
 BURGESS large 45-V "B" Battery..... 3.68
 "SUPERDYNE" Special coupler..... 4.89
 "Gold Seal" Homecharger, \$13.22 Valley..... 13.95
 G. E. TUNGAR charger, 2-Amp. \$14.37 5-Amp. 22.39

HAMMARLUND CONDENSERS
 Plain, 11-Pit., \$3.78 23-Pit., \$4.19 43-Pit., \$5.04
 Vemier, 11-Pit., \$4.62 23-Pit., \$5.04 43-Pit., \$5.88

Prices F.O.B. St. Louis, Mo. Cash or C.O.D.
 SIMPLEX RADIO SALES COMPANY
 1804 Lafayette Ave ST. LOUIS, MO.



GREATER EFFICIENCY Through Improved Construction

The **Adams Perfected** RADIO JACK


Pure Silver Contacts—phosphor bronze springs—bakelite insulated. A forward step in radio jack construction.

Covered by a permanent guarantee.

Dealers—Jobbers

Let us tell you about our attractive combination offer. Handsome display card with a 10c. item—a fast moving radio accessory. Write today—you need them now for your fall trade.

THE ADAMS RADIO MFG. CO.
 1044 West Van Buren Street Chicago



Now a MAGNAVOX Tube



THE engineers who developed the famous Magnavox line of radio reproducing and amplifying equipment have now produced a *vacuum tube* equally distinctive and successful in its own field.

One trial convinces the most exacting user that the Magnavox will replace ordinary tubes to great advantage in any receiving set.

\$5.00

MMAGNAVOX RADIO VACUUM TUBE TYPE A is a storage battery tube for use as audio frequency and radio frequency amplifier in all standard circuits. Highly recommended also for detector use. This tube is not critical of adjustment either as to plate or filament. Filament consumption one quarter of an ampere.

The most notable feature of the new Magnavox Radio Tube consists in eliminating the grid.

Unlike the ordinary storage battery tube, Magnavox Tubes give the electrons an unobstructed passage between filament and plate, with the result that the Magnavox has less than one half the internal capacity of other tubes of similar type.

Magnavox Products

Reproducers of electro-dynamic and semi-dynamic type, for all vacuum tube receiving sets;
\$25.00 to \$50.00

Power Amplifiers for audio-frequency amplification, one, two, and three-stage;
\$27.50 to \$60.00

Combination Sets combining a Reproducer and Power Amplifier in one unit;
\$59.00, \$85.00

Vacuum Tubes: A storage battery tube of new and approved design for all standard circuits . . . \$5.00

Magnavox Radio Products are sold by reliable dealers everywhere. If unacquainted with the Magnavox store in your vicinity, write us for information.

The name Magnavox is your assurance of quality and efficiency.

THE MAGNAVOX CO., OAKLAND, CALIF.
NEW YORK SAN FRANCISCO

Canadian Distributors: Perkins Electric Limited, Toronto, Montreal, Winnipeg

Growth



**ALL-AMERICAN
AUDIO
TRANSFORMERS**

Type R-12, Ratio 3 to 1...\$4.50
Type R-21, Ratio 5 to 1...\$4.75
Type R-13, Ratio 10 to 1...\$4.75

As a picture grows to completion under the hand of an artist, so has the world's favorite audio transformer grown under the development of its engineering staff. Soundly designed, it requires no yearly remodeling. Day by day it is brought nearer to perfection; a little refinement of winding here, a little more costly material there—the increased cost perhaps balanced by the adoption of some labor-saving tool, rendered economical by an enormous output.

In a word, the All-American you bought two years ago, unsurpassed as it was at that time, is overshadowed in perfection of performance by the All-American of the present day as the strength of a child is exceeded by that of a grown man.

Continuing, without radical change, the present standard All-American models (Audio, Power, Long-Wave) we shall announce, during October and November, achievements in the art of transformer building, surprising in their perfection even to those long familiar with All-American superiorities.

THE RADIO KEY BOOK IS OUT

The most valuable radio reference book you can own. It tells how to hear farther and better; all the more workable circuits are clearly pictured, diagrammed, and explained. Practical suggestions on how to get best results from the set you have. Send 10 cents for it today, coin or stamps.

RAULAND MFG. CO., 2646 Coyne St., Chicago
PIONEERS IN THE INDUSTRY



ALL-AMERICAN

AMPLIFYING TRANSFORMERS
Largest Selling Transformers in the World.

Free! RADIO LIBRARY
JUST SEND A POSTCARD YOU GET absolutely free—the A-K "Library of Latest Radio Literature," written by foremost radio authorities. Contains HUNDREDS of valuable wiring diagrams, HOOK-UPS, illustrations, articles, data, etc. EXPLAINS in clear, understandable language the popular new circuits: reflex, neutrodyne, phasiform, "nameless," super-heterodyne, etc., and how to build sets. Covers long and short wave amplification, push-pull and audio amplifiers. Latest information on multitudes of other radio subjects. **LOG BOOK INCLUDED FREE.** Also our latest Radio Catalog featuring **NATIONALLY ADVERTISED** lines at attractive savings. Write today—offer limited. Address: **ATWOOD-KING, Inc.** Dept. H10, 163 W. Washington St., Chicago

ATWOOD KING INC.

VACUUM TUBES REPAIRED

WD-11, WD-12, UV-201A, UV-199 **\$2.00** and others for

Quick service. All tubes repaired by us guaranteed to work as good as new. Send your dead tubes. All you pay is \$2.00, plus postage to postman.

THOMAS BROWN CO.
511-519 ORANGE ST. NEWARK, N. J.

original impulse is reproduced again on a larger scale which reinforces it and a process of audio-frequency oscillation is set up.

This presumes that the tube V has oscillated, and it will be found that the effect of audio-frequency buzzing is always more likely to occur when the tube is on the verge, or is actually oscillating, due to using too tight a regenerative coupling. The same effect, however, may be started even though the regeneration is not sufficiently tight to produce self-oscillation. In this case the incoming currents of the carrier wave are modulated by the audio-frequency currents in the grid circuit. When the carrier wave is very strong this effect may be obtained, and the introduction of regeneration, of course, increases the strength of the carrier wave.

Another thing which starts the circuit buzzing is the actual incoming signal when receiving telephony. The modulated incoming signals are rectified by the detector and produce an audio-frequency current which modulates the carrier wave and so perpetuates the audio-frequency oscillation.

Very often a tube may have the regeneration so high that an incoming strong signal will set the tube oscillating, and once the tube oscillates at radio-frequency it is very liable to start oscillating on audio-frequency, due to the effect which has just been described.

(Published in conjunction with *Modern Wireless* London).

Crystodyne Receivers and Amplifiers

(Continued from page 468)

tentiometer. A potentiometer of about 400 ohms or more may be connected across a four or six volt battery connected in series with a second battery of about eight volts. Fig. 5 shows a receiver more particularly adapted to the reception of long wavelengths above about 1000 meters. The condenser C2 has a capacity of .2 mfd., the telephones a resistance of 100 to 150 ohms. For the reception of short wave-lengths, the circuit of Fig. 6 is preferable, especially if an antenna of large capacity is used. The condenser C3, of .0005 mfd., increases the stability of the oscillations. With such circuits it is possible to receive radio telephone signals without distortion by properly adjusting the circuit and the potentiometer.

It is also possible to use the zincite crystal as an audio frequency amplifier. The circuit of such an amplifier is shown in Fig. 7. In this circuit the rectified oscillations from an ordinary galena crystal detector or vacuum tube are applied to the primary of the audio frequency transformer TR, the sec-





FIG. 6

Another circuit for short wave reception.

Insure your copy reaching you each month. Subscribe to Radio News—\$2.50 a year. Experimenter Publishing Co., 53 Park Place, N. Y. C.

ATWATER KENT R A D I O



Simplicity Plus Exquisite Workmanship

IN radio, efficiency increases as experience refines and simplifies it:—If you will examine an ATWATER KENT Receiving Set you will notice the absence of intricate wires and controls:—you will be impressed with the simplicity of its construction.

Largely because of this simplicity—plus exquisite workmanship and precision of engineering skill, ATWATER KENT Receiving Sets have no peer in the combined features of selectivity,

distance, ease of operation, tonal quality and volume.


—and it is a significant fact that as radio gains new enthusiasts, the demand for ATWATER KENT grows.


There is an ATWATER KENT Receiving Set to suit your preference, in size, price and type. There are three loud speakers to select from. Before you purchase, make it a point to see ATWATER KENT instruments and compare prices.

Instructive literature sent on request

ATWATER KENT MANUFACTURING COMPANY - 4943 Stenton Ave., PHILADELPHIA, PA.

THINK OF WHAT IS BACK OF IT





One is a jumble of wires, a makeshift arrangement of instruments. The other is a neat, well-balanced panel board assembly.

Is your radio set a "potato patch"?

The "potato patch" set is neither attractive in appearance nor efficient in operation. It is simply a jumble of wires and instruments.

Fine instruments should be mounted on a first-class panel. Use a good bakelite panel, preferably Celoron. Arrange your instruments properly on a Celoron panel and you begin your radio career with one less obstacle to clear reception.

Celoron is one of the finest insulating materials known. It possesses high dielectric strength and the ability to resist atmospheric attacks.

It never chips, cracks, warps, or buckles. It is practically indestructible.

Celoron has been tested and approved by the U. S. Navy and the U. S.

Signal Corps. It is used today by leading radio manufacturers and by thousands of radio fans.

If you want to build a beautiful cabinet, use Vulcawood—the new cabinet material. If your dealer has not received a supply of Vulcawood, write us. We will send you a pamphlet telling you how to build a Vulcawood cabinet and will give you the address of the nearest Vulcawood dealer.

Send for FREE booklets


We have prepared two interesting booklets, "Getting the Right Hook-up with Celoron," and "Vulcawood—the New Cabinet Material," which contain many helpful suggestions for building and operating a radio set. Send for your copies now. They are free.

Diamond State Fibre Company
 Bridgeport, Pa. Chicago, Ill.
 Branches in Principal Cities!
 Toronto, Canada London, England

CELORON

BAKELITE RADIO PANELS

We repair the following RADIO TUBES and Guarantee Them




WD-11	\$2.50	DV-6	\$2.50	UV-201A	\$2.50
WD-12	2.50	DV-1	2.50	C-301A	2.50
UV-200	2.50	DV-2	2.50	Marconi	2.50
UV-201	2.50	DV-6A	2.50	Moorhead	2.50
C-300	2.50	UV-199	2.50	6 v. Plain Detector	2.50
C-301	2.50	C-299	2.50	6 v. Plain Amplifier	2.50
UV-202 Transmitter and C-302		\$3.50			

Mail Orders solicited and promptly attended to
 Dealers and Agents write for Special Discount

H. & H. RADIO CO.

P. O. BOX 22-H
 CLINTON HILL STA. NEWARK, N. J.



Insure your copy reaching you each month. Subscribe to Radio News—\$2.50 a year. Experimenter Publishing Co., 53 Park Place, N. Y. C.

ondary of which is connected to the telephone and the resistance compensating circuit composed of a zincite-steel detector. By adjusting the potentiometer an audio frequency whistle is produced. The potentiometer is then turned back until the oscillations just stop when the antenna is disconnected. Then the antenna may be connected, and audio frequency amplification of the rectified signals is obtained. Since a certain rectification effect is produced in such an arrangement the signals may be somewhat distorted if loud, but it is possible to have clear reception by readjusting the potentiometer slightly.




FIG. 7
 An audio frequency amplifier using a zincite crystal instead of a tube.

It is needless to say that in all the circuits it is necessary to find a sensitive spot on the crystal exactly as with a regular crystal detector and it is also advisable to try several samples of zincite in order to determine which one is the most sensitive and produces the most steady oscillations.

In the next issue we hope to be able to present the diagram and characteristics of a complete station using zincite oscillators for transmitting and receiving. We wish to acknowledge our indebtedness to our contemporary *Radio Electricite* for the data contained in this article.

New Radio Patents

(Continued from page 503)

of a clip engaging each of the opposite ends of the condenser with a rivet passing through the clips to secure the clips to the condenser and cause the clips to press tightly against the plates.

RADIO CONTROL SYSTEM

(Patent No. 1,489,031, J. H. Hammond, Jr. Filed March 25, 1914, issued April 1, 1924.)

RADIODYNAMIC SYSTEM AND METHOD FOR AVOIDING WAVE INTERFERENCE in dynamic control systems. The system contemplates a transmitter of a plurality of differently characterized or contrasting impulses to the first of which only the receiving circuit is responsive and upon receipt of which the electrical constants are automatically changed so that the circuit becomes responsive to the next succeeding transmitted energy upon receipt of which a desired control may be effected. Interference from undesired sources will, therefore, not effect a control, for the particular combination of frequencies to set a control could probably not be determined by hostile stations.

MULTIPLEX RECEPTION

(Patent No. 1,489,287, A. H. Taylor. Filed May 29, 1923, issued April 8, 1924.)

RECEIVER OF HIGH-FREQUENCY ELECTRICAL SIGNALS wherein a multiplicity of separate signal channels may be established on the same antenna. A rejector circuit is interposed between each receiver and the connections with the antenna for eliminating undesired reactions of one receiver upon another.


DIRECTIVE ANTENNA

(Patent No. 1,490,165, L. Espenchied. Filed Sept. 30, 1919, issued April 15, 1924. Assigned to American Telephone and Telegraph Company.)

BALANCED ANTENNA SYSTEM for directive reception so arranged that it will produce maximum effect upon the receiving apparatus in response to oscillations received in a given direction, but will produce practically no effect upon the receiving apparatus in response to radiations received from the local sending antenna. Another



GILFILLAN NEUTRODYNE



STYLE GN - 1


In an artistic two-tone American Walnut cabinet harmonizing with any interior. Price without loud speaker, phones, tubes or batteries **\$175.00**

Special and Original Features

The handsome cabinet of the GN-1 has space for the "B" battery and may be entirely closed when not in use. The essential parts are segregated into three panels with a door to each. It is a "straight line" set, with loud speaker Jack and ground, antennae and "A" battery Posts at the rear. It has a two-scale Voltmeter and low-loss Condensers of special design.

Parts for these sets are made in Gilfillan factories, and assembled under supervision of Gilfillan engineers. The Gilfillan reputation assures a perfectly balanced neutralized circuit of superior workmanship.

GILFILLAN NEUTRODYNE has a record of exceptional performance in the clear and delightful reproduction of speech and music from Radio Stations far and near. Literature on request.




Style GN-2 has the same NEUTRODYNE construction and features in a smaller cabinet. Price without loud speaker, phones or batteries **\$140.00**

Jobbers and Dealers write for special sales proposition

GILFILLAN BROS. INC.
1815 W. 16th St., LOS ANGELES, CAL.

KANSAS CITY
2525 W. PENN WAY

NEW YORK CITY
225 WEST 57TH ST.



Haynes-Griffin

RADIO SERVICE, Inc. 41 West 43rd St., N. Y. City



A. J. Haynes, Assoc. Inst. Radio Engineers, author of "Super Success" and designer of special parts for the Super Heterodyne.

"Super Success"

by A. J. Haynes

No matter whether you have built a "Super" or not, whether you are thinking of building one or not, you should have a copy of Mr. Haynes' new booklet "Super Success".

Here, in one booklet, Mr. Haynes presents the information which he has gathered in over a year's experimentation with Super Heterodyne receivers. Some of this material has already appeared over Mr. Haynes' signature in the radio magazines, but much of it has never before been available to radio fans. Many valuable hints, such as using the "Super" to receive the new low-wave-length broadcasts of WGY and KDKA, how to spread the oscillator dial readings to cover just the desired band of wave lengths, and numerous other "kinks" Mr. Haynes has discovered, are published for the first time in this booklet.

Included also is a price list of the very parts used by Mr. Haynes in constructing his personal Super Heterodyne. Copies of the first edition of this most complete and most authoritative book on the "Super" may be had at 25c each.

Complete parts for the Haynes Simplified Super Heterodyne, including a drilled, engraved panel, may be purchased for \$72.13. Send for detailed price list.

Advantages of the HAYNES Simplified Super Heterodyne

No. 1—Matched Transformers

Mr. Haynes says: "My experience in studying the problems of hundreds of experimenters who have brought their Super Heterodynes to me has convinced me that their chief source of difficulty lies in the improper matching of the radio frequency transformers."

These transformers are the heart of the super heterodyne. Unless they are perfectly matched, radio frequency amplification will be choked, and your "Super" will not deliver as it should.

Following out our policy of always keeping a step ahead in offering improved apparatus, Haynes-Griffin Intermediate Wave Transformers are submitted, after manufacture, to the Haynes Laboratory Test.

Every Transformer Is Individually Tested

Under the supervision of Mr. Haynes, every Transformer is tested, and its peak of resonant frequency exactly ascertained. Then the transformers are matched in sets of four which display identical characteristics.

Every radio fan who constructs his "Super" with Haynes-Griffin Transformers can be sure that he will obtain the best possible results from his set. Laboratory testing and matching insures the highest degree of selectivity, sensitivity and tone quality.

Sold only in Matched Sets of Four

Every set of Haynes-Griffin Intermediate Wave Transformers after being tested, is packed in a sealed carton containing the Haynes-Griffin guarantee that each transformer has been tested, found electrically and mechanically perfect, and carefully matched with the other three. Set consists of one In-Put and three Inter-Stage Transformers. Price, set of four, \$20.00.



HAYNES-GRIFFIN RADIO SERVICE, Inc.

41 W. 43rd St., New York City 111 S. Clark St., Chicago, Ill.

feature in the invention relates to a directive receiving antenna so arranged that its direction of maximum absorbing effect may be rotated at will, without affecting its faculty of producing substantially no effect upon the receiving apparatus in response to radiations transmitted from the local sending antenna.

WAVE CHANGER

(Patent No. 1,491,288, G. H. Clark. Filed May 2, 1919, issued April 22, 1924.)

RADIO SIGNALING APPARATUS including a wave changer system for are transmitters. A loading coil and a fine adjustment coil are connected in the antenna circuit with switch arms adapted to make contact with said coils. Means are shown for connecting said arms to cause simultaneous movement to provide coarse and fine adjustment.

SWITCHING DEVICE FOR CONDENSERS (Patent No. 1,491,341, A. H. Eaves. Filed Aug. 14, 1918, issued April 22, 1924. Assigned to Western Electric Company.)

CONDENSER made up of a number of fixed condenser units of various capacities with a switching device whereby the total capacity between a pair of terminals may be varied in the terms of the smallest capacity.

VACUUM TUBE BASE

(Patent No. 1,491,362, H. E. Shreve. Filed Feb. 20, 1918, issued April 22, 1924. Assigned to Western Electric Company.)

VACUUM TUBE shell for surrounding the base of a tube. The shell consists of a collar, a plate of insulating material fitted in the outer end of said collar and terminal connections carried by said plate for each of the tube electrodes. The plate is positioned within the collar perpendicular to the axis of the collar.

SELECTIVE RADIO CONTROL

(Patent No. 1,491,772, J. H. Hammond, Jr. Filed April 26, 1912, issued April 22, 1924.)

METHOD OF AND SYSTEM FOR SELECTIVE WAVE TRANSMISSION for control systems wherein the transmission station is provided with circuits for emitting a plurality of co-existing series of waves in groups having different group frequencies. The wave groups are emitted in sets having rates different from the wave group frequencies.

DISTANT CONTROL

(Patent No. 1,491,772, J. H. Hammond, Jr. Filed May 9, 1912, issued April 22, 1924.)

SELECTIVE WAVE TRANSMISSION SYSTEM wherein wave groups are transmitted at a distinctive rate obtained by means of interrupters or variations of wave amplitude. The transmission system includes a circuit inductively connected to the transmission circuit including a source of periodic impulses of a predetermined frequency. These impulses are varied at a frequency different from the first frequency. Another circuit is provided wherein periodic impulses of a still different frequency are produced. At the receiver a plurality of circuits are used tuned to respond to the several frequencies for operating a control by conjoint action of all frequencies.

SELECTIVE TRANSMISSION

(Patent No. 1,491,773, J. H. Hammond, Jr. Filed May 9, 1912, issued April 22, 1924.)

METHOD OF AND SYSTEM FOR SELECTIVE WAVE TRANSMISSION wherein selectivity in transmission is secured by employing distinctive wave-lengths and distinctive wave-group frequencies. A still higher degree of selectivity is secured by transmitting and receiving these waves and wave-groups at a third distinctive rate, which may be obtained by means of interrupters, variations of wave amplitude or in other ways.

SECRET RADIO SYSTEM

(Patent No. 1,491,775, J. H. Hammond, Jr. Filed Sept. 29, 1916, issued April 22, 1924.)

METHOD OF AND SYSTEM FOR TRANSMITTING AND RECEIVING ELECTRO-RADIANT ENERGY for securing secrecy in radio communication. The transmitting circuit shown includes a plurality of rotary spark gaps and a shunted tone circuit whereby a plurality of effective tone signaling frequencies are secured which are selectively received at the receiving circuit to operate any desired control circuit.

TUBE CONSTRUCTION

(Patent No. 1,492,000, H. J. Round. Filed August 26, 1920, issued April 29, 1924. Assigned to Radio Corporation of America, N. Y.)

THERMIONIC DEVICE FOR RADIO TELEGRAPHY AND TELEPHONY, in which the anode is situated at a distance from the cathode and is constructed of a pair of independent grid-like devices in close parallel planes. One anode is closer to the cathode than is the other anode. The grid is interposed between the anodes and the positive battery applied to the anode structure.

HIGH SPEED RECEIVING CIRCUIT

(Patent No. 1,492,321, H. M. DeR. DeBellescize. Filed Aug. 29, 1921, issued April 29, 1924.)

RADIO SIGNALING SYSTEM comprising an electron tube apparatus wherein the energy from the detector circuit is delivered to two differential low frequency circuits differently tuned. The two circuits have high time constants with respect to the oscillation frequency and the time constants of the high frequency receiving circuit.

"PACIFIC QUINTET" \$15.00

Super Het Kit (45,000 Cycle)
Consisting of 1 Pacific "Ranger" No. 30 Oscillator Coupler, 3 Pacific "Ranger" No. 25 Intermediate Frequency Transformers and 1 Pacific No. 20 "Ranger" Filter Transformer with hook up print and simple instructions.

Sent to any address upon receipt of \$15.00, or by Parcel Post or Express C.O.D.

Representatives—Manufacturers—Distributors
Baldwin Pacific & Co., 443 Pacific Bldg., San Francisco

WHOLESALE ONLY

If You Are Contemplating Going Into the Radio Business
Send For Our New Illustrated Catalog With Bargain Prices

MANHATTAN RADIO COMPANY
112 Trinity Place, New York City

REGAL

QUALITY RADIO PARTS INSURE THE BEST POSSIBLE RESULTS FROM ANY TYPE OF CIRCUIT
Write for complete literature and prices
AMERICAN SPECIALTY CO.
BRIDGEPORT, CONN.

Distance! The Only AUTHORIZED COCKADAY COIL

Gets distant stations easily and clearly. Made in strict accordance with specifications by L. M. Cockaday, inventor of the famous Cockaday Four Circuit Tuner. Greater volume, sharper tuning, maximum selectivity. Guaranteed. At your dealers—otherwise write us direct. Price \$5.50

PRECISION COIL COMPANY
209-D Centre Street New York



It Will
bring in stations
you never heard before

Reaching out through the ether—"fishing" for new stations in far away places—is a most thrilling "game." To many it is more than half the fun of radio receiving.

Success in this absorbing venture requires not only a good receiver but a headset capable of bringing in the faintest signal, clear and distinct. Such is the new supersensitive Music Master Headset. "It's equal to

another stage of radio frequency," one user said.

The Music Master Headset is to other headsets what the Music Master Reproducer is to other loud speakers, because it is a precision instrument of the highest order.

And it is a handsome, comfortable set—sanitary and enduring. Ask your dealer to let you try one.




Music Master
 Radio Reproducer

"The Musical Instrument of Radio." Greater volume with clearness. Connect as you would headphones. No adjustments.

14-inch Model, for Home \$30

21-inch Model, for Concerts and Dancing \$35



Music Master
 Loop Aerial

Has perfect "aim" and extraordinary "reach." It is equipped with calibrated dial, and covers the entire band of broadcasting wave lengths.


Price \$10

Music Master Corporation

Makers and Distributors of High-Grade Radio Apparatus
 10th and Cherry Streets

Chicago PHILADELPHIA Pittsburgh

**Music
 Master**
 HEADSET



Partners for Power

For clearness, distance and pleasure from your radio—your storage battery needs its partner—the Tungar Battery Charger.

Tungar keeps the battery at top notch—always ready for you to get every program.

Attach Tungar to the house circuit for overnight charging of radio and auto batteries and be free from care.

Sold by Electrical, Auto-accessory and Radio dealers.



Tungar is one of the many scientific achievements contributed by the G-E Research Laboratories toward the wonderful development of electricity in America.

Tungar Battery Charger operates on Alternating Current. Prices, east of the Rockies (60 cycle Outfits)—2 ampere complete, \$18.00; 5 ampere complete, \$28.00. Special attachment for charging 12 or 24 cell "B" Storage Battery \$3.00. Special attachment for charging 2 or 4 volt "A" Storage Battery \$1.25. Both attachments fit either Tungar.



Tungar—a registered trade mark—is found only on the genuine. Look for it on the name plate.

Merchandise Department
General Electric Company
Bridgeport, Connecticut

GENERAL ELECTRIC

48E-11

I Want To Know

(Continued from page 508)

wire wound on a form about three inches in diameter. The grid and plate coil may respectively comprise 65 turns of wire on a 2½ inch tube, tapped as shown, and about 50 turns of wire on a three inch tube.

Q. 3. Is it practical to use a switching system to secure any desired circuit?

A. 3. Losses, due to long leads and high resistance points of contact would be very high, and this method of connecting is not to be recommended. Coupling effects due to the long leads would prevent a correct comparison of the various circuits, at their maximum efficiency.

TUBE DATA

(2035) Mr. Clion D. Stutler, Salem, W. Va., requests:

Q. 1. What are the advantages and particular uses of the various tubes?

A. 2. The UV-199 tube is a very good radio frequency amplifier. It is an excellent detector and fair audio frequency amplifier. It consumes less current than any other tube, resulting in the lowest upkeep cost. The WD-11 tube operates in about the same manner as the UV-199 tube. One dry cell supplies the correct current for this tube, while a large flashlight battery is the correct supply for the UV-199. The WD-12 designation is for the WD-11, when a standard base is used. The UV-200 is the best detector tube available. It functions best when not preceded by an amplifier. This tube is a poor amplifier of either radio or audio frequency currents, due mainly to a low vacuum and gas content. The UV-200 requires a very high filament supply current, requiring a low resistance rheostat for proper control. The UV-201 consumes the same amount of current as the UV-200. Having a high vacuum, it is a particularly good audio frequency amplifier. The UV-201A tube requires only one-fourth the current of the UV-201 tube, due to a special filament being used, and functions in about the same manner. Having a high amplification factor, but a high internal capacity as compared to smaller tubes, it serves well as the intermediate radio frequency amplifier tube of Super-Heterodynes. This tube, or its equivalent, should be used where high amplification is desired at frequencies under 300 K.C. The Cunningham line, having the letter "C" preceding the tube number, may be considered, for most purposes, as equivalent to the Radio Corporation of America line designated by UV. In the DeForest line (designated by DV), the DV-2 may be considered as equivalent to the UV-201A, while the DV-3 tube closely resembles the WD-11, but where the latter uses a single dry cell, the DV-3 requires two dry cells for its filament supply. All tubes should oscillate easily. The best audio frequency amplifiers are the best oscillators. Myers tubes are designated only as Dry Battery, or Universal (operates with a storage battery filament supply). The former compares with the DV-3 tube, and the latter compares with the UV201-A and DV-2 tubes. Having a low internal capacity, the Myers tubes make very good radio frequency amplifiers. It is possible to use as high as 300 volts, plate potential.

Q. 2. What make is a "peanut" tube?

A. 2. This name has erroneously been applied to the UV-199 tube. It correctly refers to the Western Electric Type "N" tube.

Q. 3. What are the features of the "peanut" tubes?

A. 3. The N tube is about one-half the size of the UV-199 tube. Consuming one-quarter ampere, at 1.1 volts, it requires only one dry cell for best operation. It is an excellent radio frequency amplifier, at high frequencies, but is only a fair amplifier of audio frequencies. This tube is a very good detector.

Esperanto, Ilo, Ido—Which?

(Continued from page 471)

system. Decadent? Yes! As Rene de Saussure, who presided over the last Esperanto Congress which his friend Dr. Zamenhof attended, has put into practice a truly reformed Esperanto without Czecho-Slovakian letters. Of course Esperanto booksellers abhor it.

Again we hear noise and propaganda of "greatest numbers" in the fact that Esperantists—partly through paid propagandists—have distributed about a half million vest pocket texts for France alone. Alas, the official number of paying Esperantists there today is about 800 neutrals and 300 members of labor groups.

However, let us give them their due. They

Next!




When the conventions were waxing hottest, DE-TEC-TONE was proving its superiority, both on Reflex and Crystal Sets.

DE-TEC-TONE

Crystal Detector
At Dealers or Direct

Type "B" (above) \$1.60
Type "C" (below) \$1.50
Jobbers: Discounts and Literature on request.

PYRAMID PRODUCTS COMPANY
117 N. Dearborn St. Chicago



Don't experiment! You'll find it cheaper in the long run to "stick to"

Radio **DIAMOND** Plate

"B" BATTERIES

DIAMOND ELECTRIC SPECIALTIES CORP.

103 South Orange Avenue, Newark, N.J.
Dealers—Jobbers, Write for Proposition

Insure your copy reaching you each month. Subscribe to Radio News—\$2.50 a year. Experimenter Publishing Co., 53 Park Place, N. Y. C.

The PAUL REVERE of TODAY

TWENTY miles in a single night. That was the wonderful broadcasting achievement of Paul Revere as he galloped from village to village, waking the country-side with the cry, "the British are coming."

Just one hundred and fifty years ago he made that broadcasting record. Today news flashed in any part of the country is heard almost instantly, not a mere twenty miles, but thousands of miles away.

In every part of the United States Crosley Radio Receivers are bringing in far distant stations clearly and distinctly. Up to the minute news, concerts, music, lectures, are yours to enjoy right in your home when and from where you choose if you own a Crosley.

Keeping always at the head of the procession in improvements and innovations, the Crosley Radio Corporation has made it possible for every one to possess the maximum efficiency in radio reception at the minimum cost.

The Crosley Trirdyn 3R3 illustrated below is, in the opinion of many experts, the best radio receiver ever offered to the public at any price. The experiments of over 200 experts have shown that in ease of tuning, sharpness of signals and nicety of calibration, the Trirdyn cannot be excelled. Local stations may be easily tuned out, even if very close to you, and far distant reception almost instantly brought in.

The Trirdyn 3R3, illustrated below, is a 3-tube set incorporating tuned radio frequency amplification, regeneration and reflex. It has been proven to give the efficiency of a 4 or 5 tube set. And yet it is priced at only \$65 without batteries, tubes and headphones. The Trirdyn Special, set in a special solid mahogany cabinet which is made to house all necessary accessories, may be had for only \$75.

Before you purchase a radio receiver listen in on a Crosley Trirdyn For Sale By Good Dealers Everywhere



Crosley Trirdyn 3R3, \$65.00

Other Crosley Models

Crosley 50. A one tube Armstrong Regenerative Receiver. Price, less accessories, \$14.00. A two stage amplifier, Crosley 50-A, may be added to it for only \$18.00, thus making a three tube set.

Crosley 51. The two tube Armstrong Regenerative set that became the biggest selling receiver in the world in just 24 days. Price, less accessories, \$18.50. By adding the Crosley 51-A a one stage amplifier at \$14.00, a three tube set may be formed.

Crosley 50-P. The Crosley 50 in neat strong Portable quartered oak cabinet less accessories for only \$18.00.

Crosley 51-P. The Crosley 51 in compact leatherette portable case completely self-containing less accessories at \$25.00.

Crosley 52. A new Armstrong Regenerative 3-tube set assuring loud speaker volume on distant stations under almost any conditions. Price, without accessories, \$30.00.

Crosley X-J. One of the best known and most popular 4-tube receivers on the market. A radio frequency set at \$55.00 without accessories.


Crosley X-L. A rearrangement of the 4-tube Crosley X-J set in a beautiful mahogany console cabinet. Price, without accessories, \$120.00.

THE CROSLY RADIO CORPORATION

Powel Crosley, Jr., President

1022 Alfred Street

Cincinnati, O.



All Crosley Regenerative Receivers licensed under Armstrong U. S. Pat. 1,113,149

CROSLY
Better - Cost Less
Radio Products

The Crosley Radio Corporation owns and operates Broadcasting Station W. L. W.


MAIL THIS COUPON TODAY

The Crosley Radio Corporation,
1022 Alfred St., Cincinnati, O.

Gentlemen: Please mail me free of charge your complete catalog of Crosley instruments and parts together with booklet entitled "The Simplicity of Radio".

Name _____

Address _____



FOUNDERS

OF RADIO

LUIGI GALVANI

BORN AT BOLOGNA, ITALY, 1737

GALVANI contributed much to knowledge of electricity. Educated in medicine, he obtained great renown as an anatomist, and was appointed lecturer at the University of Bologna.

Like many other great scientific discoverers, Galvani's valuable researches resulted from an accident. History records that in preparing some frogs' legs as a special dish for his wife, he noticed that when the nerve muscle was touched by a scalpel, twitching of the frogs' legs occurred. He became inter-

ested, and so contributed his genius to the advancement of electricity.


Galvani's primitive experiments were an important link in that long chain which has finally led to Radio. Perfection is always the result of years of effort and experimentation. Holtzer-Cabot's thirty-five years' experience in the manufacture of delicate electrical apparatus has produced for you three perfected Radio receiving units.

Ask your dealer to let you try a Holtzer-Cabot Loud Speaker, Phonograph Attachment or Headset. The results will speak for themselves.

Holtzer-Cabot Loud Speaker
Loud Speaker Phonograph Attachment
No. 2 Universal Head Phones
No. 4 National Head Phones

WRITE FOR BOOKLET Department RN

THE HOLTZER-CABOT ELECTRIC CO.
125 Amory Street BOSTON, 6161-65 South State St. CHICAGO



FREE YOUR OWN Name and Address Printed on Thank You Cards

Hear what YOU like. Stations are glad to put on numbers at your request. We print Special Cards that get ATTENTION—All the RAGE. Cards (Printing FREE) 100—only \$1.35; 200—\$1.35; 300—\$2.35, POST PAID. Order TODAY.
MONEY REFUNDED if Not Satisfied
High grade printing—Good quality cards—You will be DELIGHTED.
Send order with check or money order today—NOW.
RADIO PRINTERS, 27 Main Street, Mendota, Illinois

FREE THE BIG 3 FT. TELESCOPE
See people and objects miles away just like they were close; see Moon and Stars as never before. Brass bound, in five sections. Useful and entertaining. Thousands pleased. Full color of aeroplane 4 miles away! Light House 25 miles away!—Clide Scribner.
FREE Leatherette Carrying Case. Don't send a penny; on arrival of 3 ft. Telescope and Case pay Postman only \$1.35 plus a few cents postage. Satisfaction guaranteed or money back. Ferry & Co., Dept. 3927 Chicago, Ill.

S. HAMMER RADIO CO.	
307 Atkins Avenue	Brooklyn, N. Y.
\$8.50 N & K Phones 4000 ohms Model D.....	\$5.90
12.00 Dr. Selft Phones, 6000 ohms	5.75
7.00 Superdymne Coils, Genuine	4.95
12.00 Baldwin Phones (Type C, Double).....	7.95
7.00 Federal Type No. 65 Transformer.....	5.25
7.00 Amertran Transformers	5.50
12.50 Como Duplex P.P. Transformer.....	9.75
30.00 Music Master Loud Speaker.....	24.00
Not Insured Unless Insurance Charges Included.	
Orders over \$5 00 shipped Prepaid.	

5000 RADIO DEALERS buy from HUDSON-ROSS
123 W. Madison St. Chicago
Send for dealers discount.

are clever propagandists, if somewhat unscrupulous in evading the issue of "trial by comparison." Their British member, Harry Epstein, has several stenographers available, while most Ilists until recently had to sacrifice their own time to get a fair hearing. The idea of paying for distributing Ilo literature has never been dreamt of.

Contrary to the opinion of most Esperantists, Ilists do not regard the growth of Esperanto with entire disfavor. They dislike its vociferous methods of propaganda. More science and less fanfare, brothers!

Ilists recognize the obvious fact that their system was in a formative stage for many years and is only now commencing to carry on an effective propaganda. They admit that it can still grow and they "grow it!"

Research men the world over dislike premature publicity. Hence Ilists regard every Esperantist as a possible adherent, as all leading Ilists are ex-Esperantists. All the members of the RAIL,—who are among the leading radio engineers of the United States—have tested both systems—some of them as far back as 1905. They are now Ilists. Most Esperantists, unless of the "rule or ruin" type of fanatic, can be reached eventually through an impartial exposition—and practical test—of the relative merits of the two.

Dr. Cottrell of the Bureau of Mines, Muscle Shoals Division, and Mrs. Dave H. Morris (nee Alice Vanderbilt) are backing the RAIL movement neutrally, and are building a sound structure to give a real test to both projects within the next two years. This will be under the I. A. L. Association of Washington, D. C., and will be impartial. In the meantime, to get a fair hearing, Ilists are waking up to the necessity of making the public "take notice" of their careful researches from 1907 to 1914, and to insist on a trial of the result.

Do not let Esperantists tell you they have 4,300 roots;—they have about 2,800 and Ilo has four times that number from which "borrowings" are taking place right along by the followers of the "one-man" system.

Now to return to the false claims of the Esperantists of "support" by the League of Nations! This is childishly naive when not downright deceptive—in intent, if not in form.

In spite of the efforts of its partisans, Esperanto failed at the League of Nations. But the "setting" had been cleverly planned. Dr. Privat, an Esperantist, was employed by the League. He succeeded, although a citizen of Geneva, in being named as a Delegate from Persia!

The report presented later, on Esperanto, was largely his work and contained gross inaccuracies and exaggerations. So much so, that one section of it had to be suppressed by the Under Sect. of Int. Bureaus, Dr. Nitobe—somewhat friendly to Esperanto himself!

To show this clearly I quote from a letter to myself from Dr. Nitobe under date of October 9, 1923. Asked why the 5th Chapter in the Report, "Esperanto as an International Auxiliary Language" was omitted, he replied "I would say that the report . . . was intended to be entirely and wholly objective (that is non-partisan—O. C. R.) Chapter 5, however, contained conclusions which were not considered objective enough and it was therefore omitted."

In other words the Esperantists tried to chloroform or stampede the Committee on Intellectual Co-operation making the report. Finally, the Fifth Committee, which looked over this report, did not include the resolutions based on its gross inaccuracies and there the matter rested "up in the air", as the natural languages had been suggested instead, by said Fifth Committee. So much for the great victory! Page 47 of this report gives only 3,300 students (including the merely curi-



Greater Distance on the loud speaker

Send for the 32-page illustrated book giving latest authentic information on drilling, wiring, assembling, and tuning 6 and 8 tube Ultradyne Receivers.

50c



Ultradyne Kit

Consists of 1 Type "A" Ultraformer, 3 Type "B" Ultraformers, 1 tuning coil, 1 oscillator coil, 4 matched fixed condensers.

The Ultraformers are new improved long wave radio frequency transformers, especially designed by R. E. Lacault, Consulting Engineer of this company and inventor of the Ultradyne.

To protect the public, Mr. Lacault's personal monogram seal (R.E.L.) is placed on all genuine Ultraformers. Ultraformers are guaranteed so long as this seal remains unbroken.

\$26⁰⁰



NO ordinary standards of distance can be applied to the Ultradyne Receiver. The "Modulation System" of radio reception, used exclusively in the Ultradyne, completely revolutionizes all previous conceptions of range.

The "Modulation System" is the latest development of R. E. Lacault, A.M.I.R.E., Consulting Engineer of this company and formerly Radio Research Engineer with the French Radio Research Laboratories.

This "Modulation System" is a decided departure from the detector arrangement used in all other Super-Heterodynes. It causes the incoming signal to modulate the oscillations produced locally just as the voice modulates the carrier wave of a broadcasting station. Provides greater rectification and produces greater signal strength which is far more noticeable on weak signals.

In addition the Ultradyne incorporates every good feature of all types of Super-Heterodyne receivers.

Just operate one! No description could possibly convey any adequate idea of Ultradyne performance.

Write for descriptive circular

ULTRADYNE

The Improved

SUPER-HETERODYNE

PHENIX RADIO CORPORATION, 3-7 Beekman St., New York City

Telmaco Acme Receiver

The Ideal Receiver for all Seasons



The Telmaco Acme Receiver is truly portable. Entirely contained in beautiful traveling case. Tubes, batteries, loop, loud speaker, everything built into set. No outside loop, no aerial, no ground required.

Size of Case 8" x 10" x 18". Weighs only 27 pounds complete. Easily Carried.



Acme 4-Tube Reflex Circuit Used

securing selectivity, distance and volume with minimum battery consumption.

Complete in itself. Easily carried from room to room in your home or to office, neighbors, etc. Take it along and have music, entertainment, speeches, news, market reports wherever you happen to be.

Instantly ready for use as it is. You can use external antenna and ground, loop and loud speaker if desired. 4 tubes (fully protected by shock absorber sockets)—equal to 7 tubes, due to reflexing and use of crystal detector.

Reasonably Priced Write for Free illustrated circular fully describing Telmaco Acme Receiver.

Complete Telmaco 64 page catalog containing 20 circuits in blue and describing the best in radio sent postpaid for 10c.

Dealers! Catalog and Price List furnished to all bona fide dealers making request on their business stationery.

Radio Division

Quality Radio Exclusively Established 1918

TELEPHONE MAINTENANCE CO.
20 South Wells Street Dept. B Chicago, Illinois



More Distance—Less Noise!

Radio experts agree that properly soldered connections *eliminate internal set noises*, and prevent the leak of weak distant signals. With the new improved Home Electric Soldering Iron, every connection in the home-built set can be made as stable and electrically perfect as those in factory-built sets.

Light yet sturdy, almost negligible in current consumption, *with a special point that reaches into those tight corners where the average iron cannot go*, and a handle that does not heat, the Home Electric Soldering Iron will give you a life-time of convenience and utility.



Price with cord, plug, a supply of flux and solder, only \$3.00. If your dealer cannot supply you, *send us your order* and we will ship you one by return mail, either C. O. D., or upon receipt of cash or money order.

The A. Mecky Co., 1705 Allegheny Ave., Philadelphia

Write for complete illustrated FREE Catalog of

PARAGON

Reg. U. S. Pat. Off.

RADIO PRODUCTS

ADAMS-MORGAN CO.

6 Alvin Place Upper Montclair, N. J.

Own the World's Best Arms



Luger Pistols barrels 4, 6, 8, 12 and 16 inches. Mauser Pistols, long barrels; holster stocks for both. Mauser, Mannlicher and all other arms. Catalog 10 cents. PACIFIC ARMS CORPORATION, Liberty Bank Bldg., San Francisco, Calif.

uos) in all of Great Britain. The League moreover never considered Esperanto as a world culture.

Let us all forget numbers and lump the active opposing camps on the best available statistics as 25,000 Esperantists and 12,000 Ilists.

Esperantido, Romanal, Idiomi Neutral, etc., altogether have not 200 active followers, so why does Mr. Sayers bother to knock them down to show his system's strength.

Here's a study in the "jargon" from a recent number of "Esperanto Triomfonta." Note the absurd results of the lack of strict logic—which they hate—in Esperanto work formation:

"Kvankam la strasburgoj "MARISTOJ" ne ELTROVIS novajn kontinentojn au insulojn, ili PERIS la komercon kun multe da europaj urboj kaj al unu el la kuragha ARO la dankema patro urbo starigis tombomumenton."

Put into English this means "Although the Strasburg sailors did not discover new continents or islands, they "by-means-of-ed" i.e., "mediated in"! (A beautiful example of logical tiddle-de-winks.)—commerce of many European cities. To one among the courageous "ary" (cf. diction—ary!—i. e., a collection) the thankful "birth-city" set up a tomb-mument!"

Isn't it natural and easy!

It is—not! Play it on the microphone.

In England Major Gen. Sir Francis Mulcahy, K.C.B., wrote to the *Radio Times* of July 4: "If the more logically constructed, more perfect and more euphonious language is to win, then Ido (Ilo) will succeed, just as Esperanto has replaced Volapuck. Wireless can not be bound to any system other than the best, which in this matter is the younger."

The Esperantists are digging up all the pettifogging quibbles which, casuistry and a new sense of insecurity—due to the European and American growth of interest in Ilo—can suggest.

Propagandists like Kotzin, Aymonier, Guerard and Collinson are not to be mentioned in the same breath with Talmey, de Beaufront, Conturat and Jespersion and even de Saussure, who has a really improved pure Esperanto dialect.

What should the readers of RADIO NEWS do to get a fair idea of these systems, without too much effort? I suggest they send to me at Beacon Chambers, Boston, Mass., for L. H. Dyer's 170-page book on the whole question. It is fair and impartial and scholarly without being heavy. It has more judgment and common sense in its point of view than anything else that has ever been published about any system whatever.

In the fall Ilo will have the most complete dictionaries of English terms ever produced in any auxiliary language—30,000 words with antonyms and synonyms.

Twenty radio stations in the U. S. and Canada are getting ready to tie in with radio sections of newspapers in teaching Ilo by the "University of the Air."

Vivez Ilo la, futura linguo por omna radiori.

IN SUPPORT OF ILO

Editor, RADIO NEWS:

With Hazlitt I agree: "If we do not vindicate our opinions, we seem poor creatures who have no right to them; if we speak out, we are involved in continual brawls and controversy."

Fine!

Henceforth, the able editor of RADIO NEWS and one of his readers agree to disagree—but, if agreeable to you, let us remain friends.

Continue to toot, with all those who have tried for a long time to force Esperanto upon radio fans, and who failed dismally, and I promise you that I shall do my level best to promote Ilo (Ido). I cannot do otherwise,

Latest Radio Science by the Box



Builds Best Circuit Best



With marked improvement in ease of control, Erla Selectoformer assures maximum range and volume. Cost and complication are reduced. \$5 each



Distortionless amplification of 3 stages, exclusive in Erla Audio Transformers, indicates their vast superiority. Price \$5.00



Millions of Erla Bezels are in use, enhancing beauty and utility in any set. 1" and 1/2" diameter for 1/2" to 1/4" panels. Nickel, black and gold. Price 20c-30c



Made in 11 sizes, there is an Erla Tested Capacity Condenser which will improve your set by its certified accuracy. 30c to 75c

Actual construction of Erla Duo-Reflex Circuits now is vested with advantages paralleled only by the matchless reception that is assured.

So much more powerful, tube for tube, these extra-efficient circuits now, too, are easiest to build.

Under warranty, factory sealed, the Erla blue-and-white protective carton brings every last thing needed for success. From synchronizing reflex and audio transformers, tested capacity condensers, balanced crystals, clear through to the drilled and lettered panel, stenciled baseboard and full size blueprint, nothing is lacking for correct, confident, precision assembly by any amateur. Professional results are assured.

Typifying the perfect simplicity to be expected, are Erla ingenious solderless connectors, which banish soldering; so that the only needed tools are screw driver and pliers.

The completed receiver is bound to represent in their most intensive, *accumulated* form, all those superiorities of tone quality, selectivity, range, volume, and ease of control, which make Erla units preferred in any set. Ask your dealer about Erla knock-down receivers, factory sealed in the blue-and-white carton, fully warranted. Or write direct, supplying your dealer's name.

ELECTRICAL RESEARCH LABORATORIES
Department C, 2500 Cottage Grove Avenue, CHICAGO

ERLA



Precise synchronization of received and reflexed radio frequency impulses is assured by technical perfection of Erla Transformers, best for reflex work. \$5.00




Erla Fixed Crystal Rectifier is the standard for extreme sensitiveness with stability, assuring clearest reception. List price \$1.00




Recognized Erla precision, refinement and scientific excellence are offered in the Erla Socket, with neat nickel shell on strong Bakelite base. 2 sizes, 65c-75c




The push-pull principle in an audio transformer of Erla original design and technical excellence, assures unequalled clarity and volume. List \$5.00




Probably nowhere else in your set, can you accomplish so much for \$1.50, as you can by investing it in the even, step-less, super-critical grid control, supplied by the new MAR-CO variable grid leak. Two types, 1/2 to 5 meg. ohms, and 15,000 to 100,000 ohms



When you can't quite tell whether you've got it or not, the MAR-CO supermermer condenser lends enough added sharpness to your tuning to make sure! A precision instrument of striking beauty, for \$1.25



Expensive tubes deserve good sockets! The MAR-CO UV 199 socket costs but one dollar, and its pressure contacts do away with energy losses you might never suspect! Single mounting screw and felt cushion supplied!



Any MAR-CO plug, with a SHUR-GRIP jack, is ample assurance that all the energy in your set... actually gets to your speaker! SHUR-GRIPs are the famous MAR-CO jacks with the hooked terminals for easy, leak-proof, permanent connections!

LOST a DX station

yet a few seconds might have saved it!

HE HAD IT... he knew it was a record... but he couldn't quite make out the call letters.

The energy reached his set... but leaked away before it got to his phones!

"Leaked away"—thru' poor connections, thru' indifferent quality, in some small part he "didn't think was important"!

Yet a few seconds at the dealer's counter might have saved that record. Just a few seconds... the time to call for MAR-CO precision in small parts, by name.

It costs no more, frequently less, to say "MAR-CO" when you buy small parts. It may cause the loss of a station you particularly want, to take a chance on unknown quality in even the least important switch!




in the column at the left, indicates where DX stations may escape... and the MAR-CO instrument you can use to plug the leak!

LEARN THE CODE AT HOME

"Just Listen—The Omnigraph will do the teaching"

with the

OMNIGRAPH



THE OMNIGRAPH Automatic Transmitter will teach you both the Wireless and Morse Codes—right in your own home—quickly, easily and inexpensively. Connected with Buzzer, Buzzer and Phone or to Sounder, it will send you unlimited messages, at any speed, from 5 to 50 words a minute.

THE OMNIGRAPH is not an experiment. For more than 15 years, it has been sold all over the world with a money back guarantee. The OMNIGRAPH is used by several Depts. of the U. S. Govt.

—in fact, the Dept. of Commerce uses the OMNIGRAPH to test all applicants applying for a Radio license. The OMNIGRAPH has been successfully adopted by the leading Universities, Colleges and Radio Schools.

Send for FREE Catalog describing three models.

DO IT TODAY.

The Omnigraph Mfg. Co., 20 Hudson St., New York City

If you own a Radio Phone set and don't know the code—you are missing most of the fun



SUPER-HETERODYNE

Long Wave Radio Frequency Transformers matched in sets of Four. The coils in these Transformers are carefully calibrated in our Laboratory. Each set is peaked at a Uniform Wave Length. A Hookup diagram furnished free from which wonderful results are obtained. A complete Hookup consists of:

4 Transformers \$30.00 1 Special Choke Coil \$3.50 1 Oscillator \$1.75

THE REAL EQUITY SHOP 1331 No. Wells St., Chicago

because I know Ilo is the only perfect radio auxiliary international language in existence!

Please believe me when I tell you that I am convinced you are blameless. Sooner or later, you will find out for yourself that your investigator was subjected to a great dose of Espo chloroform, and was, naturally enough, still very much under its influence when he induced you to support a decadent language system, which the men on Main Street will never, never, never, never, never accept! Too bad, indeed, that the Espists have "put one over on you," via your investigator. They tried the same thing on *La Presse* (Montreal) many times, but we saw them coming, miles away!

La Presse did not want to induce its army of readers into error, so we investigated the problem of linguistic intercommunication in most thorough fashion, with the result that we are now doing so, and shall continue to promote Ilo (Ido) in every way possible. We gave the Espists their chance and our readers refused to have anything to do with it. From CKAC, we gave several Espist talks and radio fans very bluntly told us to choke the lecturer. Poor old gentleman, he did his little best, and failed horribly.

On the contrary, Ilo has proved to be an immense favorite with the public, and from the very start. We are simply delighted, because, in our case, as in others, which I could mention, Ilo is proving to be a magnificent circulation booster, and, at a time of the year when circulation usually drops off considerably. Since Ilo's welcome advent to our columns, our circulation has not only maintained high Winter levels, but is shattering all records. These are ABC facts. Furthermore, CKAC's mail from Ilo enthusiasts is assuming alarming proportions. We know that the public does not want Esperanto. If it did, we would give them all the Esperanto they could assimilate. We know that Ilo is the public's favorite—overwhelmingly so! All the resources of the paper will continue to serve the public and Ilo will go across in double-quick time. We will be on the air every night with Ilo as soon as we get our new, big set installed. Then, nothing shall stop us from spreading the truth everywhere in North America. The big broadcast stations are with us, heart and soul.

Now that you have committed yourself to Espo, you will, no doubt, support the findings of your investigator—that is, you will do so, until you discover the truth and understand the whys and wherefores of Espo's rise, decline and fall. So, stick to your guns and may we both live long enough to congratulate the victor!

The late George William Curtis, of revered memory, wrote in the September, 1886, number of Harper's Magazine, of which he was the editor:

"Progress is completed by persuading the majority, by showing the reason and the advantage of the step forward, and that is accomplished by appealing to the intelligence of the majority."

Mr. Gernsback, this "intelligence of the majority" is certain to defeat you or me. *Tekel upharsin!* For all who have eyes to see it is not difficult to read the signs of the times!

Purposely do I respectfully refrain from even attempting to convert you and I have no doubt you would justly resent any such attempt, since you have decided to join the Espo camp. Besides, "he that complies against his will is of his own sweet opinion still."

Nevertheless, I thought you would like to listen to what I have to say in the friendliest spirit possible.

Kun maxim kordiala saluti,

JOHN P. CALLAGHAN,
Manager, Promotion Department,
La Presse,
Montreal, Canada.

(Continued on page 554)

New complete line of radio batteries

AN even better battery and at a much lower cost! That is what you will say when you examine the new Exide "A" Battery.

The composition case including handles is moulded in one piece, beautifully stippled and finished in glossy black—an ornament to any room.

Notice the refinements that have been made—broad inter-cell connectors that fit close to the top of the battery and add to its sturdiness. Off-set terminal binding posts that facilitate hooking the battery to the set; the same wonderful Exide plates, the same separators and the same electrical efficiency as the old battery—yet lower in cost!

There are, of course, the Exide two-volt and four-volt "A" batteries for low voltage tubes. These are midgets in size but giants in power.

New "B" Battery in glass jars

With the increase in popularity of the many-tube sets has come the need for a "B" battery of greater capacity than the

twenty-four volt, 4000 milliamper hour, rubber cell Exide used with smaller sets.

To meet this need the new Exide "B" batteries in glass jars were designed. They are made in two sizes—twenty-four and forty-eight volts but with larger plates and greater space for electrolyte, they have a capacity of 6000 milliamper hours.

The new Exide rectifier

With this attractive and compact rectifier, your "B" battery can be recharged from your regular alternating house current, at a cost that is insignificant because of its unusually efficient characteristics.

Whatever the size of your set, all of your battery needs can be filled from the complete Exide line. These batteries accepted everywhere as the standard of quality, are made by the world's largest manufacturer of storage batteries for every purpose.

Exide Radio Batteries are sold by Exide Service Stations and Radio Dealers. Ask to see them.



The beautiful new Exide 6-volt "A" battery in one-piece case. Many new refinements but the same old rugged power. \$14.60 up f.o.b. Philadelphia.

THE ELECTRIC STORAGE BATTERY COMPANY, PHILADELPHIA
In Canada, Exide Batteries of Canada, Limited, 133-157 Dufferin Street, Toronto

Exide

RADIO BATTERIES



New 24-volt Exide "B" battery in glass jars, 6000 milliamper hours capacity. Also made in 48-volt size. Prices \$12.00 and \$23.30 respectively f. o. b. Philadelphia.



New Exide Rectifier. The economical device for recharging your "B" battery from your house current. \$2.00 f. o. b. Philadelphia.




2-volt "A" battery for low-voltage tubes. Also made in 4-volt size. Prices \$5.40 and \$7.30 respectively f.o.b. Philadelphia.



Famous Exide "B" battery for smaller sets. 24 volts, 4000 milliamper hours capacity. \$10.00 f.o.b. Philadelphia.

For better radio reception use storage batteries



after you have experimented
with Dry Cells—hook on


SUPER-DUTHO

Rechargeable Storage

"B" BATTERIES

Duthoid \$1.80
Chemical charges up to 90
Rectifier volts at one time

and note the difference. Possibly what you think
is static comes from your dry cells.



3500 M. A.

24-Volt . . . \$9

45-Volt . . . \$17

90-Volt . . . \$32

Super-Dutho "B"
Batteries are shipped
fully charged (dry).
Solution is in separate
container.
(707)

Write for booklet on Storage "B" Batteries
DURKEE-THOMAS Products Co.
1228 Folsom Street, San Francisco
Dealers—Write for special proposition

Super-Dutho "B"
Batteries are shipped
anywhere—prepaid—
check must be included

ESPERANTO, ILO, IDO

Editor, RADIO NEWS:

As a reader and an occasional contributor to your publications from even *Modern Electrics* pre-"tips" days and the little yellow cover, I am sorry to see you advocate Esperanto instead of Ilo. As you are generally ahead I presume it only unfamiliarity with the subject that allows you to do so. Having been familiar with Esperanto since its inception (and being, in fact, the only Esperantist in the late Transvaal Republic) I am not unacquainted with this language. The idea of its grammar is great, but there are weaknesses which are abominable, most particularly the plural j. In "Ilo" these have been eliminated so that the language, retaining all the essentials of Esperanto, lacks its incongruities, and looks and sounds so much more suave.

The arguments brought forward to support Esperanto are to the discerning individual reasons why he should *not* adopt it. In the first place he justly points out that Esperanto greatly outnumbered Ilo in adherents. Sure, the apex of the wedge of civilization is composed of only a few discerning pioneers, and the further back you look, the more you will find it spread out as conservatism increases.

Another objection brought forward is that Ido or Ilo is always tinkered with, thereby implying that Esperanto is not. If things were never tinkered with we would never have the improvements that ultimate in a standardized product like the safety bicycle from the old high wheel ordinary or the automobile or radio.

To Dr. Zamenhoff is unquestionably due the credit for giving us an intelligent auxiliary language, but to insist upon it being perfect is to expose oneself to the inference of mental undevelopment. Although the same holds good for any language, including Ilo, yet it is a very fine step in advance. If our friend seeks safety in the mass we would probably still have nothing but crystal sets and if he went to aboriginal Africa or the Cannibal Isles he might have reason to find himself a pioneer, turn his back upon the mass proposition, and unlike Lot's wife, take no chance and say, "*En avant, toujours!*"

WILLIAM J. COQUELIN,
6058 Horton Place,
St. Louis, Mo.

MORE ON ESPERANTO

Editor, RADIO NEWS:

When the writer returned from our XVII Annual Congress at Arden, Delaware one of the Boston *samideanoj* brought in a copy of the August issue of RADIO NEWS containing the article by Mr. Sayers, "Esperanto, Radio World Language," and several letters on the correspondence page about an auxiliary language and Esperanto in particular.

Letters of inquiry about Esperanto and requests for text-books, are coming to us daily from readers of RADIO NEWS, our address being given at the close of Mr. Frost's letter (p. 210), and I wish to express for the Association our appreciation of your attitude towards Esperanto. These inquiries are of all sorts, and came from Maine to California from Boston to Porto Rico. Some have looked into various auxiliary languages that have been constructed, and have seen the discussions in recent radio magazines and elsewhere about Esperanto and Ido (or Ilo); others seem to have heard about it for the first time.

As you announced in an editorial note preceding the article by Mr. Sayers that "RADIO NEWS accepts it (Esperanto) as the international auxiliary language", there will no doubt be protests from radio fans who are in favor of some other artificial language, —more particularly Ido or Ilo. This how-



The World On Your Dial



10,000 miles on a single Myers Tube—2 L.O., London, England, heard in Calgary, Canada—30 stations in one hour picked up with one Myers Tube—a few of the verified records made by amateur operators. What results are you getting? Put the world on your dial with

Myers Tubes

Practically Unbreakable

They banish noise, tube hiss and interference because the leads are not bunched as in ordinary types. They function in any position—as Detectors, Amplifiers and Oscillators—and you can't break Myers Tubes unless you deliberately try.
Two types: Dry Battery and Universal for storage batteries. (4 volts)

Demand Myers Tubes at your dealers or send price and be supplied postpaid. See words "Made in Canada" on each tube. Others not guaranteed. Complete with clips ready to mount. No extra equipment required.

E. B. Myers Co. Ltd.
Radio Vacuum Tubes
240 CRAIG STREET, W.
MONTREAL, CANADA

London
Paris
New York
Montreal
San Francisco
Hawaii
Sydney
Havana
Porto Rico

\$5

TUSKA RADIO



There are only two knobs, one to pick up stations, the other to control volume and eliminate unwanted programs. A guide card is furnished to show dial settings for the different stations. Tuska Superdyne selectivity represents a tremendous advance in radio.

Why wait for the ultimate *it never comes!*

RADIO moves so fast! It is bewildering. But why sit back and allow its gorgeous harmonies to pass you by, unheard? If you are "waiting until it is perfected," then you will wait forever, and forever you will miss the riches that radio can pour into the chosen moments of your life.

Through the Tuska Superdyne you can enjoy the best that radio has to offer, to-night if you wish. You can have results that will satisfy the musically critical and astonish the seeker for distant stations; astounding results with maximum ease and minimum expense.

Perhaps some day a better radio receiver than the Tuska Superdyne will be built. But that will not make the Superdyne any less extraordinary than it now is. Complete satisfaction in radio may be yours now and for the years to come through the Tuska Superdyne.

Not because it is new, for that is fleeting distinction; not because it is the ultimate, for that is impossible; but solely because in appearance, simplicity, economy and results it permanently fills the most exacting demands, buy the Tuska Superdyne.

THE C. D. TUSKA CO., Hartford, Conn.

Connecticut Hears England
"You may be interested to hear that on Thursday at 7 P. M. I was able to listen in on a concert from Station 2ZY, Manchester, England, using your Tuska Superdyne Receiver. Other people in this locality heard this same station on the same evening, using your three-tube set."

HERMAN H. WEBER,
Rockville, Conn.



**The Superdyne
Radio Frequency Receiver**
The model illustrated above is priced at \$150, without tubes, batteries or horn. Great for loud speaker reception of distant stations. Full, natural tone. Licensed under Armstrong Circuit Patent No. 1,113,149. Other Tuska receivers from \$35 to \$350.
Write for Folder No. 11-N.

DIRECT

The Nation's Largest RADIO Mail order House.



WE DEFY COMPETITION IN MAIL ORDERS
Our Prices are Lower Than Any Other House in the
Country—Every Item in Stock Has the Stamp of
Highest Quality

Allow us to quote on any parts or standard sets. Send 5c in stamps for catalogue.

PHONES		Stasco, 6 Ohms	.69	Rasla RT6	3.00	
Western Electric	\$.95	Stasco, 30 Ohms	.79	Rasla CR	3.25	
Federal	4.50	SOCKETS				
Dictograph	4.60	Fada	\$.79	Owl	.65	
Brandes	4.95	Tillman	.35	UV 1714	3.60	
Baldwin Type C	7.85	DeForest	.50	RR 1716 Super-Het.	6.75	
Ambassador	3.98	Hoosick Falls	.75	DIALS		
N. & K.	6.50	Pacent 199	.40	Amsco, 2 in.	\$.30	
Scientific	2.98	Federal	.79	Amsco, 3 in.	.50	
LOUD SPEAKERS		General Radio	.89	Amsco, 4 in.	.79	
Pathe	\$12.98	Workrite, 199	.60	DeForest, 3 in.	.35	
Spartan	9.25	TRANSFORMERS—PUSH PULL				
Firth Adjustable	5.98	Come Duplex	\$9.90	DeForest, 4 in.	.40	
Musio Master	24.50	All American	9.50	Pathe, 2 in.	.30	
Sonora	30.00	Modern	10.00	Pathe, 3 in.	.40	
New Dictograph	28.50	TRANSFORMERS—AUDIO				
Magnaphone	28.00	Star	\$2.95	Federal, 3 in.	.50	
Plugs Included		Modern	4.25	Federal, 4 in.	1.15	
CHARGERS		Acme	3.50	VARIABLE CONDENSERS		
Rectigon, 2 Amp.	\$15.40	All American	3.35	General Instrument Lo-Loss.		
Rectigon, 5 Amp.	23.40	Federal No. 65	4.90	All sizes	\$4.50	
Tungar, 2 Amp.	15.40	Thordarson	3.98	Heath Lo-Loss, All sizes	3.85	
Tungar, 5 Amp.	23.40	Jefferson No. 41	3.20	Heath Verner Lo-Loss, All sizes	5.00	
Ward Leonard, D. C.	9.75	AmerTran	4.55	All Other Lines in Stock		
RHEOSTATS		Erla	3.95	VOLT METERS		
Fada	.60	Federal No. 226	3.98	Jewel, 0-50 Volts	\$2.25	
Amsco (all styles)	.95	TRANSFORMERS—RADIO			Jewel, 0-12-120 Volts	9.85
C. Hammer, 6 Ohm	.79	Acme, R-2, 3, 4	\$3.50	Sterling, 0-50 Volts	1.75	
Pacent	.89	Acme 30K Super-Heterodyne	4.20	Sterling, 0-35 Amp.	.89	
Federal No. 18	.79	Tri Coll	1.90	Sterling, 0-35 Amp., 0-50 Volts, combination	3.00	
		Erla Reflex	3.95			

ULTRADYNE COMPLETE, 8 Tube Parts, with Blue Prints and Connecting Wires \$85.00
 ULTRADYNE KIT 26.00
 ULTRADYNE BOOK .50

The Brooklyn Radio Service Co.
 Myrtle & Classon Avenues Brooklyn, N.Y.C.

REAL DISTANCE!


Get your set ready now for the cold months to come.
 Build a—

Cosmopolitan Phusiformer Conversion Set

and add it to your Regenerative Receiver. You will
 then have a set superior to any 5 Tube Receiver.

Non-Oscillating—Non-Radiation—Super-Sensitive

COSMO-
POLITAN
PHUSI-
FORMER
CONVER-
SION SET



Send 50c for
60 Page Manual showing
numerous circuits, photographs, etc.

Cosmopolitan Phusiformers.....\$9.50 each

A Unit of Two Stages of Non-Oscillating Tuned R. F. Amplification

Send for Construction Print No. 500 for this Unit

"The First and Original"

COSMOPOLITAN PHUSIFORMER CORP.
 15-17 West 18th Street New York City

ever, was to be expected, and need not be disturbing, as you have gone into the subject sufficiently to know whereof you affirm. Quoting Mr. Sayers' letter, p. 197:—

"The value of an international language depends very largely upon the extent to which it is in use. . . . It seems hardly reasonable to discard all the work that has been done toward the advancement of an international language in the past by adopting some comparatively little used language, even though it may be to some extent an improvement on those that have been in use before."

"QST" for July published an article by Prof. H. W. Hetzel on the general subject of IAL (International Auxiliary Language). The editor decided, after conference with well known Esperantists and radio experts that it might save controversy to present the subject in this way,—but Mr. Hetzel told the writer at Arden that he personally regretted seeming to give Esperanto much less credit than the facts warrant, though it was necessary in order to seem impartial. This article, we understand, is to be followed by others.

You may like to look over the "Report of Progress" by Dr. F. G. Cottrell, Chairman of the Committee on International Language of the International Research Council, and the "Memorial" recently issued by the New York Section. The International Auxiliary Language Association, Inc., with Professor Herbert N. Shenton of Columbia University as its Secretary, has now taken over the work of this Committee. Columbia University has a course in Esperanto this summer, with credit of two points given, and it will be given again next summer. It may be added that after the New York meetings last year referred to in the report, questionnaires were sent out and opportunities given for courses in Esperanto or Ido (Ilo) or both. There were three or four applicants for Ido, not sufficient to form a class, while four intensive short courses in Esperanto were given with good sized classes. This is mentioned to show the reactions with every opportunity for choice.

Our Association is planning this fall to do co-ordinated work in all the large cities through radio, giving several general talks on the subject of international language, and these to be followed if the demand comes,—and we feel sure it will . . . by a course of lessons.

We should appreciate any suggestions from you as to the best methods to pursue and shall also be glad to be of service to you in any way that presents itself.


E. J. MERIAM, Secretary
 Esperanto Association of North America.

MORE OF THE ILO DISCUSSION

Editor, RADIO NEWS:

Why does your editorial policy favor Esperanto? Esperanto has served a valuable purpose in the evolutionary progress of universal language, but in principle it is too stiff and academic for other than limited uses of languages. It does not lend itself to commercial use or literary use. Ilo, on the other hand, fulfills these demands. Ilo owes much to Esperanto and could never have been born had not the latter paved the way. Ilo is flexible, euphonious and complete; it has within itself a plasticity which will enable it to develop as natural languages have developed through centuries of use and accumulations of new words for new conditions of society.

GEORGE LEWIS,
 Crosley Radio Corporation Co.,
 Cincinnati, Ohio.



Westinghouse Presents A New B Battery

Designed for multi-tube sets, compact in size, large in capacity, this new "B" battery offers you the following distinctive advantages:

A one piece crystal glass container affords you,
at all times, a view of the interior.

Easily recharged at slight expense.

No leakage from cell to cell.

Will not pump acid.

Bird-cage plates insure long life.

Large acid space requires less frequent attention.

WESTINGHOUSE UNION BATTERY CO., Swissvale, Pa.

WESTINGHOUSE

RADIO

"A," "B" and "C"

BATTERIES

RADIO AMATEURS TALK 7,000 MILES FOR 2 HOURS

**Argentinian and New Zealander
Establish What Is Declared a
Record for Non-Professionals.**

BUENOS AIRES, May 24 (Associated Press).—Carlos Braggio of Bernal, near here, and Ivan O'Meara of Gisborne, New Zealand, radio amateurs with 7,000 miles of South American continent and Pacific Ocean between them, conversed for two hours by radio Thursday morning, establishing what is claimed to be a world's amateur radio record.

Braggio, who knows English, had spent most of the night unsuccessfully attempting to get some North American amateur to answer the signals of his station, CBZ8, when at 4 o'clock in the morning he was amazed to receive an answer from the other side of the globe—O'Meara's station, 2AC.

The amateurs opened a conversation which continued until 6 o'clock, when Braggio told O'Meara, he had been up all night and wanted to go to bed. The New Zealander answered that he was sorry because it was only 9 o'clock in the evening at Station 2AC. Later on Thursday Braggio received a congratulatory cable from O'Meara, confirming the conversation.

In connection with the radio communication test inaugurated this week with the United States, Argentine amateurs are unable to understand why they are unable to get signals from North American amateurs while the latter apparently are unable to get theirs, although some of the Argentine stations are more powerful than some of the American ones which have been heard.

It is believed that many of the powerful broadcasting stations operating in the United States might interfere with the Argentine waves. In the future Braggio will try sending on a 120 meter wave-length at 3 A. M., Eastern Standard Time.

Argentinian and Jerseyite Exchange Radio Greetings

Special to The New York Times.

HARTFORD, Conn., June 2.—Two-way radio communication by amateurs between North and South America was attained for the first time last week by Norman R. Weible of Collingwood, N. J., and Carlos Braggio of Bernal, suburb of Buenos Aires. The feat was checked and verified today by the American Radio Relay League of this city, which tonight announced that Weible and Braggio had a twenty-minute connection on short wave lengths just before daybreak last Friday.

Braggio heard the New Jersey amateur calling him, and at 4:15 A. M. sent the following: "GM greetings and congratulations QRZ QRK." Weible immediately replied in Spanish, "Saludo, Amigo de America del sur QRK."

A letter dated May 21, received today from E. J. Simmonds, an English amateur, stated he had heard the South American station transmitting.

Mr. Braggio Used


"ESCO"

Item 37—Double Commutator
1000 V. 600 W. for Plate
12 V. 300 W. for Filament

He writes:

"If I have the luck to be heard in the U. S. a great part of the success will be due to the good capacity of the "ESCO" set."

This is Item 37, used by CBZ8



ELECTRIC SPECIALTY COMPANY

TRADE "ESCO" MARK

211 South St.

STAMFORD, CONN., U. S. A.

Pioneers in developing High Voltage Apparatus for Wireless Operation

Music from Your Lamp Socket

(Continued from page 463)

of both types were rented to the electric lighting customers. A program consisting of news reports, music, lectures, etc., was broadcast several hours daily direct from the studio. The news was furnished by the United Press over a special wire to the studio, where an editor re-edited it as it was received from the high-speed printer, later to announce it into the microphone. A special feature which was developed during operation consisted in the repetition of portions of the programs of various space radio stations. That is, a desired space radio station, operating on 600,000 cycles, for example, was received at a point remote from the studio, repeated to the latter as an audible frequency, and retransmitted over the lighting lines on approximately 40,000 cycles.

Broadcasting was continued for several months in order to test the public reaction as thoroughly as possible and to assist the engineering force in solving the many operating problems incidental to a system of broadcasting in which the maintenance of the receiving equipment and the transmission medium as well as the transmitting equipment formed a part of the responsibility of the central station. A small sales force was engaged in renting and distributing the receiving equipment. No intensive advertising or sales campaign was entered into, as the distribution of a large number of sets, while, of course, desirable, was limited to the limit of the number on hand. The distribution of a smaller number of sets properly located over the lines would yield much more valuable information.

General reaction of the Staten Island customers to wired radio broadcasting was very favorable. This was particularly significant in view of the large number of space radio stations in the vicinity of New York City with a wide diversity of program available. The extreme simplicity of the receiving apparatus, the fact that it could be plugged into any light socket in any room, requiring no aerial, that no storage batteries were required for the loud speaker receiver, that there was no interference from static or other transmitting or receiving stations and finally that the apparatus was serviced, operated greatly in favor of wired radio.

OBJECTIONS

As was more or less anticipated, it became evident at an early stage that a serious objection to wired radio service from the customer's standpoint was the impossibility of receiving more than one program. The demand for diversity of entertainment is fundamental to the theatrical field and is now being felt in space radio in spite of the existence of a large number of stations.

Actual broadcasting also developed two additional sources of trouble which may be classed as "feeder effect" and "night effect." By the former is meant the tendency towards unequal distribution of the high frequency current over the different primary feeders. By "night effect" is meant the diminution of signal strength at night from that obtaining during the day, due to the short-circuiting effect of the hundreds of lamps as they are connected across the lines and which are in parallel with the receiving sets.

In consideration of the demand for multiplex service and of the necessity of overcoming the feeder and night effects, all of which would require more or less extensive research, broadcasting was temporarily discontinued on February 1, 1924, and experimental work resumed. At the present writing a two-channel service has been developed and put into experimental operation. Tests are also under way to effect simultaneous



You will like the neat appearance of the National, the rust-proof, nickel finish case, the extra long binding posts, the convenient flanges for mounting. And yet these refinements are only an indication of the correct design and splendid construction which have made Nationals standard with many manufacturers of high grade sets.

Ask your dealer or order direct

3 1/2 to 1 Ratio \$4.00
6 to 1 Ratio 4.50
Fully Guaranteed




National Transformer Mfg. Co.
Manufacturers of Transformers of All Types
Dept. C., 154 Whiting St., Chicago, Ill.



FREE
Send For This
Catalog
AND
Save Money
ON
Standard
Quality Parts

GREAT LAKES RADIO CO.
Marine Bldg.
136 W. Lake St.
Dept. D
Chicago, Ill.



Four Tube Reflex—Equivalent to Six Tubes

The Stradivarius of Radio

The rich, full tones of the great masters lose none of their original charm with the new MERCURY Receiving Set. Orchestrations in all of their symphonic beauty as well as clarity and naturalness of the human voice, not to mention the current popular divertissements of broadcasting, are NOW yours to enjoy as though these great artists were guests at your own home.

The MERCURY Receiving Set operates with a loop or antenna, with dry batteries which are enclosed in the cabinet, or with storage batteries.

Price, complete with loop (not including tubes or batteries), \$165.00.

Write now for full information

MERCURY RADIO PRODUCTS COMPANY
50 Church Street New York City

*Inverse
Duplex
System*

*insures natural
tone quality*



Licensed under Grimes Patents—issued and pending

You Can Pay More But You Can't Buy More

"Shepco" "All Wave" Jr.

Trade Mark—Patents Granted and Pending
Non-Radiating DX Coupler



Guaranteed Wave Length
150 to 1000 Meters
in single circuit
150 to 700 Meters
in triple circuit

Declared by users "the finest tuning unit in existence." Guaranteed to bring in stations 1500 miles distant on one tube with two and three tube volume. Exclusive bank wound and tapped primary and tapped secondary give selectivity unattainable by any other means. Eliminates all variometers, vario-couplers and loading coils. May be used in single, double or triple circuit.

At Radio Dealers
or Sent Prepaid
on receipt
of price **\$6**

6 efficient
hook-ups in
every box or
sent for ten
cents in
stamps to
cover mailing
cost.

They're All Local Stations

with a "Shepco" "All Purpose" Receiver



An expertly assembled one tube set containing "All Wave" Jr. Coupler and other highest quality parts. All the selectivity, distance and volume of expensive many-tubed outfits. Will operate loud speaker on nearby stations. Exclusive terminal arrangement permits quick, easy change of circuits without tools. Supremely simple to operate.

At Radio Dealers
or Sent Prepaid
on receipt
of price **\$21**

Hook-up chart
with every set
or sent for 10
cents in
stamps to
cover mailing
cost.

Made and Backed with an Absolute Money Back Guarantee by
SHEPARD-POTTER CO., INC.

35 So. River St.

Plattsburgh, N. Y.

Specializing in the manufacture of BRASS V. T. SOCKET SHELLS

in quantities of 10,000 or more.



BRASS AUTOMATIC SCREW MACHINE PARTS

Quick Deliveries, Guaranteed Accuracy
and prices which will interest you

Send Sample or Blue Print for Estimate

THE TORRINGTON MFG. CO.
TORRINGTON, CONN.

BALLANTINE VARIOTRANSFORMER

Tuned Radio Frequency gets DX that is clear. For straight cascade, or reflex. Price, \$9.60 each—at dealers or postpaid.

Boonton Rubber Mfg. Co.
624 Fanny Rd., Boonton, N. J.

BATTERY CHARGER \$7.75

Electrolytic type—Noiseless—Direct or alternating current—no bulbs or contact points to burn out. Charges auto batteries. Sold direct to you from factory.

WESTERN RUBBER MOLD CO.
907-913 W. 19th St. Chicago, Ill.

three-channel operation which will be completed in a short time. The feeder effect has been overcome by devising means for controlling the amount of high frequency power admitted per feeder, the means of control at the command of the operator. By directing the power to the feeders where it is especially required and by raising the entire power level at night it is possible to overcome the night effect.

RESUME OF PROGRESS

This, briefly, is the course of development of wired radio broadcasting to the present time. Within a short time it is expected that three program operation will be commenced on Staten Island and subsequently on other lighting systems. The programs are to be furnished, via telephone connection, from a central studio located in New York City and will be of the very highest quality. The fact that the customer pays for the service will insure this, just as it now does in the theatrical, motion picture, baseball and entertainment field in general. The multiplex receiving apparatus will include a variety of types of sets ranging from the simplest unit with telephone receivers to the loud speaker type for the home or concert usage. Each set will contain a multi-point switch, or equivalent, for bringing in any one of the desired programs, with possibly a single additional adjustment for varying the signal strength. No batteries will be required and the set may be plugged into any convenient light socket.

Apparatus employed in the Staten Island operations is shown in the accompanying figures.

The control room with the two-channel transmitting apparatus is shown in Fig. 1. The unit to the left and in the foreground is the transmitter for one channel; the second channel transmitter is shown in part to the right of the figure. The lower shelf of each transmitter unit contains a 50-watt master oscillator; the output of this tube operates into the grids of two 250-watt tubes connected in parallel, shown in the rear of the transmitter, which serve as high frequency power amplifiers and in turn operate through the coil system shown on the top shelf, into the 2,300-volt lines through protective tuning condensers. The two remaining 250-watt tubes serve as modulator amplifiers. The apparatus on the second shelf comprises the rejector units required for multiplex operation. The small panel to the left is the power panel and contains the necessary switches for controlling the plate and filament power to the transmitting tubes.

Both transmitters are the same in construction, and were designed from an experimental standpoint for maximum flexibility in power output and frequency range. The 2,300-volt lines enter the control room through the three high-voltage switches shown above the window to the right.

Connection to the 2,300-volt lines is made through special mica condensers which are contained in oil filled transformer cases mounted on a pole in front of the studio building, there being one .004 mfd. condenser in series with each line. These condensers have an insulation strength of over 15,000 volts and serve the double purpose of preventing short circuit of power currents and affording the capacity necessary for tuning the line circuit. The latter is required, as for frequencies in the neighborhood of 40,000 cycles per second the 2,300-volt lines are practically non-reactive and have an effective resistance of approximately 100 ohms.

SINGLE CHANNEL RECEIVING EQUIPMENT

In Fig. 2 is shown a view of the crystal receiver, and in Fig. 3 the circuit connections. The crystal unit was designed first to fulfill electrically the high frequency requirements and second to be as free as possible from electrical and fire hazard. It consists

"All You Have To Do Is Listen"



A radio set for people who are better listeners than electricians

*A*MBLER-HOLMAN Five Tube Radio Sets are expressly designed to bring the magic in the air into fine homes. Their construction and principle of operation have been so carefully studied in our laboratories that all you have to do is listen.

Nothing but the finest materials and expert workmanship go into AMBLER-HOLMAN sets. The cabinet itself is especially designed for us by a leading manufacturer of fine period furniture to harmonize perfectly with good interiors.

In addition to splendid tonal qualities and volume, these sets possess a range of pick-up that permits national enjoyment of worth-while programs and news.


Each AMBLER-HOLMAN set is thoroughly tested before shipment. It has been our object to produce a practical set, as free from fads as a precision instrument should be.

Ease of operation

Once you have "logged" a station it will always come in at the same point on the dials. You operate your AMBLER-HOLMAN just as easily as you do your phonograph.

AMBLER-HOLMAN Receiving Sets are constructed on the tuned radio frequency principle. The transformers used were developed in our own laboratory and radiation has been eliminated. "B" Batteries are self-contained.

The price is \$125. The selection of tubes, batteries and loud speaker is left to your discretion.



Desirable territories are available for a few leading wholesale distributors

Amblor-Holman

NEW YORK

ELEVEN SEVENTY EIGHT BROADWAY

Distributed by CAPITOL DISTRIBUTING CO., Inc., WHOLESALE RADIO
25 West 18th Street, New York City



Model RD400

The Improved Halldorson Radio Receiver

4-Tube Sets
as low as
\$65.00

Dealers and Jobbers:
Write immediately
for our attractive
proposition.

As a result of exhaustive, conscientious experimenting, the improved Halldorson Radio Receiver is by far the best receiver ever offered. The Deluxe appearance—clear and undistorted reception under all conditions—unmatched selectivity—ease of control—and the attractive price, has made this receiver the most popular set for the home. The whole family will appreciate the compact simplicity which enables them to secure maximum results with ease. Write for Discriptive Folder today.

THE HALLDORSON COMPANY
1772 Wilson Avenue CHICAGO

HALLDORSON

30 leading set makers acknowledge the Leadership of Pacent

Pacent Radio Essentials

- Adapters
- Audioformers
- Coil Plug
- Coil Plug Receptacle
- Condensers, variable
- Detector Stand
- Duojack
- Duoplug
- Duo Lateral Coils
- Headsets, Everyone
- Jacks
- Jack Set
- Loop Plug
- Multijack
- Loop Jack
- Plugs
- Potentiometers
- Rheostats
- Resistances, Cartridge
- Sockets
- Super Audioformers
- Twin Adapter, etc., etc.

The foremost radio set manufacturers in the United States and Canada are using Pacent Radio Essentials as Standard Equipment. Only a high standard of quality, which is dependable at all times, could justify this choice!

Let the judgment of these manufacturers guide you in the selection of your radio equipment. You can build a better set than your neighbor if you use better parts. "Don't improvise—Pacentize" is the slogan for radio results.

Your dealer will be glad to show you the Pacent Radio Essentials that you need for the next set you build. Write for complete catalog N 10.

PACENT ELECTRIC COMPANY, Inc.
22 Park Place :: :: :: New York, N. Y.



Pacent

RADIO ESSENTIALS

SPECIAL MAIL ORDER OFFER

- Journal One Knob Set—Parts.....\$4.50
- Above Set Wired..... 7.50
- Cockaday One Tube Set—Parts..... 8.45
- Above Set Wired.....12.95
- All Tubes Repaired..... 2.50

Remittance must include postage. No C. O. D.

FULTON RADIO SHOP, 158 Fulton St., N. Y. C.

KESTER Radio SOLDER

(Rosin-Core)

A Safe Bet—Use It
On Your Set

"REQUIRES ONLY HEAT"




Fig. 3

Circuit diagram of the "wired radio" crystal receiving set, a photo of which is shown in Fig. 2.

of two circuits, one comprising the 110-volt line connection, and the line tuning coil and condenser; the other the telephones, crystal detector of the fixed crystal type, and coil inductively coupled to the line coil. These two circuits are contained in individual compartments separated by a quarter inch bakelite wall, the latter inserted directly between the line and detector circuit coils. The whole is housed in a cylindrical metal case, with the pair of wires and plug for the 110-volt connection and the telephone receiver connection running out on opposite sides. The apparatus is so assembled that, without disassembling, it is impossible to come into contact with any high voltage point. By the use of metal covering and non-inflammable insulation material the fire hazard has been reduced to a minimum. This unit has been approved by the Board of Fire Underwriters.

In the disassembled view in Fig. 2, the line tuning condenser, unscrewed from its base, is shown at the top of the set, and the line coil and connection wires to the right of the central partition. The telephone connection, by-passing condenser and detector coil are shown to the left of the partition. A fixed crystal detector is employed and is supported by the prongs extending through the top of the unit.

The loud speaker receiver is shown in Fig. 4. The circuit of this unit is the same as the crystal receiver with the exception that two steps of audio frequency amplification operating into a loud speaker are substituted for the telephones. Type WD-12 tubes were used in the earlier units, the filaments being energized from 110 volts through a step-down transformer. By means of special balancing circuits the hum in the loud speaker, due to the use of alternating current on the filaments, is rendered inaudible. Four small "B" batteries, contained in a compartment in the cabinet, furnish the plate voltage. A single pair of wires extend from the set, supplying both the low frequency current for lighting the amplifier tubes and the high frequency or signal current.

The line coil and condenser are mounted in the vertical framework shown in the disassembled view in Fig. 4; the two amplifying transformers are mounted directly beneath the tube sockets. The filament current transformer is shown in the rear of the loud speaker. Similar to the type A unit, a fixed crystal detector is employed; the set contains only a single adjustment.

In the latest type of loud speaker receiver both the filament and plate voltages are obtained from the line source, which may be either alternating or direct current.

Experiment has shown that connecting fan motors, vacuum cleaners, flat irons or similar apparatus to the 110-volt lines does not diminish the signal strength or produce undesirable noise, provided in the case of rotary apparatus there is no sparking at the commutator. Connection of a heater unit or other type of low resistance non-inductive load reduces the strength of the incoming signals.



You'll find YOUR SET among the FADA Neutrodynes



FADA NEUTROLA GRAND

Model 185/90-A—This is the beautiful new 5-tube Neutrola, Model 185-A, mahogany inlaid cabinet, with self-contained loud speaker, mounted on the FADA Neutrodyne Cabinet Table, Model 190-A, making a de luxe radio unit. Desk lid conceals panel when set is not in use. FADA Neutrola Grand. Price (less tubes, batteries, etc.) \$295. FADA Neutrola. Price (less tubes, batteries, etc.) \$220.

FADA, the pace-setter of Neutrodynes, leads again, presenting a new 5-tube FADA Neutrodyne in de luxe cabinets, thus supplementing the famous FADA "One Sixty." There is also a new 5-tube FADA Neutrodyne at a price that is within reach of all.

Whatever your radio wants may be, you can now fill them with FADA radio. Appearance, 3, 4 or 5 tubes, price—there is a FADA Neutrodyne to meet your desires.

In the de luxe models all connections are at the rear and there is plenty of cabinet space for dry batteries. The FADA Neutrola and Neutrola Grand have self-contained loud speaker. Woodwork is handsomely inlaid mahogany.

FADA Neutrodynes give you the results you want—distance, selectivity, volume. They produce natural tone quality. A child can operate them.

See the complete FADA line before you make any radio purchase.

F. A. D. ANDREA, INC.
1581 JEROME AVENUE, NEW YORK

FADA Radio



FADA NEUTROCEIVER

Model 175-A—Handsome mahogany cabinet, inclined panel and roomy dry battery shelf. 5 tubes—2 radio, detector, 2 audio. Price (less tubes, batteries, etc.) \$160.

The Complete FADA Line

In addition to the models illustrated, the new FADA line includes the following:

FADA 160-A—"The receiver that has taken the country by storm." Four tubes. Price (less tubes, batteries, etc.) \$120.

FADA NEUTRODYNE CABINET TABLE. Model 190—A handsome mahogany base unit for either the FADA Neutroceiver or Neutrola. Price \$75.

FADA NEUTRO-JUNIOR. Model 195-A—A 3-tube Neutrodyne with special circuit arrangement, one radio, detector, two audio stages. Price (less tubes, batteries, etc.) \$75.

FADA RADIO PANEL. A panel-mounted FADA Neutrodyne, adapted for installation in prominent makes of talking machines.





JEWELL Don't Guess—

Test your "B" Batteries with a Jewell No. 84 Voltmeter. Over 60% of all radio trouble is traceable to run-down or poor batteries.

We want every radio enthusiast to send for our 15-A Radio Catalog. Our line of radio instruments lead the world.

"Leading Dealers Everywhere Sell Jewell Instruments"

"B" Battery Voltmeter No. 84 Price, \$2.75

Jewell Electrical Instrument Company
1650 Walnut St., Chicago
Manufacturers of Measuring Instruments for 25 Years

MEASUREMENT OF RECEIVED CURRENT

In Fig. 5 is shown, plotted as a function of the frequency, the current received from the 110-volt lines for one particular receiver location and for a constant transmitting current. It is observed that, contrary to what might be expected, the received current not only does not uniformly increase with decreasing frequency, but exhibits decided peaks for different frequencies, the maximum peaks occurring at the higher frequencies. Similar phenomenon has been observed on other lighting systems.

HIGH FREQUENCY POWER TRANSMISSION

The high frequency operation of relays forms a very important avenue of wired radio development. Relay operation may be advanced one step and the operation of high frequency rotary apparatus foreseen. In Fig. 6 is shown a view of a high frequency motor which operates on the principle of the induction voltmeter. During the Washington experiments this motor, which requires about .008 ampere, was operated on 18,000 cycles from a wired radio transmitter four miles distant, from the same 110-volt socket and simultaneously with a small fan motor operating on 60 cycles. This is probably the first instance of wired radio power transmission for operating rotary apparatus.

The writer desires to express his appreciation of the co-operation of officials and engineers of the Potomac Electric Power Company of Washington, D. C., and of the Staten Island Edison Corporation.




STANDARD of EXCELLENCE for Audio Amplification

Made in Two Types:

AmerTran AF-6 (Turn ratio 5) for use in the first stage.

AmerTran AF-7 (Turn ratio 3½) the companion transformer for use in further stages of amplification where AF-6 is used in the first stage.

Price, either type, \$7 at your dealer's.

AMERTRAN
TRADE MARK REG. U.S. PAT. OFF.

Improve Your Set With An AmerTran

Send for booklet containing much helpful transformer information.

American Transformer Company, 177 Emmet St., Newark, N. J.
Designers and builders of radio transformers for over 23 years.



DON'T BLAME IT ALL ON STATIC!!



A run down "B" Battery plays more havoc with efficient reception than the grandest static you ever heard.

S & H "B" BATTERIES

are not two days' old when they're sent to you. And they are built right. Made of finest materials to give extra service. After you've used them if you don't feel they're the best buy, send them back and your money will be refunded.

	Large	Medium	Small
22½ V. Variable..	\$1.80	\$1.60	\$1.00
45 V. Variable..	3.60	2.75

WE PAY POSTAGE

S & H BATTERY SUPPLY CO.
41 Nevins Street Brooklyn, N. Y.



NOW ONLY \$3.00

FLINT AUDIO TRANSFORMER
Finest Built A.F.T. in the World

Big demand with consequent big production now enables us to offer the super-quality Flint Audio Frequency Transformer at the low price of only \$3.00. When you see the Flint you will recognize it as not only the best looking, but the finest built Audio Transformer ever made. Laminated cores are best grade silicon steel, correctly shaped and spaced. Coils are No. 40 enamelled copper wire, machine wound, insuring exact number of turns. Ratio 4.25 to 1 gives maximum distortionless amplification in any circuit. Flint A. F. Transformers are also best for reflex and other critical circuits because of the absolute exactness and uniformity of Flint windings. Shielded with beautifully finished black enamelled metal case. Highly polished nickel trim. Each transformer individually tested on broadcast reception before shipping.

Money Back Guarantee. Order Now! \$3.00 Postpaid
FLINT RADIO COMPANY, 1811 Wilson Ave., CHICAGO
DEALERS: Write for prices and attractive proposition.

Automatic Key for Tube Transmitters

(Continued from page 490)

contacts on the key that will open when the main contacts are closed. It can also be done by the same relay that fulfills points 1 and 2 as we will see later.


SWITCH AND RELAY

Perhaps you have seen break-in and remote control systems which work entirely satisfactorily, but they are mostly complicated affairs employing two or three relays operated by a switch in order to accomplish the desired result. As this article deals with one relay that does the work of two or three relays, we will go right on with the description, always bearing in mind the fact that not a single switch is required for its operation. This relay was developed by the writer at Station 3ZZ, where it has proven its worth. It is no more difficult to construct than the average well built receiver, and will prove to be well worth the trouble of building to the Ham who desires to increase the operating efficiency of his station. It is not even necessary to use a lathe to turn out any of the parts as they can be made from standard rod and tube stock. The entire relay is mounted on a bakelite panel ¼x4½x9½ inches. Since no part of the relay depends on gravity for its operation, it can be mounted in any convenient position on the table or wall.

With reference to Figs. 1 and 2, the solenoid has two business ends. The one end operates the drum type switch q by the action of the steel armature r as it is drawn into the solenoid. The armature is governed by the dash pot v so that it requires about five seconds to complete one stroke. The other end of the solenoid controls the break-in contacts d and e and the transmitting contacts f and g. The speed at which this end operates is practically instantaneous in comparison to the drum switch.

OPERATION OF RELAY

The solenoid is wound for six volts and is



After distance,
what do
you want?

*Amplification
without distortion,*

OF COURSE, you want to hear the distant stations but you want these loud and clear so a whole room full of people can understand.

And when you listen to a fine musical program from your local station it certainly is fascinating to get all the notes, all the words, and to be able to close your eyes and just be content.

If you use Acme Transformers in the set you build and insist on their use in the set you buy, you are giving your loudspeaker a chance to reproduce the singer's voice, the violin's notes, the orchestra or lecture, loud and clear, without distortion.

Send 10 cents today for 36-page book "Amplification without Distortion," containing many practical wiring diagrams and many hints for getting the best out of your set.

ACME APPARATUS COMPANY
Transformer and Radio Engineers and Manufacturers
Cambridge, Mass.

ACME
~ for amplification

ACME APPARATUS COMPANY,
Dept. 69, Cambridge, Mass.
Gentlemen: Enclosed find 10 cents for copy
of "Amplification without Distortion."

Name

Street

City

State



A
quality plug
that adds
refinement
to any radio
set

75¢


EVERYWHERE

WESTON ELECTRICAL INSTRUMENT CO., 173 Weston Avenue, Newark, N. J.

Electrical
 Indicating
 Instrument
 Authorities
 Since 1888

WESTON

STANDARD - The World Over



50¢

CARTER "ONE-WAY" PLUG

Simplest—fastest—and easiest plug to make connection for a loud speaker or a head set. Simply press the cord tip between the long phosphor bronze springs which tightly makes contact the entire length of the cord tip. No trick trigger—screws or springs to adjust. A positive and sure contact is made. No fibre insulation is used. Carter originality of design has made possible this quality plug at the unusual price of 50c. Go and see one today.

Insist on the original
 In Canada—Carter Radio Co., Limited, Toronto.
 Members, Associated Manufacturers' Electric Supplies.

Carter Radio Co.

7 207 S STATE STREET
 CHICAGO

Offices in leading cities. Any dealer can show you.

MARLE TRANSFORMERS

The Heart of a Good Receiver

Your dealer will tell you why Marle Transformers do not howl or distort. Uniform amplification up to as many as 3,500 cycles.

Marle Engineering Co.

Orange New Jersey

Satisfied Users Prefer Standard Equipment

The following are a few of the companies for which we are distributors:

- Zenith Sets (Regenerative)
- De Forest Tubes and Sets (Reflex)
- Cunningham Tubes
- Remler Material
- Grebe sets (Regenerative)
- Murdock Sets (Neutrodyne)
- General Radio

Send stamp for Catalogue 45-R

J. H. BUNNELL & CO.

32 PARK PLACE NEW YORK

AMPLION

The World's Standard Loud Speaker

PIONEER RADIO PRODUCTS
 Sockets, Super Het Transformers,
 Variometers, Variocouplers
 Write for folder
 PIONEER RADIO CORP.
 101 Pioneer Ave., Galesburg, Ill.

operated by a six-volt battery with the sending key in circuit. When the key is depressed the solenoid is energized. However, in order to cause the drum switch to close the filament and plate circuits, the key must first be depressed for about five seconds to allow the slower acting switch to operate. You are now free to go ahead with the transmitting as usual, except that you must bear in mind the fact that the transmitter will shut off if at any time the sending is broken for a period of five seconds, which is the time to which the dash pot is adjusted to complete one stroke. However, this is no disadvantage. Quite to the contrary, it should help you cultivate a snappy, business-like style of sending.

The usefulness of the relay is not confined to code transmission by key. If you wish to adapt the relay to telephone operation, it is only necessary to mount a push button switch on the handle of the microphone in such a position that it can be operated by the thumb. The push button switch is connected in parallel with the six-volt key, and the transmitter controlled by operating the push button.

CONSTRUCTIONAL DETAILS

As many of the dimensions are more or less arbitrary and depend upon the size of the stock you have on hand, only the more important ones are given. The drawings explain the idea clearly, and as long as the general arrangement as shown is adhered to, the details left to the ingenuity of the builder, it will not fail to work satisfactorily.

The solenoid bobbin is of a size which will allow the winding space to be 3½ inches long and 2 inches in diameter. Within this space you will be able to wind about 1,100 turns of No. 18 S.C.C. wire if wound in even layers. When this coil is placed across the terminals of a six-volt battery it draws about 2½ amperes and exerts a pull of about 2½ pounds on the armature. This is more than enough to overcome the friction of the switch and the tension of the spring, but it insures positive action of the switch and you are advised against attempting to cut down on the size of the solenoid however large it may seem to be. The solenoid is wound on a thin brass tube ⅝ inch outside diameter.

The inside diameter of the tube being slightly over ½ inch accommodates the steel rod armature with sufficient clearance to prevent binding. The bobbin end pieces are made of 3/16 inch bakelite. One end is 2¼x2¾ inches while the other end is made 2¼x3½ inches to accommodate the contact, g, which is mounted 5/16 inch from the top, as shown in Fig. 2. The ⅝ inch hole for the brass tube is drilled 1½ inches from the bottom of both pieces. This allows sufficient space for the small brackets by which the bobbin is attached to the baseboard. The contacts d, e, f, g, are made of 7/16 inch brass rod by cutting off 3/16 inch sections, which are afterwards drilled and tapped for 8-32 screws. For the contact surface a small disc of 1/32 inch silver secured with ordinary soft solder will answer very well. The pieces h, i, and the armature r are made of ½ inch wrought iron rod. The piece i is ⅜ inch long and extends into the brass tube for 3/16 inch, where it is held in place with solder.

The piston for the dash pot shown at v, Fig. 1, is made up of small graphite disks secured to the end of the armature as shown. However, if the graphite cannot be procured, leather disks built up to a thickness of ½ inch will serve. The adjustment of the dash pot is obtained by rubbing the piston down to the proper size with fine emery cloth. A little experiment is necessary to cause it to operate in five seconds as mentioned before. It will also be necessary to experiment to get springs of the proper tension. One made of No. 20 spring brass wire wound on a

THE NEW SUPER-HETERODYNE MODEL C-7

Important Today

THE EXPERIMENTERS INFORMATION SERVICE, Inc., has been recommending the Super-Heterodyne method of reception since the early part of 1922. In February, 1923, a Super-Heterodyne of our design was installed on the S.S. *Western World*, pier 1, Hoboken, N. J., in the cabin of Dr. Horatio Belt. On the voyage to Rio de Janeiro, Brazil, at a distance of 3,000 miles, southeast of New York, the entire Greb-Gardner fight was received from WJZ, with sufficient audibility for the entire cabin full of passengers to hear the bout, blow by blow, plainly. At 3,300 miles southeast of New York, an entire evening church service was received from Pittsburgh. At that time there was not another single firm advertising or advocating the Super-Heterodyne. Since then Mr. A. Ancieux, Engineer, Trarivía Elec de Arequipa, Arequipa, Peru, has reported consistent reception from KDKA, WDAP, WEAF, WGY and others, a distance of over 5,000 miles, using a Model "C" Super-Heterodyne. The Pratt & Blake Corp., of New York City, sent a Model C to Rio de Janeiro which received American broadcast station at a distance of over 7,000 miles.

Practically all concerns now featuring Super-Heterodyne have copied our original Model C design, and to prove again that we are far in advance of competition, we present this Improved Model C-7 Super-Heterodyne as the *Most Sensitive, Most Selective*, and finest reproducing Broadcast Receiver that can be built.

7 Tubes Give the Results of 10

The Reason:—When regeneration is added to a one tube non-regenerative receiver, the increased amplification is about equal to adding two stages of tuned radio frequency amplification. Heretofore it has been impossible to add regeneration in the 1st Detector of a Super-Heterodyne and accordingly this has been a big loss.

The new Model C-7 Super-Heterodyne has a special 1st Detector circuit with a split antenna inductance so arranged that normally the detector would oscillate continually. However, in addition, a neutralizing condenser is inserted in the circuit which gives absolute control of the oscillations to such an extent that the circuit can be adjusted to just below the oscillating point, as this adjustment gives the maximum regenerative amplification. The new circuit has a bias potential on the 1st Detector grid, in place of the usual grid leak and condenser, and this allows infinitely weak signals to be regenerated and heterodyned through the radio frequency amplifier, which an ordinary grid leak and condenser would block. On a weak signal the difference in sensitivity is very noticeable. Using a 22-foot indoor antenna in the suburbs of New York loud speaker reception has been obtained from KGO, Oakland, California. A normal range of 2000 miles is easily obtained on an average small antenna at night under average conditions.

Our new book (Second Edition) "Super-Heterodyne Receivers" covers fully the construction and operation for those who would learn more about this remarkable receiver. Profusely illustrated. Price, Postpaid...\$2.00

EXPERIMENTERS INFORMATION SERVICE, Inc.

Designers of the Highest Class Radio Apparatus in the World

476 Broadway, New York City

Midwest Distributor

A. O'CONNOR & CO., 9702 Euclid Ave., Cleveland, Ohio

"The Rolls-Royce of Reception"



MODEL C-7 SUPER-HETERODYNE

Wave-length Range, 200 to 575 meters. Dimensions, 40 in. x 8 in. x 8 in.
Tube Arrangement: Regenerative Detector, Oscillator, 2 Stages Radio, Detector, 2 Stages Audio.

General Information

ANTENNA: Single wire, 30 to 150 feet long. Provision has been made for use of either a short or long antenna. Indoor antenna works very satisfactory.

TUBES: 7 Radiotrons UV201A or C201A, requiring one 6 volt storage battery and one 90 volt B Battery either dry or storage.

DRY CELL TUBES: Radiotrons UV199 or C199 may be used if desired, but the results obtained with dry cell tubes are not as satisfactory as with the Radiotrons UV201A or C201A.

LOOP: As a loop takes considerable space and is objectionable looking, and furthermore an inefficient collector, no provision has been made for loop reception. Local reception can be had without antenna or ground. An indoor antenna 30 to 50 feet long is suggested in place of a loop.

SELECTIVITY: The degree of selectivity is so high that distance stations can easily be tuned in through the local stations. For example, with a C-7 located five miles from WJZ operating on 455 meters, WCAE Pittsburgh on 462 meters can be tuned in without interference with WJZ.

TUNING: There are only two tuning adjustments, one for the detector circuit and one for the oscillator. Each station has a definite point on each dial and will always be found at these calibrations. Individual Verniers are provided for each dial. A third Vernier controls the volume.

CONSIDERATIONS: The Second Harmonic feature could be used with a view to eliminating another tube, but we feel that the many advantages of having a separate oscillator more than compensates for the extra tube. For a similar reason we have refrained from Reflexing the circuit to reduce the number of tubes.

STANDARDIZATION: All the component parts specified are readily obtainable on the market through high-class dealers.

PARTS: The parts specified in this design are all selected with expert consideration with a view to giving the maximum results obtainable. While it may appear that certain other parts could be used to economize, we strongly recommend that you take advantage of our engineering experience and follow the specifications to the letter.

Original Blue Print showing all data, diagrams, circuits, details, etc., \$1.00, postpaid


THE CHOICE OF



RADIO EXPERTS

Designed for Precision

Balanced
Vernier
Gears
Promote
Extreme
Selectivity



Brass Plates
Soldered
Together to
Minimize
Losses from
Resistance

Type 247-H

Capacity
500 MMF.

Price

\$5.00

For nearly a decade the outstanding feature of General Radio Condensers has been PRECISION.

This Precision has made General Radio Condensers the recognized standard both for laboratory use and broadcast reception.

In broadcast reception Precision in a variable condenser gives you sharp tuning and low losses which mean greater selectivity, signal strength, and range.

For Sale by Good Radio Dealers Everywhere
Write for New Descriptive Folder

GENERAL RADIO Co
Cambridge, Mass.



$\frac{3}{8}$ inch mandrel will serve as a start. The brushes k, l, m, n, are mounted on a bakelite strip which is secured to the baseboard by a small bracket. The drum q is cut from a $1\frac{1}{4}$ inch hard rubber rod and drilled to rotate about the rod w. The contact pieces o, p, are cut from a $1\frac{1}{4}$ inch inside diameter brass tube and secured to the drum q by means of 4-48 brass screws. A word here with reference to the position of the armature will not be amiss. A stroke of $1\frac{1}{4}$ inches is about right for the armature. Make your adjustments so that at the start the end of the armature will be about $\frac{3}{4}$ inch inside the brass tube. This allows it to function in the most dense part of the magnetic field.

KEYING THUMPS

It is not generally known that considerable interference is caused by what is known as the "key thump." This form of interference does not extend to any great distance, but is very annoying to anyone in the immediate neighborhood, no matter to what wavelength he is tuned. This "key thump" is caused by sudden surges of current in the plate circuit which are repeated in the antenna circuit, especially so in the case of the direct coupled transmitters. If the current is applied to the plate circuit less suddenly—that is, if some sort of a "buffer" is introduced into the circuit—these surges can be eliminated to a great extent. There are several methods of doing this, but in the case of the motor-generator supply, with a proper filter, the method shown at Fig. 3 is the most logical. You will notice that the contacts f and g are between the generator and the filter, so that the filter serves as the "buffer" in stopping the sudden surge of current that causes the "key thump."

An Interview With Secretary H. C. Hoover

(Continued from page 472)

most vital step in the field of all human communication," asserts Mr. Hoover. "We have today about 600 local broadcast stations. We all know that the local station can give better service than those far away. Our available wave-lengths permit us to have from two to four nearby stations to every listener. It is thus possible to have two to four alternate local programs at the same time. While programs of local origin will play a large part in broadcasting, yet radio will not have reached its full service until we have such interconnection of our local stations that we may also enjoy each night the product of our greatest artists and the thoughts of our leading men and women, and may participate in great national occasions.

"All this will add not only great intellectual and stimulative force to the nation, but it will materially help to build up home life. For in the comfort of our own fire-sides, father can smoke, mother can knit and the family can make remarks upon the performance with informality not permitted in public places.

"Our governmental relationships to this particular problem are complex in administration, though simple in principle. We seek to preserve the ownership of the road through the ether as public property that we may maintain initiative by holding it a free field for competition, to keep alive free speech, to avoid censorship and to prevent interference in the traffic."

HOT OFF THE GRID-DLE

"How do you suggest the radio tax be imposed?"

"I advocate a 'cover charge' on all storage batteries at two bits a plate."—Jack Bront.

A new BATTERY SWITCH

with enclosed, positive contacts



The contacts of the new Centrallab Battery Switch are enclosed for protection from dust and mechanical injury, and are firm and positive, of the quick make and break type. The switch is small and compact so as to occupy a minimum of panel space, the only part that protrudes from the panel being the switch knob. It has two knurled nuts for adjustment to any thickness of panel. Both binding posts and lugs for permanent soldering are provided. Substantial and neat, all metal parts nickel plated, single hole mounting.

No. 300—50c

TO JOBBERS AND DEALERS: The trade mark of products of the Central Radio Laboratories has been changed from CRL to Centrallab. Write for literature.

Centrallab

CENTRAL RADIO LABORATORIES
303 Sixteenth Street MILWAUKEE, WIS.

We also manufacture the

Centrallab

ADJUSTABLE
GRID LEAK

No. 106— . . . \$1.25
No. 107 (with .00025
condenser) . . . 1.60

NON-INDUCTIVE
POTENTIOMETER

No. 110—
400 ohms . . . \$1.50
No. 111—
2000 ohms . . . 1.75

RHEOSTAT

No. 206— 6 ohms \$1.25
No. 230—30 ohms 1.25

"BUILD YOUR OWN" WITH "RASCO" PARTS!

Buy from the Oldest and Original Exclusive Radio Parts House in the United States
 We pay ALL transportation charges in U. S. ALL GOODS SENT PREPAID IN 24 HOURS
 Order direct from this page. **NEW AND EXCLUSIVE "RASCO" GOODS** Money refunded if goods do not satisfy



ZINCITE DETECTOR

(PATENTS PENDING)

Here is a detector which has been especially developed by us for the new Crystodyne circuits. This detector while using the natural mineral zincite can be used with any other crystal as well. Several unique features are embodied in this detector. To begin with it is the only detector that has a sliding crystal cup with perfect contact arrangement and which cup not only slides but rotates with an eccentric motion. (Note slot A). By means of the small knob the cup slides easily so that any point of the crystal can be brought into contact. A new crystal can be inserted immediately by unscrewing the small knob. The contact plate which at the same time forms the catwhisker is made of spring steel. The combination of steel-zincite is the only one that was found practical for the Crystodyne oscillating crystal. Note the micrometric adjustment that can be made by means of the large knob bearing against the steel spring. This raises and lowers the steel point to the finest possible degree. The base is of bakelite, all parts nickel plated and polished.

06900-Crystodyne Zincite Detector.....\$1.75
 06900-Natural Zincite Mounted Crystal especially tested for Crystodyne work, fits any crystal cup.....\$0.60

(Note: Natural zincite is the ONLY mineral which in connection with a fine steel point will produce sustained oscillations in the Crystodyne circuits. Natural zincite is one of the most expensive minerals and the supply has been practically exhausted. It sells now from \$25.00 to \$30.00 per lb. in the open market. Artificial zincite, a much inferior article, will not produce oscillations at all.)

\$1.75

6900

"RASCO" Double Acting Snap Switch


At last a REAL radio switch constructed for radio purposes, not just a battery switch that may be adapted for radio. The RASCO switch is the only switch with a POSITIVE DOUBLE spring action. No more guess work if the circuit is open or closed. A push of the finger and the current is on. A slight pull and the Handle Snaps Back of its own accord. An internal coil spring pushes the handle back when a little pull is applied. This switch is intended as a battery switch to disconnect your "A" batteries. Only one hole to drill. No tools required to mount except your finger and thumb. Also this switch takes up a minimum of room, much less than other switches, the base of the switch measuring only 1 1/4 x 3/4. All metal parts nickel plated. A switch you will be proud to possess. No. 04850-RASCO Snap Switch. Each.....25c



4850

25c

16 in 1 Radio Tool 35c




screw. 7. Socket wrench for jacks. 8. Socket wrench for 4/32 nuts. 9. Socket wrench for 6/32 nuts. 10. Socket wrench for 8/32 nuts. 11. Wrench for knurled nuts. 12. Screw gauge for 1/36 screw. 13. Screw gauge for 6/32 screw. 14. Screw gauge for 8/32 screw. 15. Screw gauge for 10/32 screw. 16. Knife for wire skinning.

Here it is! The radio tool that will bring happiness to all radio experimenters and constructors. Here is a tool that does 16 different things and does them well. A tool that does practically everything required in building your radio set. The tool is built of hardened steel, exactly as per illustration, highly finished. Here are some of the uses: 1. Screwdriver. 2. Center punch. 3. Countersink. 4. Bus bar wire bender. 5. Bus bar and wire bender for 6/32 screw. 6. Bus bar and wire bender for 6/32

These are only the important uses of the tool, but many other uses will readily suggest themselves to every radio experimenter. You will wonder how you have gotten along before without the 16 in 1 radio tool. Get one of these happiness tools. You will never again be without it. Size 4 1/2 x 1 1/2 in. No. O-4800 RASCO 16 in 1 Radio Tool, each.....\$0.35

"RASCO" "Jiffy" Jacks and "Jiffy" Plugs

Again, Rasco leads with a small but important radio novelty. JIFFY JACKS are the simplest, and most efficient Cord Tip Jacks ever designed. Stamped from a single piece of metal they grip any style cord tip from any make phone or loud speaker. The JIFFY JACKS take but a minimum of room. All you need do is to drill two small holes in your panel and mount the JIFFY JACK with screw and nut furnished. No soldering necessary as the wire goes right on the screw. X-ray view shows how two of the jacks are used in conjunction with our Jiffy cord plug. The jacks go on in back of panel, only screws show in front. JIFFY JACKS take practically no room when mounted and are made of best spring brass that will not wear out. Hundreds of other uses for our JIFFY JACKS. We will pay \$1.00 for every new use for JIFFY JACKS that is accepted by us. JIFFY PLUGS are made of semi-hard rubber into which the tips of your phones or loud speaker are pushed. The cheapest and simplest plug ever designed. Its small size and neatness made it famous over-night. Size 1 in. long, 1/2 in. wide and 3/8 in. thick. No



5c

20c




S-4875


tools required. Just wet the metal cord tips and push through openings. Plug can be used with any standard cord tip jack, but best with RASCO JIFFY JACK.

O-4875-Two Jiffy Jacks with nuts and screws and one Jiffy Cord Plug.....\$0.20
 O-4870-One Jiffy Jack complete with nut and screw.....0.05
 O-4871-Jiffy Jacks without nuts or screws, two for.....0.05
 O-4860-Rasco Jiffy Plugs, each.....0.10

COMPLETE SET SALE AT REDUCED PRICES



09988 Reinartz Receiver.....\$13.50



09955 Autoplex outfit.....\$15.00

Will bring broadcast on loud speaker on single tube. Complete as pictured here. All parts, including mahogany cabinet, panel, instruments, binding posts, etc. Can be put together in a few hours time.

Wanted

This Company is always in the market for new ideas. Any small specialties in demand by the radio fan will be highly welcomed by us. Some of the articles shown on this page originated with our customers, whom we paid well for the ideas. Send your sketch or model addressed to Research Department, c/o this Company.



SPECIAL

Genuine RICO 2000 ohm double head set. Standard phone with 6-foot cord. Tripole type. Regular price, \$4.00. Our special price O-8060, \$2.50



FREE The big "Rasco" catalogue. Contains all circuit diagrams. Every up-to-date vacuum tube hook-up. Greatest little book printed. Free upon receipt of postal.	Moulded Variometer Highly substantial instrument. Sily windings. 1/4" shaft. Flange B when placed into AB direction makes instrument panel mounting. 130 to 650 meters. Money back if this instrument is not all that we claim for it. 05350 Variometer \$3.00	FONEKUSHIONS Made of sponge rubber. Make wearing your receivers a pleasure. Positive-ly exclude all noises and make reception a pleasure. Sponge rubber will last for years. Light as a feather. 03550 Fonekushions, set of two.....\$5.50	Straight Line Condenser Simplest and most practical type of condenser. 04430 "Rico" Condenser .001 mfd. 43 plate capacity.....\$1.75 04230 .0005 mfd. 23 plate capacity.....\$1.75 04110 .00025 mfd. 11 plate capacity.....\$1.75 All types no dials \$1.50	Radio Frequency Transformers Best Radio Frequency Transformer developed so far. Designed by R. E. Lacault, Associate Editor RADIO NEWS. Air core type. 200-600 meters. 02800 Transformer, size 1 1/2" x 2 1/2".....\$1.50	NEW!! Push Pull Transformer for many new circuits. See any radio magazine. Made of best materials. Coils impregnated. Silicon steel laminations. Save 50 per cent by assembling yourself. Simple instructions furnished. 01159 Transformer, Ratio 6 1/2 to 1.....\$4.00	Dilectryte Panels Highest dielectric strength as per Bureau of Standards. 07100 7x10x3-16".....\$.70 07120 7x12x3-16"......85 07140 7x18x3-16"......95 07180 7x18x3-16".....1.25 07210 7x21x3-16".....1.45 07240 7x21x3-16".....1.65
---	---	---	---	--	--	--

NEW THINGS FROM CATALOG No. 11 AT CUT PRICES

Dial Marker The big little thing you have been waiting for. Just drill a hole in the panel and mount the marker above the dial. Nickel plated and polished. 07788 Dial Marker, each.....\$.05	Vacuum Tubes Only best make tubes carried in stock. Any tube replaced if defective, providing filament lights. 0201A 5 v., 25 amp. \$2.50 0199 3 v., .06 amp. 2.50 012 1 1/2 v., .25 amp. 2.50	"Rico" (Adjustable) Loud-Speaker Phone Has rubber gasket underneath diaphragm, making phone fully adjustable. Gives amazing results as loud-talker on 1 and 2 stages of amplification. 02525 Speaker with 5 ft. cord.....\$2.65	Cockaday Coil Guaranteed best make. Three windings of No. 18 Magnet wire. Has brass brackets for panel or base mounting. Guaranteed or money back. 02750 Cockday coil \$1.50	Tapped "B" Batteries We positively guarantee these batteries 10 hours long life. We carry only fresh stocks. All with taps. 02250 Sm. 2 1/2 V., \$.85 02251 Medium Navy size, 2 1/2 volt.....\$1.20 04500 Large size, 4 1/2 volt.....2.30	Audio Frequency Transformers No better transformer made. Highest class materials. Impregnated coils. Silicon steel stampings used. Save 50 per cent by assembling it yourself. 01100 Ratio 4 1/2-1 \$2.00 01150 Ratio 6 1/2-1 \$2.00	Sponge-Rubber Cushions Get rid of tube noises due to vibration. Softest sponge rubber made. Size 2 1/2" x 2", 3/8" thick. 08989 Sponge-rubber cushions, each.....\$1.20
--	---	--	---	--	--	--

RADIO SPECIALTY CO., 98 Park Place, New York City
 Factories: Brooklyn, N. Y. Elkridge, Md.

They Wanted a Battery Charger Quiet, Economical and Simple

THREE years ago we built the first Unitron ever used for recharging radio batteries at home.

But long before that we put the question up to owners of radio sets. We asked thousands of them by mail—folks who had no rechargers.

"What," we asked, "are you looking for in a radio battery charger—what's kept you from buying one?"

They told us. They asked why somebody didn't take the mystery out of charging—they wanted a fuss-proof, quiet, really economical per hour charger. But most of all they wanted *simplicity*—even the expert amateurs.

And so we built the first radio Unitrons. We built one that would be particularly interesting to owners of many tube sets and one for those having smaller sets.

Building battery chargers wasn't new with us . . . not by a dozen years. We've been making them for industrial use, for battery companies, for automobile factories, for mine locomotive batteries for so long that Unitrons are a buy-word in electrical circles everywhere.

And so, the building of the first radio Unitrons meant merely incorporating the proved excellence of our large industrial

Unitrons to the needs of radio in the home.

We did it.

Now—so simple, so trouble-proofed that children may attach them to your "down" battery with thorough safety to themselves and to your set—the Unitron . . . large or small . . . is ready.

Neither noise, nor odor, nor acid annoy the Unitron user. It needs no adjusting, no oiling, no watering, no tinkering. Its charging *automatically* decreases as your battery fills with new charge.

The small size, model OO, costs \$18. It charges at 2½ amperes and is perfectly fitted for average requirements. While primarily an A Battery charger, with an adapter costing \$3, it will also charge B Batteries.

The larger Unitron, model O (not larger in size than your A Battery) charges at 6 amperes and costs \$30. Without extra attachments it will charge A Batteries, B Batteries and automobile batteries.

Both types take with them to users, our unqualified guarantee of efficiency. For their absolute quiet, for what they save in electrical current and for their extreme simplicity of operation they are winning enthusiastic friends.

Forest Electric Company

Newark

The Story "More Stations on the Speaker" Is Yours Just for Asking—Or, sign the coupon. New Jersey

Forest Electric Company,
New and Wilsey Streets,
Newark, New Jersey.

Name

Address

City..... State.....

Your unqualified guarantee (money back if the Unitron isn't as efficient as you say) is a promise to make good. I enclose herewith certified check (or money order) for Model....

KDKA to Broadcast for Polar Ship "Arctic"

(Continued from page 481)

and it will operate on a wave-length of 120 meters.

No more complete plans for carrying on a constant communication with the outside world were ever made by an Arctic expedition, particularly with respect to communication with the *Bowdoin*, McMillan's ship, from which nothing has been heard in months.

To insure that communication from the *Arctic* may be received in civilization, it has been arranged to equip two of the Hudson Bay Company boats, the *Bayeskime* and the *Nascopie*, with Canadian Westinghouse special receivers, designed not only to pick up KDKA's special wave but also the signals from the *Arctic*. It is hoped by this means to relay messages from the *Arctic* through the Hudson Bay Company's boats to the Labrador Coast stations and then on to G. A. Wendt of the Canadian Westinghouse Company at Montreal or straight through to KDKA. It is anticipated that the *Arctic*, through its transmitting equipment, will be able to keep in communication with KDKA, although it is quite possible that the ship's signals will be lost. However, KDKA will continue to send whether or not any acknowledgement gets through from the *Arctic*.

Non-Radiating Regenerative Receivers

(Continued from page 496)

directions and radiation is neutralized. To balance the tube capacity, the neutralizing condenser C₃ is used. A variometer may be included in the ground lead to tune the aerial circuit to the signal frequency. The disadvantage of this circuit is that audio frequency radiations from light and power lines will be amplified.

The three circuits have now been described. It is up to the experimenter to improve upon them. Although they do not radiate, their efficiency, as radio receivers, is poor.

Induction and Modulation

(Continued from page 467)

After the modulator gets through with the two currents mentioned above, the current that goes to the antenna has a characteristic curve similar to that shown in Fig. 9. This is known as *modulated radio frequency current*. It has the form of the voice current and at the same time is oscillating at radio frequency. Each one of the little humps or depressions made by the voice or music affects the microphone and causes the diaphragm to vibrate.

When this current reaches the antenna of the receiving station—if the tuner of that station is set for the wave-length of the transmitter—it will be passed on to the detector. This instrument will rectify or change the current so that the carrier wave will be eliminated and the voice current only will affect the telephones and render audible sounds exactly similar to those produced at the transmitting station. The exact process of detection both by crystals and vacuum tubes will be taken up later, after you have added a vacuum tube to the set described in the first of these articles.



The RāBAT Junior \$3.96

A Rechargeable Wet 'B' Battery. Capacity 800 Mil-Amps.
12 CELLS 24 VOLTS

Rabat Batteries Give Clearer Tones

IF you are troubled with distortion or weak signals, or if you are unable to tune in on various stations, you no doubt have a weakness or improper functioning of your batteries.

With a set of batteries of the Rabat Quality it is easier to detect signals and bring out a more pronounced clearness of tone. Naturally more stations can then be tuned in. Making your battery replacement with RABATS then assures you of better than average results and makes the ownership of a good set really worth while.

Rabat Chemical Chargers for "B" batteries

Junior \$1.40

Senior \$4.80



The Radio Rabat Company
914 St. Clair Avenue, Cleveland, Ohio

The RāBAT Senior

A Rechargeable Wet 'B' Battery. Capacity 2800 Mil-Amps.
12 CELLS 48 VOLTS

\$9.66

\$17.88

AMPLIFICATION Without "B" Battery

Thousands now enjoy the clear, distinct reception of the wonderful Solodyne Circuit made possible by Nutron Solodyne Tubes



NO longer is it necessary to suffer from the disagreeable scratching, screeching and howling as the set is tuned in. Nor is it necessary to have speeches and music all garbled up beyond recognition. The Nutron Solodyne Tube (Double-Grid), used in the Solodyne Circuit, is now giving to thousands of radio listeners the peace of mind and satisfaction that come with soft, smooth reception and distortionless amplification.

NUTRON
SOLODYNE
REG. U.S. PAT. OFFICE
TUBES

Nutron Parts for Solodyne Circuits

In the Solodyne Circuit there is not much energy to lose; to secure best results only the best of materials should be used. Low-loss condensers and coils will give results. Nutron parts, condensers, transformers, couplers, and grid leaks, have been especially designed by our engineers for use in the Solodyne Circuit and consequently will give superior results in standard circuits by reason of their unusually exact construction. See price list in coupon below.

Something New and Remarkable in Solodyne Circuits

Parts and diagrams for Solodyne Circuits consisting of one stage of tuned radio frequency and two stages of audio frequency amplification are now available. This is something that has been sought for years and is now completely developed. Our engineers have spared neither effort nor expense in perfecting these hook-ups and you will be simply amazed at the results they have secured.

Complete information regarding details of these remarkable circuits will be sent upon request.

Nutron Tuned Radio Frequency Kit

At last you can build at a very moderate cost "that big set" you have wanted. Build a 5-tube Neutrodyne Receiver or other tuned radio or tuned regenerative receiver. Send for this laboratory tested kit and be sure of distance and selectivity.

We make the assertion that there is not a better set of transformers, low-loss condensers of Nutrons (for neutralizing) on the market than this Kit contains. If you want the best results you must always use the best materials and workmanship. The Nutron Tuned Radio Frequency Kit furnishes the very best available material and workmanship at the lowest possible price.

Each Kit is complete with 3 very low-loss Condensers, 3 laboratory tested R. F. Transformers assembled ready for panel mounting, 2 mounted Nutrons for neutralizing. Price, only \$14.00

TO SET MANUFACTURERS

Our Service Department is at your disposal and gives positive assurance of matched tubes, technical exactness and personal attention. You can guarantee each set on tube operation. Write, wire or phone your requirements.

A MESSAGE TO DEALERS

Distributors have been appointed covering all territories. Upon your request to us our distributor for your territory will furnish you with complete information and ready service.

Broadcasters Seem to be Present

Although there is nothing but silence in the Solodyne Circuit until the desired station is tuned in, the final adjustment brings out the tones so clearly that the broadcasters and the microphone itself seem to be in the very room with the receiving set. That is *real radio reception*.

Those who enjoy smoothness and clarity of tone are quick to take advantage of the Solodyne Circuit made possible by the Nutron Solodyne Tube—Eliminates the B. Battery.

Complete diagrams and instructions with each Tube. Price \$6.00

In Standard Circuits

Write us for information regarding the use of Nutron Solodyne Tubes in standard circuits for clearer reception and saving of battery current.

Guarantee: Each Nutron Solodyne Tube is guaranteed in every way and will be replaced at once if, within ten days, it should not work and the filament still lights.

Nutron "Triple-Service Super" Tubes

Nutron "Triple-Service Super" Tubes, (.28 amp.) are better by fully 25% than any other tube of the type on the market. They have greater plate area and longer filament and therefore greater electronic emission. At 6 volts "A" Battery—and they will stand a full six volts—and at 90 volts "B" Battery Nutron "Triple-Service Super" Tubes have:

1. Mutual Conductance . . . over 900
2. Plate Resistance (Impedance) 7000
3. Amplification Constant . . . 7½ to 8

There are six uses for this tube which every radio owner should know. Send for the tube at once and get more out of your set. These have the same solid guarantee as the Nutron Solodyne Tubes. Price \$4.00

Nutron Dry Battery Tube (1½ volt) Price \$4.00 (another Nutron quality product)

Rigid Testing

Each and every Nutron Tube must operate a loud speaker on a one tube reflex set before it is finally passed.

CAUTION!

Be sure to use Nutrone parts for Solodyne Circuits. They are the approved laboratory-tested parts. There is absolute certainty of securing best results when they are used.



Nutron Mfg. Co.
715 Main Avenue, Passaic, N. J.

Please send me the following Nutron parts indicated by X. Enclosed is check, money-order, for same. (Payment must accompany orders).

- Solodyne Tubes \$6.00
- "Triple-Service Super" Tubes .28 amp. 4.00
- Dry Battery Tubes (1½ Volts) 4.00
- Condensers 3.50
- Transformers (Vernier). 3.00
- Couplers 3.50
- Grid Leaks 1.25
- Tuned Radio Frequency Kit 14.00

Name _____
Street _____
City _____ State _____

NUTRON MANUFACTURING CO.

715 MAIN AVENUE

PASSAIC, NEW JERSEY



Ward's Radio Catalogue

Write for your FREE copy

We want you to have a copy of Ward's new Radio Catalogue.

You will find it a storehouse of information — a dependable guide to the newest and most important radio developments.

It shows all improved parts and diagrams of the best hook-ups for the man or boy to build his own set, as well as the very best ready-built sets at surprisingly low prices.

Montgomery Ward & Co. are Headquarters for everything in Radio. And this Catalogue

shows complete everything in Radio equipment. Remember we sell only standard goods — direct to you by mail, and without the usual Radio profits.

For 52 years, "Satisfaction guaranteed or your money back," has stood behind every Ward sale. At Ward's, quality is never sacrificed to make a low price.

Write for your copy of this 68-page Radio Catalogue. See for yourself the low prices. You may as well profit by the savings it offers.


Address our house nearest you: Dept. 2-R

ESTABLISHED 1872

Montgomery Ward & Co.

The Oldest Mail Order House is Today the Most Progressive

Chicago Kansas City St. Paul Portland, Ore. Oakland, Calif. Ft. Worth



MILLER

The Ideal

RADIO HORN


Miller Radio Horns of inert, cellular rubber with a hard, reflecting outside surface, give ideal acoustical results with any instrument. They give utmost assistance in the reproduction of natural tones throughout the audible range.

Durable and beautiful, these horns are not affected by any weather or climatic conditions. Will not chip, peel, warp or crack.

Made in four standard sizes in any quantity desired, or specially built according to specifications. Our prices are competitive.

The Miller Rubber Co. of N. Y.
AKRON, OHIO

U. S. A.



Radio Station 8BRC

(Continued from page 487)

effort in applying practical knowledge obtained on the farm and in the machine shop. His achievements have been attained without the aid of capital or collegiate education and his example should serve as an inspiration for others where industry and practical knowledge intelligently applied are the only avenues open to success.

Government Extends Radio Channels for Amateurs

(Continued from page 489)

In making the announcement, Government radio officials stated that the opening of the lower wave bands for amateurs was due to increasing interest in short wave transmission, and because the few special experimental stations authorized to use these channels found it difficult to get enough short wave stations to carry on satisfactory experiments and make distant tests. The Government, in other words, hopes additional interest will be aroused and that valuable scientific data may be secured. It is also pointed out that the radio industry will be spurred to put new and better short wave transmitting and receiving apparatus on the market. The opening of this new field to all amateurs, before the national conference meets in September, should provide considerable data of importance to the art and industry, and for this reason the assignment of these wave-lengths is tentative only.

The Department's letter reads as follows: *All Supervisors of Radio.*

Sirs:— Effective immediately you are authorized to issue general and restricted amateur radio station licenses to permit the use of any one or all of the following bands of short wave-lengths: 75 to 80 meters, 40 to 43 meters, 20 to 22 meters, 4 to 5 meters, in addition to the band 150 to 200 meters, provided application is made by the owner of the station, which station must be prepared to use the wave-length, or wave-lengths, requested.

The use of continuous wave telegraphy only will be permitted on wave-lengths other than 150 to 200 meters and the antenna circuit must not be directly coupled to the transmitting circuit.

Silent hours will not be required of amateurs while using the wave-lengths within the above bands below 80 meters except where the transmitting station is so situated as to produce objectionable interference with other services.

Hereafter special amateur stations will not use wave-lengths above 200 meters. They may be authorized to use the band of wave-lengths from 105 to 110 meters in addition to the wave-lengths within the bands authorized for general and restricted amateur use, where the special amateurs are engaged in conducting tests with government or commercial stations.

General, restricted and special amateur stations will be permitted to use the entire band of wave-lengths from 150 to 200 meters employing pure C.W., spark and modulated forms of transmission.

It should be made clear to the amateurs that the authority granted above is necessarily tentative because of the rapid development taking place in radio communication and the bands of wave-lengths authorized may be changed whenever in the opinion of

W O R K R I T E R A D I O S E T S W O R K R I G H T

Registered
 Licensed by
 Independent Radio Manufacturers, Inc.
NEUTRODYNE
 Pat. March 27 1923 and April 1, 1924
 Machine Pat. Nos. 1,450,080 and 1,450,219
 Other Patents Pending



“Daddy, let’s get Los Angeles!”

“All right son, that’s easy. We’ll turn the
 dials to 55 and get it sure, if it’s on the air.”

That’s one of the delightful things about WorkRite Super Neutrodyne Receivers. The first time you pick up a station just jot down the dial settings. After that, simply refer to your “log” and set the dials at the positions it indicates. Immediately, the station you want comes drifting in sweet and clear—and entirely free from disturbing howls or whistles.

Under favorable conditions WorkRite will go clear across the continent for you. It will bring in far-off stations regularly and distinctly on the loud speaker. Broadcasting from points 500 or 600 miles distant comes in almost as strong as that of your own home town stations.

And think of this! You can tune out powerful local stations with the utmost ease, and bring in others, using practically the same wave length, without the slightest interference. For WorkRite selectivity is simply amazing.

Experts endorse WorkRite, of course, but even tho you have never operated a radio receiver, you’ll get the real thrill and joy of radio the first time you try one of these

remarkable sets. Years of experience in radio manufacture, the finest of materials, and the most skillful workmanship, all combine to make WorkRite wonderfully easy to use.

WorkRite Receivers are as distinguished in appearance as they are in performance. Read the individual descriptions of the beautiful, artistic models shown on this page.

Remember, too, that WorkRite Receivers are absolutely new. Your dealer may not be fully informed as to their advantages. But don’t make your radio investment until you know all about the WorkRite models. Any of them will put in your home a source of ever-changing amusement and pleasure. If your dealer is unable to demonstrate WorkRite for you, write us for the name of the nearest WorkRite dealer. Beautifully illustrated folder with full information on all models will be sent you on request.

THE WORKRITE MANUFACTURING COMPANY
 1806 EAST 30TH STREET • • CLEVELAND, OHIO
 Branches:
 Chicago, 536 Lake Shore Drive; Los Angeles, 239 South Los Angeles St.



WORKRITE AIR MASTER

Like all WorkRite models, this is a 5 tube set, encased in genuine brown mahogany cabinet with graceful sloping panel. Almost identical with WorkRite Radio King, shown in main illustration, except the latter has a loud speaker built into cabinet behind a handsome grille. Both furnished with plug and special cable carrying all battery wires.

Prices:
 Air Master, without accessories, \$160
 Radio King, without accessories, \$220



WORKRITE ARISTOCRAT

In this beautiful mahogany console, the loud speaker with special horn and reproducing unit is placed on one side and compartment for A and B batteries on other side. All connections made inside with cable and plug. Front drops, forming arm-rest for tuning or writing. Drawer beneath drop is provided for log sheets, etc. A set unsurpassed in any respect. Price, Aristocrat, without accessories, \$350

DEALERS—If you don’t know about WorkRite Super Neutrodyne Receivers, by all means write us immediately for full particulars.

WORKRITE SUPER NEUTRODYNE RADIO SETS

Build Any and All Sets With this Remarkable Unit

FIFTY or more circuits built with *DeRoy Phusiformers* without discarding any parts. From the simple crystal set, right on up through the reflex, inverse duplex, neutrodyne, ultra audion circuits to the famous 5 Tube Phusiformer Circuit—all can be made with *DeRoy "No-Los" Phusiformer Units*. The easiest and most economical way to increase the range and efficiency of your set. Eliminates use of condensers, variometers, couplers and radio frequency transformers.

DeRoy
Phusiformer
REPRODUCES
the
Original Music and
Speech Perfectly!



The fundamental principle of DeRoy Phusiformers is a self-supporting series of coils telescopically arranged, lying in a non-inductive field. Far more sensitive than any radio tuning instrument ever perfected, bringing in programs from great distances clear and natural. Distortion is unknown in any circuit using DeRoy Phusiformers. The original music and speech is the only real rival of the DeRoy re-PRODUCTION. Highly selective, positive as a micrometer. Stations can be logged—always found at the same points on the dials. Non-radiating and non-oscillating.

A set that can be built free from all external noises, squeals, howls, and whistles is worth your consideration. We guarantee you these advantages.

List Price, \$9
Complete with Dial

Write for Literature—
mentioning the name of your dealer

Watch for Announcement of the New DeRoy "No-Los"
Phusiformer Receiver

De Roy Radio Corp., 33-39 Belleville Ave., Newark, N. J.

the Secretary of Commerce such change is necessary.

Respectfully,
D. B. CARSON,
Commissioner of Navigation.

Approved:
J. WALTER DRAKE,
Assistant Secretary of Commerce.

If You Are to Know It At All, Know It Well

(Continued from page 488)

knowledge about the thing a person practices as possessed by the person practicing that thing—except in themselves.

They are the type that will claim that a particular make of rheostat brings in signals louder than any other make; or, a particular type of jack in the second stage of audio made the receiver twice as selective; or, that a fur trimmed antenna brought in better signals than a similar plain type. Such tommyrot would not be, and never is, perpetrated by the man with a sound and accurate knowledge of fundamentals. Details will not trip him nor, to speak figuratively, would he be unable to see the receiver for its dial.

You can obtain a knowledge by a few hours' study that would save you enormous expense and time—if you only would. Every new hook-up, then, would be transparent. It could be judged accurately and impartially without the necessity of trying it. You could judge whether it would be worth trying or not. You would be able to prophesy its properties, limitations, and advantages accurately, barring new basic ideas, of course.

Truly, knowledge is power.
L. W. Hatry.

Braggio Receives Radio Congratulations

Senor Braggio's record with New Zealand aroused great enthusiasm, as was to be expected, and he was given an ovation by radio which seems worth describing if only to show the excellent relations existing between the BCL and the telegraph amateur in Argentine. Shortly before midnight all the principal broadcast stations announced that they were suspending their programs in order to leave the air free for the official speech of congratulations which a prominent amateur then made from his station—he ended with three cheers, and every transmitter in the country (at least, it sounded like that, and I have not met anyone who did not take part) opened up with cheers, applause, bugle-salutes, and congratulations to Senor Braggio. The effect was overwhelming, every wave-length from 100 to 500 meters being occupied.

John English.

Calls Heard

90A, 408 9TH ST., PETERSBURG, INDIANA
C. W.:

1ajp, 1gv, 1iv, 1kr, 1lc, 1cw, 2arz, 2brb, 2cqz, 2by, 2kf, 2le, 2qh, 2rb, 2rk, 2wr, 3ada, 3bdi, 3buy, 4io, 4jr, 4jm, 4ll, 4ml, 4oa, 4og, 4rr, 4sb, 4sh, 4tj, 4ts, 5amf, 5aui, 5alo, 5amb, 5apo, 5aec, (5aek), 5alz, 5ajj, 5aip, 5ags, 5aac, 5mi, 5kr, 5rc, 5rk, 5qc, 5gi, 5nt, 5es, 5ka, 5ck, 5rd, 5mo, 5im, 5ql, 5kc, 5lr, 5agv, 5xat, 5za, 5zas, 5cgw, 5aar, 5ajj, 5ayt, 5ana, 5ada, 5arv, 5agi, 5app, 5abm, 5acn, 5aol, 5aig, 5apt, 5ann, 5ajh, 5ak, 5kg, 5bk, 5pl, 5fm, 5pu, 5cw, 5gz, 5do, 5uf, 5dc, 5jn, 5lr, 5rj, 5jj, 5ah, 5uq, 5cy, 5bf, 5uf, 5gw, 5vt, 5lw, 5bt, 5jy, 5fu, 5ll, 5kc, 5bfm, 5bhg, 5bz, 5bwk, 5blt, 5bws, 5bmb, 5bmt, 5bop, 5bvr, 5bnh, 5brc, 5bhk, 5bkc, 5bgz, 5bdr, 5bcj, 5cyo, 5cjp, 5chy, 5cfk, 5cql, 5cnl, 5cjc, 5cun, 5caw, 5cei, 5con, 5cjd, 5cwr, 5cmj, 5ckm, 5cci, 5ebf, 5cgl, 5cgv, 5cdi, 5diu, 5dal, 5diz, 5dia, 5doa, 5dia, 5dgr, 5dau, 5dms, 5dhs, 5dbw, 5dcy, 5dou, 5dhp, 5ex, 5xb, 5xbq, 5yx, 5zc, 5eoa, 5bgj, 5dqu, 5bss, (5czl), 5acw, 5dyt, 5cfl (5bse), (5es), (5bce),

Look for
this box

25¢
a bottle



"The Liquid Spaghetti"

"**L**iquid Spaghetti!" If you have ever fussed and fumed with old fashioned spaghetti you will appreciate the advantages of being able to insulate your busbar with a brush after your set is wired.

RADOLENE is the best insulation you can possibly use in your radio set. It has successfully passed stringent high voltage tests. It is flexible. It is applied easily and dries in a moment. Build your set the **RADOLENE** way!

Send 25c direct to us if your dealer cannot supply you. **RADOLENE** comes in five colors—Red, Yellow, Black, Green, Purple.
JOBBER AND DEALERS WRITE!

Neumade Products Corp.
MANUFACTURERS
249 West 47th St. NYC

SALVAGE MEANS

Save: Service: Satisfaction:

1. Save—through the hundreds of radio bargains made possible by our enormous buying power.
2. Service—by our staff of qualified radio experts.
3. Satisfaction—from brand-new quality apparatus GUARANTEED to give complete satisfaction.



MAIL ORDERS

Filled Promptly

Thousands of fans have been buying their Radio Parts from us for several years now. They keep coming back because we give them real service, fill their orders intelligently and save them money. Ask your friends about us or give us a trial on a small order—we'll please you!
Address Dept. N-6, 509 S. State St., Chicago

BUILD YOUR RADIO NOW!

Save Money by Choosing Your Parts from this Page of Unequalled Bargains

Big Savings Here on PARTS

COCKADAY COILS \$1.75

TRI-COIL TRANSFORMERS \$1.45

BAKELITE SOCKET 55c

FRESHMAN GRIDLEAK & COND. 65c

BRADLEYSTAT LEAK, OHM \$1.25


HARKNESS COILS \$3.65

COILS for REINARTZ CIRCUIT \$1.65



VARIABLE CONDENSERS

- GENUINE BAKELITE ENDS
- \$7.00 value, 43 Plate Vernier \$3.45
 - \$6.50 value, 23 Plate Vernier 2.95
 - \$6.00 value, 11 Plate Vernier 2.45
 - \$1.75 value, 3 Plate Vernier 1.15
 - \$4.30 value, 43 Plate, NOW 1.75
 - \$3.70 value, 23 Plate, NOW 1.45
 - \$3.30 value, 11 Plate, NOW 1.35
 - \$2.25 value, 5 Plate, NOW 1.25



\$18 Value EAGLE BAT. CHARGER with

TUNGAR BULB Very Special \$10.95

WEST. ELEC. 194-W HEADSET \$ 7.95

RECTOR 2-ROTOR COIL \$ 5.45

LOUD SPEAKER with GENUINE NATH. BALDWIN UNIT \$10.50

FREE

Our New 1924 Radio Catalog

Send in your name and as soon as the catalog is ready we will send you a copy.



Complete Parts for KNOCK-DOWN SETS

THE parts for these knock-down sets have been carefully tested both individually and together in the particular circuit for which they are intended. We employ a staff of experts to test out and find the RIGHT parts for whatever circuit you want to build. Not the most EXPENSIVE parts, nor the CHEAPEST, but the RIGHT part that will perform faithfully whatever is demanded of it by the particular circuit being built. We are the originators of knock-down sets.

Complete Parts for 1 and 3 Tube COCKADAY SET

Parts for 3 Tube Sets as follows:

- | | Our Price |
|---|-----------|
| 7x21x3-16 Drilled Panel and baseboard | 1.95 |
| 1 Cockaday Coil | 1.95 |
| 2 Comco 26-Plate Ver. Cond. with Dials and Vern. Knobs | 6.90 |
| 2 A. F. Trans. | 8.00 |
| 1 Howard Ver. Rho. | 1.35 |
| 2 Howard 25-Ohm Rheos. | 2.00 |
| 3 Firth Sockets | 1.35 |
| 1 Switch Lever | .25 |
| 7 Points, 2 Steps and 8 Binding Posts | .55 |
| 1 Binding Post Strip | .05 |
| 2 Patent 2-Cir. Jacks | 1.00 |
| 1 Patent 1-Cir. Jack | .35 |
| 3 Erla Bezels | .45 |
| 20 Feet Bus Bar Wire and Miscellaneous Screws, Nuts, Etc. | .25 |
| Schematic Blueprint | .50 |
| Grid Leak and Mica Condenser | .65 |



1 tube \$11.95 3 tube \$27.95 Set Set

Complete Parts for 2-TUBE HARKNESS SET

Consisting of:

- 7"x14"x1/8" Drilled and Engraved Panel—2 Thor-darson or All-American Transformers—2 Harkness Flexoformers with Condensers—2 Dials—2 Firth Sockets—1 Cutler-Hammer Battery Switch—1 Single Circuit Jack—1 Grewol Detector—1 Howard Rheostat—5 Binding Posts—10 Ft. of Bus Bar Wire—1 Baseboard—Diagram and Complete Instructions \$20.85

Complete Instructions for assembling and blueprints for wiring are included with each outfit. Instructions written so everyone can understand them. No special skill or technical knowledge required—a few hours and you're ready to tune-in New York, Los Angeles—any of 'em!
PANELS DRILLED FREE
Specially drilled panels are included with each of the sets illustrated and described here—makes your work neater, quicker, and easier. We give this FREE service only on panels included with complete set.

Complete Parts for 5-Tube Bremer-Tully

NAMELESS R. F. CIRCUIT

Consisting of Genuine Bremer-Tully and Carter Parts, Drilled and Engraved Formica Panel. Complete Instructions. Can be set up in less than 6 hours. \$44.50

FADA SETS & KITS REDUCED 35%

- \$120 list No. 160A 4 tube FADA NEUTRODYNE SET \$78.00
- \$64 list No. 166A 4 tube FADA NEUTRODYNE KIT \$41.60
- \$65.60 list No. 167A 5 tube FADA NEUTRODYNE KIT \$42.65

All Parts—Kits and Sets in Original Boxes—Serial Numbers on All

Complete Parts for EVERY CIRCUIT

If the circuit you want to build isn't listed here, write us about it. Our experts will send you a list of parts and an estimate which we know will be lower than anyone else's. Try us. We'll save you money. Write us for particulars on our new

SUPERHETERODYNE SURPRISE-PACKAGE CIRCUIT
—It's a Wonder!

TABLE NO. 31
Substantial table 15" x 31" x 29". Packed 1 Ea. in carton \$3.50



CABINET NO. 29
Battery compartment 10" x 11" x 29". Open back with shelf compartment for B battery. Paneled front to conceal batteries, overall measurements 11 1/2" x 32" x 29". Set up complete in carton, \$7.50

M-B-G

RADIO CABINETS

Are Neat

Away with the mussey radio set! House it neatly in an M-B-G Radio Cabinet. The best value to be found. Large ones—small ones—a variety of styles. All made of Oregon Fir. Selected for its perfect grain. They are protecting thousands of home-made sets the country over. Radio fans are quick to sense their unusual value.

Order To-day

Choose your style—from the display at your radio dealer—or if you wish send direct to us. We will send it to you promptly. FREE with every cabinet comes complete and fascinating instruction on how to stain to harmonize with any color scheme or furniture. You finish M-B-G Cabinets to suit your taste—that makes them especially convenient.

Express Body Corporation
Radio Cabinet Dept.
42 Lake Street


Crystal Lake, Illinois
EVERY M-B-G RADIO CABINET IS GUARANTEED TO GIVE SATISFACTION OR MONEY WILL BE CHEERFULLY REFUNDED.

Express Body Corporation
—Radio Dept.
42 Lake Street—Crystal Lake, Ill.
Please send me model...size... for which I enclose \$.....


Name

Address

CABINET No. 37
Exceptional design—compartment 10" x 11" x 29" for batteries, etc., and shelf for instruments 7" x 11" x 29"—overall measurement 11 1/2" x 32" x 29". Set up, complete, packed in carton, \$11.50.



NEAT FIT K. D. CABINETS
Made in a variety of sizes, solid knoeked down, easily set up. Holes bored for every screw. No other cabinets offer such unusual values.



Panel 7x9" 7" deep \$1.50
Panel 7x12" 7" deep 1.80
Panel 7x16" 7" deep 2.00
Panel 7x18" 7" deep 2.10
Panel 7x21" 7" deep 2.20
Panel 7x24" 7" deep 2.30
Panel 7x28" 7" deep 2.40
Panel 7x28" 7" deep 2.50
Other sizes carried in stock. Prices on request.

9ajl, (9cic), 9buj, 9doj, 9dlm, 9bex, 9dhr, 9dro, 9bce, 9eld, 9bgi, 9ajd, 9btt, 9bdj, 9aic, 9awf, 9ctt, 9csk, 9eiz, (9baz), 9dww, 9cvo, (9bfy), 9amt, (9bse), 9dww, 9awr, 9bpd, (9ejv), (9ell), 9abf, (9duc), 9dnf, 9eky, 9acc, 9auu, 9cow, 9dwa, 9buk, 9aqj, 9ccu, 9elb, 9bpt, 9afy, 9dpl, 9bwu, 9cln, 9cwo, 9alp, 9ckh, 9ccw, 9aja, 9dlw, 9ccs, 9cvt, 9cee, 9czu, 9baw, 9ahj, 9dly, 9bgh, 9bui, 9csg, 9bfq, 9dwx, 9bds, 9drc, 9dzu, 9dva, 9dda, 9cii, 9dyy, 9bsi, 9egh, 9brk, 9aud, 9cly, 9amb, 9dro, 9bdq, 9chc, 9cyg, 9cim, 9cah, 9aaw, 9auc, 9aal, 9cyx, 9cyw, 9aii, 9efe, 9cte, 9apr, 9dlo, 9aea, 9day, 9beb, 9cmd, 9dbw, 9efq, 9bag, 9bes, 9cyj, 9cea, 9cak, (9eak), 9dmc, 9eld, 9aok, (9cmm), 9dlm, 9ra??, (9es), 9or, 9mc, 9wu, 9ir, 9ta, 9vc, 9cr, 9zt, 9qi, 9nc, 9ur, 9ug, 9tg, 9ep, 9uq, 9pw, 9pb, 9ci, 9le, 9cm, 9bk, 9we, 9ap, 9kd, (9ng), 9ni, 9nu, 9ig, 9og, 9uk, 9xax, 9xba, CAN: 2CG, 3CQ
Will Qsl if requested. Qrk? mi 5 watter?


4PV, 148 AVANT ST., SPARTANBURG, S. C.
(1aft), 1ajx, (1arf), 1auk, 1bie, 1boq, (1bwx), 1ccz, 1py, (1rr), (2acs), (2aet), 2aey, 2agb, 2al, 2azy, 2bbx, 2bse, 2buy, (2bx), 2byk, 2cbg, 2ccd, 2cka, 2cpd, 2cwp, (2jc), 2kf, (2kx), (2qi), 2rb, 2sy, 2vh, 2xbi, (3agi), (3ahp), 3ajd, (3apv), (3bay), 3bgt, 3bnu, 3bnu, 3brf, 3buy, 3bva, 3cbl, (3cdu), (3cju), 3cki, 3fb, 3hh, (3hs), 3lg, 3mo, (3oc), 3ph, (3qv), 3ft, 3yo, 3zo, 4af, (4ag), 4ai, 4bw, (4dw), 4dy, 4ea, 4cq, (4fs), 4ft, 4gx, 4ia, 4io, 4iz, (4jr), 4kl, 4lk, (4nj?), 4og, 4pk, 4rz, 4si, (4tj), (4ua), 4uk, (4un), 4yz, 5aiy, 5alz, (5amh), 5ck, 5cs, 5fm, 5gp, 5ka, (5mi), 5zas, (6abq), 6abs, 6abz, 6acm, 6agl, 6aip, 6aix, (6apn), (6atz), 6aws, (6bca), 6bic, 6hkh, 6mb, 6bnh, 6boy, (6bqi), 6brc, 6brm, 6bsq, 6byk, 6cci, 6cdc, 6cei, 6cga, 6daa, (6dae), (6daw), 6dc, 6dfn, 6dgo, 6dhs, 6dnp, 6doi, (6ef), 6er, 6fj, 6fm, (6gj), (6ti), 6ue, 6vq, 6vt, 6yd, 6zc, 6zz, 9aal, 9aau, 9aah, 9aim, (9aio), 9aqq, 9bcc, (9bc), 9heq, 9bjz, 9bk, (9cjb), 9cjm, 9dlw, 9dmc, 9dsa, 9dwa, 9elb.
WI QSL on request. All rpts appreciated es QSL'd.

5QP, 410 REYNOLDS ST., GADSDEN, ALA.
U. S.—C. W.:
2mf, 4ai, 4do, 4ig, 4ia, 4io, 4iz, 4qf, 4sh, 4si, 4tj (qra), 5aw, 5acm, 5ack, (5akp), 5amf (Fone), 5amh, 5cn, 5ek, 5es, 5gi, 5gp, 5ka, 5nt, 5qh, 5qv, 5rg, 5ve, 5vu, 5xat (qra), 5zas, 6bmb, 6ckm, 6do, 6ij, 6wp, 9aau, 9aaw, 9ash, 9aus, 9ayv, (9baz), 9baq, 9bch, 9bhg, 9bh, 9bk, 9brv, 9cee, 9cer, 9cfk, 9cln, 9cm, (9ca), 9cmc, 9cmn, 9cta, 9cvo, 9czu, 9dcw, 9dww, 9dzu, 9elb, 9eky, 9wu.
Bd ORN reason fr small list of "Calls Heard" at "5QP" this month.

2WZ, BROOKLYN, N. Y.
C. W.:
1ah, 1cg, 1dh, (1do), (1dq), 1fn, 1gv, 1ij, 1kc, 1kr, (1mm), (1pa), (1py), 1uj, (1zt), (1zz), 1aac, 1abf, (1adm), 1aft, (1aid), 1aja, 1ajp, (1aol), 1aqb, 1are, (1arf), 1auc, (1aur), 1ruj, 1avr, (1axa), 1axz, 1azr, 1bbe, (1bcc), (1bdt), (1bdx), (1bin), 1bic, 1bis, (1bjo), 1bqq, 1brz, 1cjm, 1cmp, (1cmx), 1cpo, (1cqm), (1ctw), 3dk, 3eh, 3hh, 3hj, 3lg, (3me), 3oe, (3oq), 3ph, 3sf, 3tp, 3uu, (3vw), 3aff, 3ajd, 3aoj, 3apv, 3awv, 3bay, 3bce, (3bdi), (3bqp), 3bta, 3buy, (3bvl), 3bwj (3cdn), 3cdk, 3cgs, 3cll, (3cik), (3cin), (4ab), 4fa, 4fs, (4su), 4tj, 6awt, 6cgv, (8jq), (8ku), 8qm, 8rj, (8uf), 8xe, 8xx, 8xba, 8zp, (8abm), 8ajn, 8aky, 8avl, 8axf, 8ayw, (8bfe), 8bhf, 8bbe, (8bir), (8bkh), 8hrc, 8ccr, (8cdc), 8cei, 8cun, (8cwp), 8daa, 8daw, (8dcm), (8dnf), 8dnn, 8dpo, 8dsc, 9zt, 9ato, 9biv, 9dqv, 9dsa.
I. C. W.:
1ael, (1bdx), (1bgq), (1xak, 1alo), (3cdu), (4su), CAN:
1ae, 1dd, 1eb, (1ci), 2be, 2bn, 2cg, 3bd, 3fc, 3ty, 3xi, 3ac.
Will qsl to all who ask. Pse report if u have hrd us.

GEO. JUNGE, 224 1/2 E. 3RD ST., DAVENPORT, IA.
C. W.:
1ccx, 4ai, 4bx, 4io, 4ni, 4rr, 5ax, 5ck, 5cn, 5es, 5is, 5rg, 5uy, 5uu, 8acn, 8aig, 8ajn, 8anr, 8amz, 8apw, 8aq, 8ayi, 8azg, 8bbg, 8bcu, 8bdg, 8bew, 8bjk, 8bk, 8bkd, 8bkh, 8bmb, 8brc, 8brv, 8bzc, 8cbx, 8cx, 8cpk, 8cci, 8cud, 8cux, 8cwr, 8czz, 8daa, 8dak, 8dat, 8dfo, 8dga, 8dgo, 8dgt, 8ddt, 8dha, 8dhi, 8dm, 8dv, 8er, 8ga, 8gp, 8if, 8ir, 8lm, 8pl, 8qk, 8uf, 8uk, 8ux, 8vt, 8xac, 8xs, 8zc, 8zz, 9aar, 9aau, 9ado, 9adp, 9aim, 9akf, 9aoh, 9aok, 9aol, 9alw, 9ark, 9arp, 9arr, 9atm, 9auc, 9auv, 9axd, 9axn, 9axx, 9ayd, 9azw, 9axz, 9bbg, 9bcb, 9bck, 9bcx, 9bcy, 9bf, 9bio, 9bhc, 9bhh, 9bih, 9biv, 9bjy, 9bkk, 9blg, 9bmd, 9bmu, 9bna, 9boy, 9brq, 9brv, 9bvr, 9bwo, 9bwu, 9cc, 9ccm, 9cdo, 9cee, 9cei, 9cfl, 9cco, 9cch, 9cii, 9cis, 9cil, 9ckd, 9ckk, 9ckw, 9clx, 9cns, 9col, 9cor, 9cph, 9ctr, 9cvo, 9cyy, 9cyw, 9cyz, 9czm, 9dcy, 9dcw, 9dbf, 9dfq, 9dga, 9dgi, 9dlw, 9dm, 9dni, 9dqu, 9dtk, 9dqw, 9drx, 9dsv, 9du, 9dve, 9dww, 9dyy, 9dyw, 9cfe, 9cgv, 9cia, 9elb, 9ell, 9elt, 9ha, 9hs, 9le, 9no, 9xd, 9xw, 9zt.
A card to any of above who send me one.

PAUL BIEDENHARN, 1914 GARRARD ST., COVINGTON, KY. (1 TUBE)
1mo, 2cq, 2cro, 3abw, 3au, 3le, 3oo, 3pi, 3ts, 4eb, 4ll, 4mc, 4ml, 4og, 4qw, 4rr, 5aa, 5aac, 5aak, 5aar, 5ac, 5ahr, 5air, 5aiu, 5ak, 5alm, 5an, 5cn,




WHAT you save in time and the protection of your floors and furnishings alone, more than pays for this Reliable Radio Battery Filler. It is used for filling "A" and "B" storage batteries with distilled water in about one-fourth the time you would ordinarily take. No slopping, no tedious work, always ready, can be carried anywhere. Holds a half gallon of distilled water.
Price only \$1.50 (radio size)
\$4.50 (service station type)

Here are some other Reliable Radio Devices you should have.


A battery tester that is easy to read. Float always upright. Acid proof rubber. Strong and durable.



This little condenser increases your range and distinctly clarifies reception. Adjustable, simple to use



Reliable audio and radio frequency transformers are specified equipment with some of the leading radio authorities. More volume and less distortion assured with their use.



Save Time, Patience and your Batteries WITH THE RELIABLE RADIO BATTERY FILLER

THE RELIABLE PARTS Mfg. Co.
2819 Prospect Ave., Cleveland, Ohio

Insure your copy reaching you each month. Subscribe to Radio News—\$2.50 a year. Experimenter Publishing Co., 53 Park Place, N. Y. C.

5da, 5ek, 5ha, 5hj, 5ht, 5kk, 5mf, 5my, 5mz, 5od, 5oo, 5rk, 5rv, 5sc, 5tj, 5tk, 5uv, 5va, 5vc, 5vv, 6agq, 6am, 6avv, 6bq, 6cmk, 6ma, 7ot, Canadian: 3db, 4bm, 4co. Cuban: 6kw. Wd appreciate a crd fm any of the above.

ROBERT KNAPP, 2006 GARRARD ST., COVINGTON, KY. (1 TUBE)
1axn, 1fd, 1gv, 1lv, 2ah, 2ajr, 2ana, 2aoy, 2bei, 2ejj, 2enk, 2exd, 2ezd, 2df, 2ja, 2le, (gra, 2rk), 2sq, 3adj, 3ahp, 3atb, 3bbt, 3bms, 3bro, 3bsi, 3bsy, 3buy, 3hwc, 3hz, 3ccn, 3cdk, 3cel, 3cg, 3cex, 3cjm, 3hg, 3jc, 3jy, 3lg, 3lk, 3lx, 3ly, 3my, 3od, 3ph, 3rg, 3tg, 3ts, 3yh, 3zi, 3zt, 4ai, 4ai, 4ar, 4aw, 4bk, 4bz, 4cg, 4cs, 4eq, 4fa, 4ft, 4gx, 4ht, 4ii, 4jm, 4jr, 4me, 4mi, 4my, 4na, 4nv, 4oa, 4og, 4qw, 4rr, 4rz, 4sh, (qra?—4su, 4sx), 5aa, 5aac, 5aam, 5aas, 5af, (qra—5ag), 5aj, 5air, 5aiu, 5aiv, 5alj, 5aly, 5amh, 5aon, 5cn, 5db, 5ec, 5ek, 5es, 5fg, 5fv, 5gi, 5hh, 5hv, 5hw, 5jw, 5ka, 5lr, 5mo, 5na, 5oa, 5ph, 5pk, 5qh, 5qi, 5ql, 5qz, 5rg, 5sy, 5ut, 5vc, 5vin, 5vr, 5wg, 5xa, 5yw, 5zas, 5zg, 6cgw, 6fp, 6ja, 7co. Canadian: 2fu, 3bg, 3rg, 3rv, 3yv. Wd appreciate QSL's frn any of the above stations, especially the QRA's.


D. R. KINNER, 1331 AVENUE ROAD, TORONTO, ONT.
CANADIAN:
1ar, 1ef, 2be, 2bg, 3aa, 3ac, 3adj, 3ads, 3av, 3bj, 3bq, 3cj, 3ef, 3ep, 3fc, 3gg, 3he, 3kq, 3ly, 3mh, 3ml, 3oh, 3pz, 3ti, 3vh, 3xn, 3yh, 3yw, 9al, 9av, 9cd, 9cf.
UNITED STATES:
1aal, 1afc, 1asf, 1bgt, 1by, 1ccz, 1cew, 1erw, 1py, 1rr, 2agf, 2byc, 2os, 2pp, 2wz, 3adb, 3agf, 3ajd, 3ard, 3ava, 3che, 3chs, 3cjm, 3cu, 3lj, 3ms, 3oe, 3tp, 3zo, 4dk, 4dx, 4ft, 4pv, 4rs, 5ap, 5ka, 5rg, 8aaj, 8acm, 8adh, 8agq, 8aig, 8ajd, 8ams, 8amx, 8aq, 8act, 8av, 8bce, 8bfe, 8bg, 8bgt, 8bk, 8bkh, 8bma, 8bmd, 8bxh, 8edt, 8cep, 8ceq, 8clp, 8cjd, 8cl, 8cmu, 8cpx, 8cw, 8daa, 8dae, 8dak, 8dat, 8dem, 8der, 8dib, 8dfm, 8dgo, 8dhu, 8dsa, 8dk, 8fg, 8fm, 8hb, 8hj, 8ho, 8kc, 8nb, 8ow, 8rj, 8tx, 8uq, 8wq, 8xs, 8xx, 8zh, 8zq, 8zy, 9ahx, 9aer, 9ahi, 9alk, 9amb, 9aps, 9au, 9aus, 9bck, 9bcx, 9hbh, 9his, 9bk, 9blg, 9bnu, 9bn, 9bux, 9bvc, 9cap, 9cew, 9cdo, 9egr, 9cii, 9cjr, 9cis, 9cp, 9esg, 9czl, 9dbm, 9dct, 9dh, 9dlm, 9dlw, 9dpx, 9dy, 9dwx, 9ef, 9ela, 9ks, 9lb, 9li, 9qw, 9ss, 9su, 9th, 9wv, 9xl, 9xn. (8dot, 8dnf, 8dnp, 8dsa) QRA?

5ANE, SELMA, ALA.
1ajp, 2crq, 2kx, 3aow, 3bp, 3bua, 3cdk, 3dg, 3er, 3kk, 3mo, 3ms, 3nz, 3oh, 3ph, 3rg, 3ut, 4ae, 4ai, 4dx, 4eh, 4eq, 4mf, 4ft, 4iz, 4mr, 4sa, 4si, 4sr, 4ta, 4zm, 5aed, 5aef, 5aen, 5ail, 5ais, 5akw, 5am, 5ang, 5amh, 5amu, 5aot, 5ape, 5ar, 5ari, 5ck, 5do, 5ea, 5ek, 5es, 5fin, 5gp, 5iu, 5iz, 5js, 5kn, 5la, 5ll, 5mb, 5nt, 5om, 5pk, 5rs, 5sh, 5sk, 5sw, 5sz, 5uk, 5ux, 5vh, 5vr, 5vt, 5v, 5wi, 8ajn, 8avx, 8ax, 8bh, 8bit, 8bmb, 8hnb, 8bq, 8bre, 8brm, 8cei, 8cy, 8dae, 8dem, 8dh, 8dhe, 8dhs, 8die, 8dt, 8dte, 8dtw, 8ik, 8io, 8rj, 8sc, 8up, 9aau, 9aaw, 9acq, 9ada, 9aco, 9ao, 9arp, 9arr, 9ash, 9avc, 9awg, 9baz, 9bce, 9bed, 9bit, 9bka, 9bkk, 9bpt, 9cee, 9cer, 9cfi, 9cfl, 9cnu, 9eud, 9cui, 9dbf, 9dcw, 9dge, 9dkk, 9dno, 9dwx, 9efu, 9ela, 9elb, 9is, 9qr, 9rd, 9um, 9vm.
SPARK:
3bp, 5de, 8acr, 8bv, 8de, 9mc.
PHONE:
4ft, 4ll, 6amf, 8brc, 8dwt.
Wl gladly QSL crds frn the above. Copp Cir. cs Baldies.

2WZ, BROOKLYN, N. Y.
CW.—(1ah), (1ci), (1da), 1db, (1de), (1es), 1gb, 1gv, 1ka, (1my), (1oa), 1ow, (1pa), 1pl, 1py, 1qr, 1rb, (1rh), 1vk, 1xw, 1ul, 1um, (1zd), (1zg), (1zp), (1zt), (1zw), (1zz), 1aac, (1aal), (1abf), (1abs), laea, (1aeg), (1aei), (1aef), (1aft), (1agt), (1aid), (1ajo), 1akz, lamw, (1anh), (1anx), (1are), (1arf), (1aur), 1avj, 1avl, (1awy), (1axa), (1aye), 1azr, (1bbe), 1bbo, (1bec), (1bec), (1bdx), (1bgt), (1bip), 1bjg, (1bjo), (1bkk), (1bib), 1bix, (1boa), 1bpp, 1bpz, 1bqk, 1bqui, (1bvb), (1bv), 1bv, (1bwd), 1bwj, (1bzc), (1bzp), (1cak), 1cba, (1ccx), 1ccz, (1cjc), 1ejd, (1cjm), 1cjq, (1ckk), 1cmp, (1cmx), (1cpc), 1epf, 1epo, 1cqk, (1etw), 1eue, (1xax), (2bm), 3av, (3bm), 3bq, (3bz), (3dk), 3ek, 3fr, (3gc), 3hj, 3hs, 3mb, 3me, (3mf), (3mo), (3oe), 3oq, 3pl, (3qj), 3tp, 3ts, 3ug, 3xx, 3zg, 3zm, (3zs), 3ahj, 3ahw, 3acq, 3acr, (3adp), 3afs, 3aha, 3ahp, (3aoj), 3api, (3apv), (3auv), 3bdo, 3bdr, (3bmn), (3bno), 3bnu, 3boa, (3bof), (3bqg), 3bsb, 3btu, (3buy), 3bva, (3bv), 3bw, (3bzx), (3cdk), (3cld), 3cgs, (3che), (3cjm), 3ckh, 3cvc, 3xan, (4af), 4ai, 4bx, 4dx, 4dy, 4ea, 4el, (4fs), (4ft), 4it, 4jk, 4jr, (4js), 4kl, 4pk, 4pv, 4rr, 4sy, 4tn, 4ut, 4un, 4xg, 5ad, (5bj), 5in, 5ns, 5oq, 5pr, 5qk, 5uk, 5wo, 5aiy, 5akn, 5amh, 5apc, 5axw, 6egw, 6cqe, 8bf, 8bg, 8hg, 8ht, 8ci, 8ef, 8ej, 8fi, 8fm, 8fu, 8gp, 8gz, (8jq), (8ku), 8mc, (8rh), 8rj, (8sr), (8vq), 8xs, (8zw), (8aaj), 8aer, 8aes, (8aog), 8aig, (8ai), (8aip), (8ajn), 8ald, 8amd, 8apv, 8apy, (8avd), 8avl, (8aws), (8axd), (8ayb), 8be, (8bie), 8bit, (8bkh), (8bmn), (8bnp), (8bnu), 8bs, 8bvy, (8bzd), 8bc, 8bg, 8bv, (8br), (8bwk), (8byq), (8ced), 8dex, 8ue, 8uz, 8vbi, (8vbk), (8vq), (8vz), 8dx, 8ee, 8ehp, 8elm, 8elw, 8ep, 8em, 8enn, (8enn), (8eam), 8euv, (8ewp), (8ewr), (8ey), (8dae), (8db), (8dbs), (8dce), 8dem, 8dhn, 8dgn, 8igw, (8lln), 8ltd,

EISEMANN

ELECTRICAL EQUIPMENT



Announcing the 6-D Receiver

TYPE 6-D embodies the most modern developments in radio engineering, together with unusual design and workmanship. It meets the most exacting requirements of discriminating buyers.

The outstanding characteristics of this new Receiver are extreme selectivity, extraordinary distance range and exceptional clarity. Tuning is very simple. The 6-D is a non-oscillating Receiver, and no potentiometer or stabilizer is employed.

Step into a radio store and examine this new Receiver. Ask for a demonstration, and see for yourself its many superior qualities.

SPECIFICATIONS

- Circuit:** Two stages of tuned radio frequency amplification, detector and two stages of audio frequency amplification.
- Crystal:** crystal black finish. A perfect body capacity shield.
- Tubes:** Five in all. Jacks provided for either five or four tube operation.
- Dials:** Sunken design. Shaped to fit the hand and permit a natural position in tuning.
- Batteries:** Either storage or dry-cells.
- Rheostats:** Adequate resistance for all standard base commercial tubes.
- Cables:** Complete set supplied for "A" and "B" batteries.
- Condensers:** Single bearing, low leakage losses.
- Wave lengths:** 200 to 600 meters, with uniform efficiency of reception.
- Sockets:** Suspended on cushion springs which absorb vibrations.
- Aerial:** 75 to 125 feet, single wire.
- Cabinet:** Mahogany, with distinctive lines and high finish. Ample space provided for "B" batteries.
- Panel:** Aluminum, with attractive

Price, Without Tubes and Batteries, \$125.00



For Sale by Reliable Dealers

EISEMANN · MAGNETO · CORPORATION
General Offices: 165 Broadway, New York
DETROIT · SAN FRANCISCO · CHICAGO



**THE BELL
RADIO
PRODUCTS**

THE BELL MFG. CO.

BELL Dials

make their best appeal on sets that combine good performance and good looks. They are molded from Bakelite—highly polished, with clean-cut engraving and readable white figures. Bushings are brass; set-screws out of sight. Bell Dials are strong; unaffected by temperature or moisture, and will not change color. Packed in individual blue boxes with the Bell trade-mark. In 2, 3, 3½ and 4 inch sizes.

BELL Square Sockets

lead in efficiency. Solid molded Bakelite, for standard base tubes. Unique double-wipe spring contact makes perfect connection, even with uneven tube prongs. Contact will not vary with constant use. Leakage and current losses cut to a minimum. In the blue Bell box.

DEALERS: Write us for circular on molded Bakelite sockets and dials if your jobber does not stock BELL Radio Products.

BELL MANUFACTURING CO.
11 ELKINS STREET BOSTON 27, MASS.



8dim, (8dki), 8dme, (8dmt gra?), (8dnf), 8doe, (8dsc), (8dsn), 8dtc, 9ck, 9gp, (9gs), 9hw, 9kd, 9mf, 9pq, 9ta, (9uc), (9zt), (9aau), 9abt, 9ado, 9afi, 9afz, 9alb, 9amb, (9auc), 9aud, 9azx, (9baz), (9bcb), (9beb), 9bpd, (9bvn), (9hfw), 9bye, 9byj, 9cca, 9cco, (9ccw), 9cee, 9cfi, 9fk, 9cfs, 9civ, (9egr), (9cho), 9cip, 9ckr, 9cmr, 9csa, 9csg, (9ctf), (9cvf), (9cex), 9cze, 9czl, 9dhu, 9dct, 9dfz, 9dga, 9dhz, (9diz), 9dlm, 9dma, 9dmj, 9dms, 9dpx, (9dqu), 9drc, 9dsa, (9dsl), 9dsz, 9dik, 9dtu, 9dvw, 9ebh, (9efz), 9elh, (9eld), (9eli), 9exbb: NKF (KFTU)

ICW.—(1ck), 1kv, (1xu), (1anx), 1bho, (1bpz, 3hd, (3gc), 3ig, 3zo, (3cdk), 5wo, (8ku), 8aer, 9arf, (nrg), VDM.

Fone: (1alj), 4dx, 8br.

SPARK: 1ach, 4fg, 5fv.

CANADA: C.W. (1ar), (1bo gra?), 1bq, 1dd, 1dj, 1eb, 1ef, (1ei), 1aar, 2be, 2cg, 2fo, 3bq, 3fc, 3gg, (3he), 3ia, (3kg), 3kq, 3ly, 3ms, 3ni, (3oh), 3uj, (3vh), (3yh), 3ze, 3aec, 4cu, 4cr, 4hh, 5cp, 5gu, 9al, 9bc, 9hc.

Please qrk, 2wz, 50 watts.
Will qsls to any who ask.

8RY, SULLIVAN, OHIO

Ici, 1ka, 1my, 1qr, 1abs, 1afc, 1alj, 1any, 1aos, 1are, 1arf, 1aur, 1axa, 1aww, 1bdx, 1bes, 1bie, 1bjg, 1bb, 1boa, 1bvr, 1bv, 1bwj, 1bzo, 1cmx, 1ccz, 1cjm, 2bm, 2ev, 2mo, 2mu, 2pd, 2ro, 2sy, 2wz, 2auf, 2bqq, 2bcs, 2cac, 2cbg, 2cuv, 2cyq, 3av, 3hm, 3du, 3fr, 3hs, 3mf, 3oe, 3pg, 3qj, 3qt, 3vh, 3ap, 3acr, 3aci, 3api, 3apv, 3auv, 3auw, 3bay, 3bva, 3bcx, 3chh, 3cin, 3cdk, 4dv, 4dx, 4eq, 4fg, 4ft, 4jr, 4jss, 4lj, 4si, 4sy, 4tj, 5gp, 5in, 5ka, 5qh, 5ua, 5uk, 5wi, 5wk, 5aiu, 5ajh, 5amh, 5apc, 6lv, 6bcl 6cwg, 9cm, 9pq, 9tg, 9ado, 9agl, 9ahv, 9aks, 9alx, 9auh, 9aud, 9bxc, 9bel, 9bew, 9bkq, 9bnu, 9bwf, 9ccw, 9cpi, 9cuh, 9dhs, 9drr, 9eka, 9ela, 9eld, 9eli. Special—1xu, 1xae, 1xak, 1xay, 2xi, 2xab, 3zm, 4xi, 9xz, 5xab, 5xaw, 5zas, 8xay, 8xhp, 9xb, 9xbd, ak5, nfk, whu.

Canadian—clar, c1bq, c1ef, c2be, c2cg, c3bd, c3bi, c3co, c3fc, c3gg, c3gk, c3kg, c3ly, c3ml, c3ni, c3pb, c3sp, c9al, c9bc, c9bg, vdm.

Wnd like QRA of stn "BM" hrd using "dc" intermediate. QTC anybody?

8RY pure DC note on 155 meters with Four Coil Meissner.

NEW QRA'S

6CUD—Geo. E. Butcher, 911 W. 17th St., Santa Ana, Calif., 5 watts C.W. All crds answd.

6BBV—Jack Barsby, 518 West 50th St., Los Angeles, Calif., 50 watts C.W. & Fone. All crds answd.

2AHI—Maurice Suffern, 365 New York Ave., Brooklyn, N. Y. All QSL's appreciated and answd.

9DLH—E. M. Cherrington, Jr., 2512 Francis St., St. Joseph, Mo.

9BIC—John Hooks, 1325 W. 72nd St., Chicago, Ill.

8BFG—Edward Roberts, Skaneateles, N. Y. W1 QSL all crds.

2AAN—(Re-assigned) Stanley E. Hart, 19 Marshall Road, Yonkers, N. Y. All crds QSL'd.

9RT—James G. Smith, 305 So. Garth Ave., Columbia, Mo.

3FF—Sherman F. Holland, Crisfield, Md.

3UQ—Albert Kump, 31 West Commerce St., Bridgeton, N. J. QSL's appreciated. All crds answd.

2CV—Irving Korenman, 1465 60th St., Brooklyn, N. Y. 10 watts C.W. Pse QSL—QRK?

4TX—Donald Brown, Orange address to 260 Glenwood Ave., Atlanta, Ga. 10 watts C.W. All crds answd.

A LETTER FROM CB8

Editor, RADIO NEWS:

I have the pleasure of enclosing a note of the new stations heard recently on waves of about 150 meters and as I suppose some of them, to judge by the weak way in which they were heard, must use low intensity. I feel that it would be of interest, if you could establish a comparison between the facility with which you hear in this place stations of low wattage.

Having finished repairing an injury suffered by my regenerator, I am now renewing my attempts at distance transmission. Trying to communicate with Europe and Australia, the results of which I will report to you.

To be able to study the causes which have

STORAD

Storage "B" Batteries

The Battery the Public Demands



STORAD STORAGE
"A" BATTERIES
"B" BATTERIES
"C" BATTERIES
"B" BATTERY CHARGERS
Ask Your DEALER


The Storad has extra heavy plates and large acid circulation; glass jars which eliminate cell leakage and allow observation of battery condition; holds its charge for many months at constant voltage; has screw caps on each cell; prevents many noises in the set ordinarily blamed to static and aids long distance reception.

Not Miniature—Large Size Batteries

Storad "B" Batteries are built to stand up under the hardest service of multi-tube radio sets. Our engineers know the Storage Battery and the radio game and are pioneers in radio "B" Battery manufacture.

DISTRIBUTORS AND DEALERS: WE HAVE A FINE PROPOSITION FOR YOU—WRITE US TODAY.

The Cleveland Engineering Laboratories Co.
2425 Superior Viaduct, N. W. Cleveland, Ohio



DUTCH RADIO VALVE

D-201-A

.25 Amp. 5-6 Volts
Detector-Amplifier
Guaranteed

Rigidity tested by expert engineers.

List Price \$4.00
Special discount to dealers. A few more distributors wanted.

Sole Distributors for U. S.
D. R. V. Importing Co.
515 Orange St., Newark, N. J.

Dealers, write to distributors in your territory

Distributors

CALIF.—Marshank Sales Co., 1240 South Main St., Los Angeles, Cal.
MISSOURI—St. Louis Radio Tube Laboratory
3572 Olive Street, St. Louis, Mo.
Canada—Consolidated Electric Lamp Co., 43 Queen St. East, Toronto, Ontario

KEYSTONE

RADIO LIGHTNING ARRESTERS



NEW TYPE
\$1.50

Do not delay installing a Keystone Arrester. Most practical type having heavy discharge capacity. Made of genuine Bakelite, absolutely weatherproof, no vacuum to lose, approved by Underwriters.

Mfr's. of over a million lightning arresters

ELECTRIC SERVICE SUPPLIES CO.
17th & Cambria Streets, Phila.
50 Church St., NEW YORK
Monadnock Bldg., CHICAGO

interfered with the few results obtained in the last Pan-American test, I have transmitted to E. H. Knies, radio operator of the S.S. *Southern Cross*, a short wave receiver, so that during his trip from here to New York and return to Buenos Aires, he will note every day the intensity with which he hears my transmitting, which will be sent out at 4:30 a.m. and 4:45 a.m. in telegraphy and in telephony on a 120-meter wave.

I have asked Mr. Knies, upon arriving in New York, to transmit to you a copy of his diary, the notes in which will be of interest, in order to determine in what portion and where the intensity is lost in going and returning.

C. Braggio.

CALLS HEARD BY CB8 ON JUNE 15

- 1:30 a.m.—9AMB CQ
- 1:45 a.m.—3BAY calling 1XU
- 2:05 a.m.—9BLG CQ
- 2:12 a.m.—9DBY calling 9BLG—not r ur application yet om hw?
- 2:35 a.m.—1AVL CQ
- 3:10 a.m.—2BUY calling 8BSJ
- 3:22 a.m.—2TX calling 8BCU
- 3:25 a.m.—3BNU CQ
- 3:35 a.m.—8VQR calling 8DAW

Notes On the Super-Heterodyne

(Continued from page 493)

windings, but on the amount of *change or variation* in this current. The "C" battery reduces the amount of current supplied by the "B" batteries but does not reduce the variations. This is effectually shown in Fig. 8 where the upper curve shows the plate current without the use of a "C" battery both when no signal is being received and when a signal is coming in. The lower curve shows the plate current when a "C" battery of the proper potential is used under the same conditions. The variations in the plate current at the right-hand end of the curves are what produces the sound and it is seen that the signal strength in each case is the same. The "B" battery will last about three times as long under the conditions represented by the lower curve.

SIZE OF SET

One of the chief objections to building the Super-Heterodyne has been the large size of the set and the excessive amount of labor required for its assembly. In the large number of units which make it up, mistakes in connecting are the rule rather than the exception. Once such a mistake has been made, it is very difficult for the builder to locate the fault. Then, too, there is the possibility that the parts are not




Fig. 8

By comparing these two curves it will be seen that the use of a "C" battery cuts down the plate current but does not detract from the signal strength.



Anyone Can Use a Storage Battery Now

Charging a storage battery ten years ago was a task needing expensive apparatus and the services of a specialist. Today, anyone can do it in the home. No knowledge of electricity is needed. It can be done economically, simply, automatically with

The New Silent
GOLD SEAL
HOMCHARGER

just as more than 200,000 satisfied users of Homchargers are doing right now.

If you are one of the many who envy the results of storage battery tubes but think you can't enjoy them unless you are a battery expert, go right out now and buy those tubes, a battery and a Gold Seal Homcharger.

Here's all you have to do to maintain a storage battery: add a little water once in a while (your eye will tell you when); charge it regularly. To use the Homcharger, screw a plug in any lamp socket, slip two spring clips over the battery terminals, go to bed and forget about it. Next morning the battery is charged. What could be easier?

The Gold Seal Homcharger: simple, efficient, dependable, quick. Cannot injure battery, furnishings, anything or anybody. Handsome, finished in mahogany-red and gold. Approved by Fire Insurance Underwriters. Unqualifiedly guaranteed. Only one moving part, replaceable for \$1 after thousands of hours of use. Silent: its faint hum cannot be heard in next room.

Popularly Priced: buy it at your dealer's for \$18.50 complete. \$25.00 in Canada. For radio at its best, use storage battery tubes, any good battery, and the Gold Seal Homcharger.

FREE! Send for our interesting free booklet, "*The Secret of Distance and Volume in Radio*" containing valuable information on this subject and fully describing the **GOLD SEAL HOMCHARGER**.

The Automatic Electrical Devices Co.
118 West Third Street
Cincinnati, Ohio
Largest Manufacturers of Vibrating Rectifiers in the World.

How You Can Know Latest Facts about **RADIO**

The one best way is with Lefax Perpetual Loose Leaf Radio Handbook. Grows with every new discovery about Radio. Cannot become out-of-date. Gives all known facts and new ones as they are learned. The authors are Dr. J. H. Dellinger, Chief of the Radio Laboratory, U. S. Bureau of Standards, and L. E. Whittemore, Department of Commerce, Washington, D. C.

As a purchaser of the Lefax Loose Leaf Radio Handbook you receive complete information on new Radio developments every month free for one year. This information comes to you on printed, punched, page form. You add the pages instantly, easily. Includes a complete list of broadcasting stations and full information about every one. No Radio Book is or can be like


LEFAX PERPETUAL RADIO HANDBOOK

Pocket size, loose leaf, flexible Morocco grained fabrakoid binder, fine looking, long wearing. Type clear, sharp. Illustrations clean, fine, easy to understand. Index tabs of linen—tough, strong—plainly marked.

You get the complete Lefax Loose Leaf Radio Handbook for \$5.00, and all new, useful, authentic information free every month. It comes to you automatically. Ask your Radio supply man, stationer or bookseller. If his stock is depleted we will send you a Handbook upon receipt of price or C. O. D., subject to return if you are not entirely satisfied.

LEFAX, INCORPORATED, Publishers
147 South Ninth Street, Philadelphia, Pa.

100 Ampere Hour "A" Batteries for WD12 and UV201 A Tubes



JUMBO

Instantly Recharged

without electrical equipment at home, or at Jumbo
Service Dealers **WHILE YOU WAIT**

NEVER NEED REPAIRS

Every Recharging Completely Renews the Battery
30 Days Trial

Ask Your Dealer—or Write Directly to Us
for our 30 Day Trial Plan

We Offer an Attractive Proposition to Dealers
—and a Few Exclusive Territories to Distributors

Primary Manufacturing Corporation

85 to 87 Mercer Street New York
Phone: Canal 8852-8853

Multiply the Joys of Radio Reception

Give your receiver a new voice—clear, sweet, pure and powerful, by throwing away your jangly metal loud-speaker, and hooking up a

Madera Clearspeaker

made from die-cast wood—denser than natural wood—with acoustic properties resembling those of a rare old violin.

No. 804—here illustrated (one of five numbers)
with 10 inch bell, only.....\$15.00
Send for circulars.

AMERICAN ART MACHE COMPANY
343 West Austin Avenue Chicago, Illinois

BE A JAZZ MUSIC MASTER



PLAY PIANO BY EAR

Play popular song hits perfectly.
Hum tune, play it by ear. Self-
instruction—no teacher required.
No tedious ding-dong daily practice—
just 20 brief, entertaining
lessons which you master

At Home in Your Spare Time

Send for **FREE BOOK**. Learn
many styles of bass and organ
pedal-trick endings. 6c. in
stamp, brings interesting
CHART also.
Niagara School of Music
Dept. 684 Niagara Falls, N.Y.

Send for **this Free Book**

adapted for use together. The builder should therefore buy *sets of parts* which have been tested by the manufacturers. This will give assurance that the various parts are adapted to work together and will insure a set which is capable of giving the best results.

POPULARITY

That the popularity enjoyed by the Super-Heterodyne is well deserved is instanced by the remarkable long distance receiving records being made in all parts of the United States with it. Many radio fans say it is the ultimate set for the present state of the radio art. It is the opinion of many radio authorities that no advancement beyond the Super-Heterodyne will be made until there is some revolutionary invention or discovery which will completely upset our present conceptions of radio communication—an event which seems difficult to realize but which is not beyond the limits of probability.

RADIO OVERSEAS

By E. FAIRHURST

Considerable interest has been aroused by the recent announcement of the British Post Office to the effect that telephonic conversation with America through the medium of radio is likely to be a commercial reality in the near future. Experiments have shown that radio broadcasting from America can be received and switched through to any subscriber of the British Inland Telephone system. It is expected that the new station building at Rugby, England, will be one of the links in this service. The main station at Rugby will be detailed for "Imperial Wireless Communication" and is expected to be completed by the end of the present year. This station will occupy a site of one and a half square miles, and will possess an aerial one and a half miles long and half a mile wide supported on a dozen masts each over eight hundred feet high.

The press disclosures that the Marconi engineers have perfected a system of signaling by radio along a directed beam have brought into prominence the question of the advisability of halting the construction of the high power stations, as the new system promises to revolutionize long distance communication, and in addition to prove far more economical than any system at present in use. Senatore Marconi in a recent lecture before the Royal Society of Arts, London, gave some interesting views on his latest experiments with short wave directional radio telegraphy employing his directed "beam" system. On June 12 last, using 21 kilowatts his station at Poldhu, Cornwall, signaled easily to Buenos Aires. As a result of the ease of this communication over a distance of nearly 6,000 miles the opinion is expressed that the new system is able to do in half a dozen hours what their present high power station can do in 20 hours. His next example was the transmission on May 30 last, of speech from Poldhu to Sydney, Australia, over a distance of nearly 12,200 miles. The power in this case was 28 kilowatts, the wave employed in both cases being 92 meters. Parabolic reflectors are used to concentrate the energy in the desired direction.

So successful have the Marconi direction finders on board British ships proved to be that the Peninsular and Orient Line, one of the largest British shipping companies, has decided to not only equip their steamers but also the lifeboats with direction finding apparatus. The *Maloja* is the first ship so equipped.

A new vacuum tube has appeared on the English market and is claimed to be free from microphonic noises with high signal quality and purity. A special conducting service is deposited on the glass tube and acts as the plate of the valve. As the glass container naturally totally encloses the grid

and filament, full use is made of the whole of the electron emission.

The Radio Electric Radiotelephone station at Brussels is now broadcasting on a wave-length of 250 meters.

Wireless amateurs in Australia are very pleased at the removal of the regulation which made it compulsory for receiving sets to be sealed on one wave-length only. A fee has been instituted, however (approximately \$10 per annum), as a broadcast subscription, and an additional dollar is payable to the Government. It is stated that there are about 3,000 experimental licenses in New South Wales alone.

News received from America, France and Germany at the Osaka Wireless Station is now distributed throughout Japan by the Japanese Department of Communications.

A new high power station has been opened at Bamako in French West Africa. This station will be in direct radio communication with Paris.

At an international conference of wireless operators held in Paris, a proposal was made that a five minute radio silence should take place annually in commemoration of operators lost at sea. The anniversary of the *Titanic* disaster was considered as a suitable date for the carrying out of this proposal.

The British station at Oxford, England, which sends out messages to vessels at sea, has recently reverted to its short wave of 8,750 meters for this purpose. Reports indicated that the longer wave was seriously interfered with when vessels were at extreme range and in order to make the service more efficient for the disposal of marine messages the reversion to the shorter wave was decided upon. The time for the broadcast of ships' messages has been altered from 9 a. m. G. M. T. to 1:10 a. m. G. M. T. and if necessary further work will be carried on at 4:48 a. m. G. M. T.

INTERNATIONAL RADIO CONFERENCE URGED

The need for an international conference on radio telephony, a universal language, more latitude for amateurs, and exclusive wave bands for distress and time signals is recommended in resolutions adopted by the preliminary Conference for an International Radio Agreement held at Geneva in April, and recently received by the Department of Commerce.

The preliminary conference, at which many European nations were unofficially represented, endorsed the belief that the London convention of 1912 and the Washington Conference in 1920 were not adequate to meet the present needs of radio telephonic communications between nations. Urging that a new intergovernmental conference on radio telephony be called soon, the delegates look to the free development of this new means of communication for popular instruction, universal information and social art.

Among the recommendations endorsed are the following:

That certain bands of wave-lengths be reserved exclusively for radio telephony, and that they be distinct from radio telegraphy channels.

Because of the contributions of amateurs to the art, that their rights be given consideration and their certain wave bands be reserved for their experiments.

That the use of distress wave-lengths should be exclusively limited to danger signals from ships and for time signals.

The conferees further recommend that the League of Nations and the Universal Telegraph Union do everything possible to hasten the reconvening of this conference, making it universal if possible, but at least European. They invite all radio telephone organizations to create public interest and address petitions to their governments for the



THE EXECUTIVE

Every executive is at some time called upon to make decisions which involve applied Chemistry. If he does not know Chemistry, he must rely entirely upon his factory chemists or high priced consultants. A knowledge of Chemistry, easily gained through our Course, would strengthen your position greatly and save you thousands of dollars.



THE BUSINESS MAN

Better buying and bigger sales are the rewards of the man who understands Chemistry. Manufacturers, buyers, salesmen, advertising men, cost accountants and clerks can all benefit by learning Chemistry. Our course teaches you in the shortest and most practical way.



THE PROFESSIONAL MAN

Every professional man needs a working knowledge of Chemistry whether he is practising law, medicine, engineering, dentistry, or any other calling. Too often he finds this all important science was neglected in his earlier training. Our course removes this handicap. Most important, it gives you information in a form that can be readily used.



THE DAILY WORKER

Workers in any industry can raise their own wages by learning Chemistry, for every industry is based on Chemistry. Write and tell us what your work is and we will show you how Chemistry can fatten your pay envelope.

CHEMISTRY

Insures Your Climb to Success

No matter what your vocation you can increase your Proficiency and earn bigger pay by a thorough training in Chemistry

TO be successful today is to know Chemistry! Every line of business, every branch of industry depends upon Chemistry in some form. You may not realize it, but your own proficiency in whatever work you are doing would be increased by a knowledge of Chemistry. In many lines such knowledge is absolutely essential. In others it is a guarantee of promotion and more money.

It is no longer necessary to enter college in order to learn this fascinating science. Our Home Study Course trains you just as thoroughly, and with the same assurance of success, as those who took the longer way. And our methods are so simple that we can teach you no matter how little previous education you may have had. Many of our graduates now hold responsible positions or have materially increased their incomes from private enterprises as a result of taking our course. Hundreds of letters from students testifying to the benefits they have derived from our training are here for your inspection.

Remember that you do not need to study Chemistry with the idea of actually practicing as a chemist, although a great many of our students are taking our course with this object in view. If you want to know more about what Chemistry will do for you, if you want to know what our home study course offers, sign and mail the coupon today for FREE BOOK "Opportunities for Chemists."

DR. T. O'CONNOR SLOANE Will Teach You Practical Chemistry In Your Own Home

The Chemical Institute of New York, of which Dr. T. O'Connor Sloane is Educational Director, was founded to fill the need of ambitious, far-sighted men who realize and recognize the splendid future Chemistry offers them, but who cannot spare either the time or the money to attend college. Dr. Sloane, a foremost authority on Chemistry, will teach you and will give you all the individual help you require. He will personally go over your papers, correct them, point out your faults and teach you in a practical and interesting way. No special education needed except the ability to read and write English. One student has characterized our lessons as "The course that takes the mystery out of Chemistry."

Easy Monthly Payments

You do not have to have even the small price of the course to start. You can pay for it in small monthly amounts—so moderate that you won't feel them. The cost is low, and includes everything, even the Laboratory Equipment—there are no extras to buy. Our plan of easy monthly payments places a chemical education within the reach of everyone.

Laboratory Equipment Given To Every Student Without Additional Charge

We give to every student without additional charge his chemical equipment, including forty-nine pieces of laboratory apparatus and supplies, and forty different chemicals and reagents. These comprise the apparatus and chemicals used for the experimental work of the course.

Special 30-Day Offer

For a short period we are making a special offer that will be worth your while to take advantage of. Write for particulars, using the coupon below or simply a postal card. This will not obligate you in the least. Do not wait until tomorrow. Send the coupon now while you think of it.

The CHEMICAL INSTITUTE of New York, Inc.

HOME EXTENSION DIVISION 10

66-R W. Broadway, New York City

Sign and Mail this Coupon for FREE BOOK

CHEMICAL INSTITUTE OF NEW YORK, Inc.
Home Extension Division 10,
66-R—West Broadway, New York City.

Please send me at once without any obligation on my part, your Free Book "Opportunities for Chemists," and full particulars about the Laboratory Equipment furnished to every student. Also please tell me about your plan of payment and your special 30 day offer.

NAME

ADDRESS

CITY

STATE

R.N.10-24

Hafner-Meter for "A" Batteries

"Have a Hafner Handy"

Test your Batteries with

HAFNER HYDROMETER

Specially designed instruments for testing both "A" and "B" batteries.

Floats have small glass beads to prevent sticking to the side of the tube.

They are also plainly marked for quick reading and will tell you at a glance condition of your battery.

Guaranteed Accurate

Can also be used to refill your battery with distilled water.

- Hafner-Meter for "A" batteries.....\$1.00
- Hafner Hydrometer for "A" batteries..... .75
- Hafner "B" battery hydrometer..... .75

If your local dealer cannot supply you, remit to us and we will send you a Hafner promptly, post paid.

Hafner Manufacturing Company

\$1.00 Each


3132 Carroll Ave.,

Chicago, Ill.



The Three Essentials
LIFE, TONE & VOLUME
are Fully Guaranteed in

NOVOTRON
Amplifier **TUBES** Detector



The result of extensive experience in the field of radio engineering

All Types \$4

RADIO ELECTO LABORATORIES
152 West 42nd St.
New York, N. Y.
U. S. A.

Where not Represented will ship prepaid upon receipt of M. O. or Check.

RADIO DOCTORS SUPERHETERODYNE

Now you can Build Superheterodyne in a one, two, three or eight tube circuit with Radio Doctors' Superheterodyne parts. Ask your dealer or write to us today for **FREE BULLETIN** on "How to Build a Superheterodyne."

JOBBER & DEALERS
Write today for attractive discounts.
RADIO DOCTORS, Inc.
500-510 South State Street Chicago, Ill.

HEAT Without Coal!

Amazing invention does away with coal or wood. The Instant-Gas Oil Burner sets in firebox of any stove or furnace; burns 96% air and 4% oil. Gives three times the heat of coal, and cheaper. Better cooking and baking. Installed in few minutes; no damage to stove or furnace. Sold on money-back guarantee. Write today for 30-day free trial offer and Free Book, "Scientific Oil Burning." **AGENTS:** We pay \$60 a week. Write for free sample offer. Mention whether for stove or furnace.

INTERNATIONAL HEATING COMPANY
Dept. 113-J, 117 South 14th St., St. Louis, Mo.

purpose of urging at Geneva and at Berne the hastening of a general convocation.

A provisional executive committee was authorized to pursue efforts toward an international agreement in radio telephony and to establish permanent bonds between transmitting stations, companies and journals, with a center at Geneva.

It was pointed out at the Conference that Radio telephony spreads the human voice over all borders, but encounters the use of many different languages, and that therefore a universal or auxiliary language is needed for foreign transmissions. Some stations abroad and in America have already undertaken instruction in such a universal means of communication. It is recommended that broadcast stations devote at least one evening a week to transmission in Esperanto. In this connection, the conferees also endorsed the efforts of M. Pierre Corret of Paris in forming the International Radio Association, and urged that he hasten the issuance of the International technical vocabulary of Esperanto for use in radio communication.

States and countries which have forbidden the use of radio were urged to reconsider their decisions in the interest of development, especially in the amateur field.

These are only two instances; there are hundreds of duplicate amateur calls throughout the countries actively engaged in radio communication. Amateurs will also come in for special consideration in the proposed reallocation of wave-lengths, and co-operation in the organization of a national emergency radio net.

Another important question sure to be discussed developed as a result of the Convention broadcasts is: How to encourage first-class broadcast programs which will interest the whole country as well as a single community? In this connection, independent and chain broadcasting will probably be considered. "Shall Class C Stations be permitted to continue on the 360 meter wave?" is another question sure to be on the program. There were 101 of these stations on June 30, most of them serving a single community. They might better serve the radio public if transferred to either Class B or A or shut down permanently. Limits of power for broadcasters will also be discussed in connection with the question of licensing the contemplated higher-powered stations of 5 and 10 k.w. Today 1 k.w. is the limit of Class B stations, and information as to the practicability and desirability of higher-powered stations is desired. Limiting the number of broadcasters in a single community is another important question which may be raised. Other questions include rebroadcasting problems, such as relaying by wires, as was done during the political conventions, and retransmission on short wave-lengths, especially as relates to chain circuits. Provision for handling land SOS calls and emergency traffic, when other communication lines are out of commission, will probably be discussed, as will the question of advertising through the ether, together with government regulations relating to such advertising.

The exact date of the conference and the number of invitations to be issued awaits the return to Washington of Secretary Hoover, but it is understood that all organized interests will be invited to send official representatives to act as delegates, with voting power, while independent and allied interests will be welcomed at the conference, which will be open to the public. Assurance is given that no members of the large radio family will be left out, as a general representative conference, such as has already been held twice, is desired.

WBZ GETS STANDARD FREQUENCY RATING BY U. S. BUREAU OF STANDARDS

As a result of measurements by the United States Bureau of Standards, Department of Commerce, upon the transmitted waves of radio transmitting stations, radio station WBZ at East Springfield, Mass., has been found to be one of the few broadcast stations in the country which maintains a sufficiently constant frequency to be useful as a frequency standard. By reason of this uniform constancy of transmission the Springfield Westinghouse station will be listed as a standard frequency station in the "Radio Service Bulletin," compiled monthly by the Bureau of Standards, along with the call letters of a few more stations in the country.

The Springfield station, over a period of two months, varied but one kilocycle away from its assigned standard. In other words, WBZ retained its frequency of 890 kilocycles for a period of two months, except on one night, when it was found to be 891 kilocycles. The Government tests were taken regularly during that period and at different times during the evening on each test.

How useful the maintenance of such a constant frequency by WBZ or other stations is to a radio fan becomes evident in attempting to calibrate any receiving set. A standard frequency station enables the fan to mark off on the dial of his set the point at which broadcast stations should come in. Instead of "fishing around with the dials," as the expression goes, he is enabled to mark off the point at which certain standard frequency stations will come in and unless a change is made in the set, or the antenna or ground is changed, this point will be reasonably constant. It is helpful also in locating new stations, using the standard stations logged as guides.

HOOVER'S AIDES PLANNING FOR RADIO CONFERENCE

Improved national broadcasting, interference other than radio, and significant calls for long-range amateur stations are three of the important questions which will probably come up for discussion at Secretary Hoover's Third National Radio Conference to be held in Washington this autumn.

Officials of the Department of Commerce are now in correspondence with their field representatives planning a program of sufficient scope to cover all problems of radio administration as it affects commercial, private and amateur radio activities. Each of the nine Radio Supervisors, it is understood, has been asked to submit his views on certain questions and to suggest subjects for consideration during the conference, which will probably run three or four days. The Radio Supervisors are taking up specified questions with local radio interests in an effort to secure their views before the sessions convene in Washington. Both the Department and the Government's Radio Advisory Committee are understood to have taken up pertinent problems with the broadcasting, manufacturing, commercial, and amateur organizations, reports from which are now coming in.

One of the subjects to be discussed, which has hitherto been left to the electrical industry, is whether or not the Government should interest itself in interference coming from other than radio sources; that is, electrical power and light interference and disturbances in the ether emanating from electrical apparatus. Electrical power and light companies have been making a study of these problems themselves. To date no report has been made to the Government, so the question of whether the Department should con-

Atlas

TRADE MARK

RADIO REPRODUCTION speaker





ATLAS floods the room with the best that's in your set. Write for the interesting booklet you ought to read before buying any speaker.

Multiple Electric Products Co., Inc.
36 Spring St., Newark, N.J., Dept. F

New York, Boston, Philadelphia, Baltimore, Pittsburgh, Detroit, Chicago, St. Louis, Denver, 550 Howard Street, San Francisco.

Marconi Wireless Telegraph Co. of Canada, Ltd.
Sole Canadian Distributors



Atlas unit, with attachment couplings to fit all standard phonographs.



A slight turn of the exclusive Atlas harmonizer (Pat. applied for)—and your speaker is harmonized with the broadcast you are hearing and the set you are using. It gives you radio—as you ought to hear it.

New type Atlas with the strikingly beautiful bronze-brown ripple-finish goose-neck horn.

What Is Your "B" Battery Cost?



The Kellogg Trans-B-former furnishes necessary plate voltages from your 110 A. C. 60 cycle electric light socket at the lowest possible cost and with improved reception.

This noiseless "B" Battery supply set assures constant voltages at all times. Arranged for detector, (0 to 35 volts) 45, 90 and 130 volts.

The Trans-B-former was designed and developed by the Kellogg Switchboard and Supply Company and fulfills every requirement for furnishing plate current for both detector and amplifier of your receiving set.

It is neatly arranged in a heavy quarter sawed oak cabinet, with glass cover. The binding posts are clearly marked with the voltage output.

Positive in operation and one of the biggest advances in radio today.

At your dealers, \$50.00

KELLOGG SWITCHBOARD & SUPPLY COMPANY

1066 W. Adams Street, Chicago, Ill.



cern itself with such interference is to be considered.

In the interest of the international activities of our amateurs and the pride of their transmissions to foreign countries, the Government plans to open the question of assuming identifying call letters, without interfering with international regulations. Until recently, amateurs did not come into world-wide prominence and their call letters prefaced by a numeral, designating their national district, were considered sufficient. But now that their messages carry to Europe, as well as to Canada and Mexico and other neighboring countries, it is apparent that 6KW is no longer an identification for the Cuban station; J. H. Hadley of San Francisco also uses 6KW. Canada uses numerical calls for its amateurs, and so does Mexico. The London station 2LO is well known over here and yet we have a station 2LO owned and operated by Nelson Dunham of Highland Park, N. J.

The Log of a Lightning Jerker

(Continued from page 506)

for about three weeks, I boarded a train for Portland and arrived in time to spend Christmas at home. After the holidays I decided to explore the other side of the world and did so quite thoroughly aboard the *S.S. West Keats*. I made eight trips to the Orient on this vessel and among the many ports at which we touched were Yokohama, Kobe, Shanghai, Tsing-tau, Chee-foo, Taku, Tientsin, Ching-wang-tao and Darien in Japan and China, and Manila, Cebu and Ilo Ilo in the Philippines.

Tiring of life on a freighter, I began looking for new thrills for my jaded and world-wise self (Hi!). Was offered a position at a big salmon cannery in Alaska and took it. My job was to operate the radio station, act as bookkeeper and store-keeper and tend the still that was supposed to supply the fishermen with alcohol for their cook stoves. (More Hi's!). At the end of the season I received an appointment as operator on the *S.S. President Madison*, which took me back to the Orient again.

Thought I was fed up on passenger vessels with all their gold braid, brass buttons, uniforms and social functions, so with a hankering for a life of leisure and informality that a freighter offers, I shipped on the *S.S. Crosskey*. Guess I was spoiled all right for I had no more than set foot on her than I wished to be back on the liners again. One trip was enough. I suppose it was the spell of old Cathay, that "Land of Mystery and Romance," as much as anything that took me back to the East again, this time aboard the *S.S. President Jefferson*. Alfred Noyes must have felt the same subtle lure when he wrote:

*"You that have known the wonder zone
Of islands far away;
You that have heard the Dinky bird
And roamed in rich Cathay;
You that have sailed o'er unknown seas
To wood of Amfahula trees
Where craggy dragons play;
Oh, girl or woman, boy or man,
You've plucked the Flower of Old Japan.*

*Ah, let us follow, follow far
Beyond the purple seas;
Beyond the rosy foaming bar,
The coral reef, the trees.
The land of parrots and the wild
That rolls before the fearless Child
Its ancient mysteries:*

*Onward and onward, if we can,
To Old Japan, to Old Japan."*
What broke the spell, I think, was the sickening sights, the gruesome experiences of the terrible earthquake which we were

"Rolls Royce" Radio Tubes



Like their name significant of QUALITY. A powerful and durable tube that will greatly improve reception. Increases range and volume with a maximum of clearness. Our direct sales plan enables you to buy "Rolls Royce" at the lowest possible price.

- Type 200.....5 Volts, 1 Ampere Detector Tube
- Type 201A.....5 Volts, .25 Ampere Amplifier and Detector
- Type 199.....3-4 Volts, .06 Ampere Amplifier and Detector
- Type 199A.....3-4 Volts, .06 Ampere with Standard Base Amplifier and Detector
- Type 12.....1 1/2 Volts, .25 Ampere Platinum Filament Amplifier and Detector

"The Rolls Royce of Radio Tubes" ALL TYPES \$2.50

Type 202.....5 Watt, Transmitters, \$3.00

EVERY TUBE GUARANTEED


to work in Radio Frequency, especially adapted for Neutrodyne, Reflex and Super-Hetrodyne Sets.

Shipped parcel post, C.O.D. When ordering mention type.

ROLLS ROYCE TUBE CO.,

21 Norwood St., Dept. N Newark, N. J.

Increase your Range



From 15 to 100 per cent

You can, with your present equipment, by using **SPRINGFIELD 16-STRAND BRAIDED ANTENNA**. Most wonderful wire for indoor loops. Its extra large surface—twice that of ordinary wire—enables you to get greater distance and clearness.

125 feet in your attic, in strands 3 feet apart, gives better results than 150 feet of ordinary wire outdoors. Write for free booklet.

At dealers—or send us \$2.50 for 100 feet. Dealers and Jobbers—write for prices and terms.

SPRINGFIELD WIRE & TINSEL CO.
67A Taylor St. Springfield, Mass.
New York Office: 51 E. 42nd Street
Tel. Vanderbilt 5090

Springfield 16 Strand Braided Antenna

Insure your copy reaching you each month. Subscribe to Radio News—\$2.50 a year. Experimenter Publishing Co., 53 Park Place, N. Y. C.

unfortunate enough to be mixed up in. Our job was carrying refugees to safety, but my particular job was to handle the enormous volume of traffic that we were called upon to get through. Over 14,000 words in eight days and under extreme difficulties. Then I thanked my lucky stars for the thorough fundamental training I got back at the old code tables in school, for we cleared it all in fine shape.

My next ship was the *President Grant*, and in summing up I find that in all I have made 18 trips across the Pacific and back. I found time, along with sightseeing and other diversions, to study and take advantage of the splendid opportunities offered to observe the manners and customs of the peoples with which my calling brought me in intimate contact; learned their business methods and managed to gather enough experience in foreign trade and transportation so that tomorrow I am leaving on my nineteenth trip to the Orient.

This time I sign on, not as a radio operator, however, but as a passenger, if you please. On one of my later trips I managed to establish connections that since have developed into an attractive offer to go to Manila in the offices of a large shipping and brokerage concern, so this voyage may be an extended one.

Before "shoving off," however, I want to say that I'm for radio, first, last, and all the time, and that if any conscientious young man who adopts it as a profession, either for the opportunities for travel which it offers, or as an end in itself—if he will grasp and make use of this means of advancement which is at hand, he may acquire a liberal education that will give him no cause to regret the fate which prevented him from attending college.

—Abstract from "The Lightning Jerker."

The Life and Work of Lee DeForest

(Continued from page 465)

things mechanical and electrical from his earliest age. In later years, his memory remained clearer on such things than on other interests which might, logically, be expected to occupy the mind of a healthy growing American child. As a case in point. Shortly after he was three years old, his father took him to view a demonstration of an early Edison tinfoil phonograph. He looked upon it with awe and asked many questions.

FIRST PHONOGRAPH

At the age of three such an interest (as well as the remarkable retention in memory of the occasion) is for the psychologists to work upon. DeForest remarks that this is possibly one of his earliest if not the earliest of his remembrances. The incident took place in Waterloo, Iowa, and while undoubtedly many other incidents of equal or greater interest to a child took place, few if any of them are remembered.

With a large number of children—almost all of them, in fact—an interest in "how it works" is demonstrated in connection with all the strange, new things with which they meet. This interest was strong in DeForest. However, living in a Southern town totally without the modern mechanical conveniences with which we are acquainted, he was not privileged to feed his imagination with the hosts of gyrating monsters which give the modern child so much pleasure. There was likewise a dearth of toys, and none of the mechanical variety. As a result, he fell back on the only possible outlet for an ever busy brain and body.

There are any number of stories and tales of humorous practical jokes and weird pranks which have resulted from the imagination and energy of

Announcing the New



Lefax RADIO HANDBOOK Bound Edition

The Special (7th) Edition of the Lefax Radio Handbook is now ready. 60,000 copies of the loose-leaf edition have been sold. The new edition is available in bound form.

FOR **\$2** NOW

WHAT YOU GET

When you become an owner of a

LEFAX RADIO HAND BOOK

- 1** Authoritative facts on Radio. A complete book written by Dr. J. H. Dellinger, Chief of the U. S. Bureau of Standards' Radio Laboratory, and Mr. L. E. Whittemore, of the Interdepartmental Radio Advisory Committee.
- 2** You can also have complete information on new Radio developments, as they are learned, sent to you every month for \$3.00 a year.
- 3** A complete list of broadcasting stations, giving the information you want about each one.
- 4** A reference and instruction book that will help you get better results with your set. Bound with a fabrikoid Morocco grain binder, attractive and long-wearing. Pages that are extremely readable and well illustrated.

When you order specify "Bound Edition"

You get the loose-leaf Lefax Radio Handbook for \$5.00 and all new, useful, authentic information free every month for one year. It comes to you automatically in printed, punched, page form. You can add the pages instantly, easily.

Ask your Radio supply man, stationer, or bookseller.

LEFAX, Incorporated Publishers

139 South 9th St.,

Philadelphia, Pa.

AMPLIFYING TRANSFORMER
RADIO RECEPTOR CO. NEW YORK TYPE
TUNED FILTER-COUPLER
OSCILLO. COUPLER

RECEPTRAD
RADIO RECEPTOR CO.
 59 Bank St. New York City

SUPER-HETERODYNE
RECEPTRAD Super-Heterodyne parts are the product of proven engineering skill and long experience. When you use **RECEPTRAD** parts in the construction of your super-heterodyne you can confidently expect results worthy of the circuit. Ask to see the **RECEPTRAD UNITS** at your dealer's. Each Outfit contains 1 Oscillo Coupler (SW 21), 1 Tuned Filter Coupler (H 34), 3 RF 1716 Transformers, 1 Audio Transformer (AT 3), 1 Audio Transformer (ATX), 2 Bypass Condensers 1 Mf. (G 1000) and sells for only \$53.50. The Greiff Super-Heterodyne Manual, a complete treatise, with layout and diagrams, \$1.50.

FREE Complete Blueprint No. 1 of the Greiff 8 Tube Super if you send your dealer's name and address

RECEPTRAD
RADIO RECEPTOR CO.
 59 Bank St. New York City

such children. DeForest seems to have been just such a child.

What was to be of more importance was, probably, a tenacity. To those who hold strongly for heredity, it will at once be said that this trait was a direct inheritance from his pioneering ancestors. Possibly it was, anyway, he had it and a large supply of it.

A point here may be the doggedness with which he maintained an interest in things mechanical in the face of his father's almost constant objections. Being a minister and having devoted his life to the ideals of religion he naturally desired his eldest son to take up his work.

The Rev. Dr. DeForest took no vigorous steps to change the course of his son's studies and interests until his tenth year. After he began, however, the two wills clashed often and long. In the end the son came off victor.

"INVENTING"

One of the first of these clashes came when Lee, as was a sort of custom for rainy days, lay flat on his stomach on the living room floor with a large sheet of paper, pencil, ruler and square "inventing." Upon such occasions he would reproduce with great detail the mechanical construction of steam hammers, guillotines and other devices which he had read about in the "Mechanical Encyclopaedia." Sometimes he would not follow the designs shown, at others he would branch into a line of endeavor for himself. It was upon one of these essays that he invented a perpetual motion. It was very simple, he thought. Consisting of electro-magnets, it worked by having metallic shields which alternately cut off and released the power of the lines of force. The notes on the device are enlightening. One sentence says ". . . it is strange that after the years of toil used up by geniuses of the past in attempts to construct a perpetual motion that I, a comparative youth, should succeed where they failed. . . . !" It was not until he had read deeper that he learned of the magnetic law which obviously rendered this scheme inoperative.

MAZDA RADIO PARTS

An End To All Radio Troubles?
 No, not yet. We can, however, eliminate one chief source of trouble. That's a big step forward. Our new **Lock Grip, Triple Pull Socket** solves the problem of tube contact. The resistance and capacity effects of this socket are so low that practically nothing is added to the circuit. Study the sectional view and see how this wonderful socket works. Radio News Laboratory says of it, "Complies fully with all radio engineering principles." Made of genuine Bakelite. Contact springs are bronze, nickel plated. Neat and compact. The socket you have been looking for. Price \$1.00.

Other Mazda Radio Parts Which We Manufacture
 Condensers (6 sizes) 17 plate \$2.50; 23 plate \$3.00; 43 plate \$4.00. Jacks (5 kinds), single circuit, 60c; double circuit, 75c. Rheostats (3 types), graphite pile, \$1.25. Filament switch, 60c. Qualitone horn, single or double \$3.50. Potentiometers, 200 ohm, \$1.25. Plugs (two types), Mazda Perfection, 60c. Contact Switch Lever, 30c. Consomello Grand, a six tube tuned radio frequency receiving set.
 If your dealer does not stock Mazda Radio Parts, write us direct.

THE MAZDA RADIO MFG. CO.
 3405 PERKINS AVE. CLEVELAND, O.

A GALVANOMETER.
 The galvanometer is more universally used than any other piece of electrical apparatus. It is employed for the measurement and detection of the presence of electricity. It rests upon the principle that if a current of electricity traverses a wire in the vicinity of a freely suspended magnet needle, the needle will tend to turn into a position perpendicular to the direction of the wire.
 The compass, which has been previously described, can be easily transformed into a galvanometer. And

a piece of wire six inches long, two inches wide, and as thick as the height of the pill-box of the compass. In the middle of this wire a hole which will just contain the compass. Paste a cutting-card over the hole on one side, and fasten this to a six-inch-long base by strips nailed at each end. The cutting-card should be on the directly side. Then, leaving a space of half an inch directly over the pivot of the compass, wind about forty turns of No. 20 insulated copper wire around the stick holding the compass, and keeping the wire as near to the needle as possible. The two terminals of the wire are then led to two binding screws, and the instrument placed geographically, as indicated in the cut.

Don't make a needle that will point North, hence no compass or galvanometer

A galvanometer from DeForest's note book.

Other times he would reproduce machines he had seen in his travels about the surrounding country and on trips he made in the company of his father, who traveled a great deal. Near Talladega there was a

RIGGS RECTIFIER Model C
 Price \$10.00
 Prepaid in the U. S. A.
 Charges any storage battery.
 110 volts 60 cycles A.C.
VIBRAR MOTOR CO.
 Everett, Wash.

Dictogrand
 The Articulating
 True Tone
LOUD SPEAKER

large blast furnace. This received his attention a short time after he was taken to the town.

One afternoon, while he and his brother with a couple of "nigs" (as he always referred to the Negro children with whom he played a great deal) started to a creek a few miles away ostensibly for swimming. On the way, in order to take a short-cut, they walked down to the railroad right-of-way. A few miles out of town they passed a blast furnace in operation. The remainder of the diary entry for that day is given over to an exposition of the wonders of the blast furnace. This same smelting plant is the cause for many entries and for one accident in which he might easily have broken his neck.

This episode proved so interesting that he could not confine the copying and reproduction of the new mechanical wonder to paper. With the help of his younger brother he constructed a replica of the furnace. A large, battered ash-can constituted the body of the fire-pot, while an elaborate pine superstructure served as flue. Most of the time the furnace was in operation the two youngsters were busy keeping the flue from passing on with the charge. The furnace operated successfully, however, and poured forth a small quantity of molten lead which elicited shrieks of delight from the youngsters. The delight was comparatively short-lived, however, for the forced air draft for the flame was supplied by a chimney bellows which also happened to be an heirloom of several generations standing of the DeForest family. The youngsters were more careful of the chimney than they were of the air draft with the result that a supply of crude metal ran back into the bellows, leaving it a total loss.

The blast furnace fell terribly in prestige after the sons had had a long and epoch-making conference with their father in his study. At least, it was removed from the back yard shortly after and never again put in an appearance.

EXACT KNOWLEDGE

As with the blast furnace, nothing seemed to interest Lee unless he could examine it thoroughly and find out *exactly* why it worked.

Sometimes, as in the case of the blast furnace, he did not thoroughly assimilate the facts concerning the piece of apparatus at his first view of it. In such cases he returned to the machine again and again in an attempt to master it, finally achieving the desired result.

It could hardly be said that he was greatly imaginative. Rather he gained his ends by hard work. There is hardly a case of his meeting a new theory or idea and mastering it immediately. His mind simply does not work that way. He takes it slowly, piece by piece, and with the mastery of the detail reconstructs the whole.

This is clearly shown by his first encounter with a locomotive. In the town near which his father's school was located he was at the station one day when a train arrived. Of course, he understood the theory of the steam engine, but its application to a locomotive with reversing gears and the juxtaposition of air brake cylinders and oiling adjuncts floored him. There followed several trips to town.


Finally, after many studies of the thing, while the engineer was oiling up or the baggageman exchanging jokes with the station master, he saw it all. Immediately he started for home on a dead run crying under his breath, "I'm so happy, I'm so happy."

A few days later, the DeForest back yard saw another monster worse than the blast furnace bloom into existence. It was a complete replica (as complete and workable as could be made with the aid of pine boards, barrels, hand saw and hammer) of the locomotive including the all-important reversing gear.

Before You Build that Radio Set—

Everybody wants to get the most from the Radio Set he Builds or owns. There is a certain pleasing satisfaction when broadcast is received clearly and with great volume at all times. To assist Radio Set builders who want to get complete satisfaction from their receivers at all times CONSRAD has compiled some very valuable data. Data that will help in many ways and in many places.

Radio Amateurs Practical Design Data



A complete simplified, practical compilation of the following: Measurement Charts, Special Hartley and Navy Circuits for Receiving Sets, Five Watt Transmitter, Reinartz Tuner, 15 Watt C.W. Transmitter, Wavelengths of Inductance Coils, Two Special Tables of Oscillation, and Chart of Antenna Characteristics. Contained in a handsome folder size 9x12.

PRICE50c Prepaid

PACKET E

Detector and Amplifier Units



An interesting, valuable method of construction showing clearly and simply how to make efficient Vacuum Tube Detector and Amplifier Units to be used with any type of receiver. Folder contains two four-page instruction sheets and three blueprints 11"x16" covering every detail in the making of Detector and Amplifier Units.

PRICE50c Prepaid

PATTERN No. 2

All About Aerials




The Aerial is a very vital part of any radio receiver and to know which are the most efficient for the various types of receivers is a great help to any constructor. The CONSRAD folder on aerials is complete, giving diagrams and illustrations of the various types of aerials, their value and their application.

PRICE50c Prepaid

PACKET C

Radio Broadcast Map



Completeness is the predominant feature of the CONSRAD broadcast map. Not only does it show the accurate location of broadcast stations in the United States, but it is arranged so that you can accurately measure the distance of any station from your home. It is printed on cloth so that you can tack it on the wall and keep it in sight at all times. It will not tear under usage and remains ready for use at all times.

PRICE50c Prepaid

PACKET A

Build Your New Receiver Via "Consrad"

Your pick of Radio books, patterns or diagrams on more than 150 of the Practical Radio Receivers in use today, compiled by the foremost radio authorities in the country and every one authentic, complete and practical—also books and literature on the care and operation of every part of your Radio Set.

AT ALL RELIABLE RADIO DEALERS

The Consrad Company

233 Fulton Street


New York City

"RADIO'S FOREMOST PUBLISHERS"

Consrad



The Real Thrill of Radio



Programs from Distant Stations

WHEN you own a Radiodyne you can listen in on programs thousands of miles away. Jazz music from Chicago—speeches from Washington—opera from Boston—"Hits" from Broadway—news from "The Coast"—your Radiodyne brings them to you no matter where you live.

Gets Wonderful Results With 60 Foot Aerial



Works Just as Well Without Loop or Aerial

"I am using a 60 foot outside aerial and the results are wonderful. I use no ear phones. Am reaching from coast to coast with a loud speaker."

Harry Herz, Milwaukee, Wis.

"With a 30 ft. wire lying on the floor we heard 32 stations in one night including Omaha, Newark, Atlanta and Ft. Worth on loud speaker, clear and distinct."

H. N. Walker, Detroit, Mich.

Write for illustrated folder which describes the RADIODYNE in detail. Every radio fan will be interested in this new type receiver.

WESTERN COIL & ELECTRICAL CO., 314 Fifth Street, RACINE, WIS.




The RESAS TONE-A-DYNE

"The set with the Tone Modulator"

RESAS INC.
112 Chambers St., N.Y.C.

IF you are a lover of music perfectly reproduced, then you have been waiting for the RESAS Tone-A-Dyne. The Tone-A-Dyne is the only set built today with a Tone Modulator. The RESAS Tone-A-Dyne, "the set with the tone modulator," enables you to vary the tone strength to suit your tastes. No longer is it necessary to listen to blaring loudspeakers. The RESAS Tone-A-Dyne has other exclusive features. It is a five tube receiver, exceptionally well designed, non-radiating, ultra selective, has simplified control, enclosed in a beautiful mahogany cabinet and absolutely guaranteed. A wonderful value at \$78

Write us at once for Booklet RA!
DEALERS & JOBBERS WRITE!

ONE THOUSAND AGENTS WANTED

WE want one thousand agents to sell subscriptions to RADIO NEWS, SCIENCE & INVENTION, PRACTICAL ELECTRICS and MOTOR CAMPER & TOURIST. We will pay a generous commission for this work and help you in every way. Our four publications are leaders in their fields, ready sellers and this is an offer well worth your while. A few spare hours a day will bring you a handsome return. Write regarding our proposition at once and be the first one to get started in your vicinity.

EXPERIMENTER PUBLISHING COMPANY
53 PARK PLACE, NEW YORK

This slow thoroughness follows throughout the whole of his life. With it, and possibly very much to his advantage, was an orderliness imbued by early training which worked constantly to make him a success.

The beginning of this orderliness—possibly it might better be called standardizing of routine—was, like most of his other characteristics, noticeable from earliest childhood. His father insisted that each of the children should perform a certain amount of the chores daily and that they take part in some sort of athletics. Day after day his journal carries the entry for splitting the kindling and currying the family horse. The only deviation comes when the horse got herself particularly dirty and caused him to write a tirade on her condition.

A TEMPER

He seemed to have quite a temper then. His first job after arising was the care of the mare and he always wrote the journal entries just before retiring. The twelve or fifteen hours lapsing between currying her and cleaning the manger had no effect whatever in softening his wrath when the job was unpleasant. There was no burst of temper. To the contrary, he did the work and harbored his cholera for the rest of the day.

These duties bestowed upon him by his father he never questioned. In just the same fashion he did not question any part of his father's religious dogma until years later.

Religion played an important part in his early life. There was church every Sunday in which he took an active part. Those who are acquainted with the South of the period know the very important part dogmatic religion played in the social fabric of the times. After he passed the age of thirteen religion forced itself more and more into the foreground of his thinking, chiefly through the rigorous religious home life he led. Every Sunday afternoon was given over to reading the Bible and there was family prayer each morning. Before retiring he read the Bible.

As he grew older, the loneliness of his life forced him—not particularly against his will—into deeper and deeper study of his chosen line. From the time of adolescence until he entered prep school his reading became more and more constant and his experiments more and more pretentious. Novels formed a very small part of his interest. In fact, the only one mentioned in his notes or correspondence (which was extremely large) is the "Tale of Two Cities."

He read with delight, however, all of Cooper's "Leather Stocking Tales," his Sea Tales, and stories of Colonial history.

The mechanical illustrations of the dictionary were discovered and they gave no little interest. The library of the school contained very little along physical or electrical lines except a scientific journal (*Scientific American*) and the *Patent Office Report*. These he read with avidity, making notes of interesting facts he found in them.


The *Companion* ran a large premium list. One item given about the time De Forest was fifteen years old was a complete electroplating outfit. It could be procured with a number of subscriptions to the magazine. He decided to get it and started his subscription campaign. At first the results seemed sanguine but soon he had exhausted the list of his friends and was forced to go out among the "Rebs" for his soliciting. The territory around Talladega was one of poor culture and not at all wealthy. The going was hard and finally, in order to obtain the set, it was necessary for him to save pennies and dimes to assist the credit received from the subscriptions.

After receiving it he immediately began tests. Power was furnished by home-made primary cells.

After the outfit was in working order he took his revenge on the people who had refused to take subscriptions. They wanted

Announcing a new Circuit by the eminent research engineer J. T. ROFFY

Circuit No. 7 has the greatest radio frequency amplification over all other known hook-ups. The voluminous long distance reception, clarity of tone and simplicity of operation is unexcelled. This circuit functions successfully and in fact is recommended to be used with dry cell tubes making a portable set 7 by 7 by 18. The extremely low A and B battery consumption tends to minimize operating cost and radiation is practically nil.



Build set reading right to left. Use voltmeter by adjusting main rheostat to three volts for -99 tubes and four and one half volts for -01A tubes. List of parts: stages 1 and 2 Circuit No. 7 ROFFY Transformers, two standard 23 plate condensers, the usual grid leak-grid condenser combination, two audios one plain and one vernier rheostat.

The new Roffy transformer for Circuit No. 7 will tune sharply over the entire wave length range of approximately 200 to 600 meters with the use of a 23 plate condenser; operates on any length of aerial; neither negative balancing nor by-pass condensers are used. The experimenter and dealer assembling sets will find this circuit simple and inexpensive to construct.

PRICE — — — — \$6.00 Each

Correspondence invited—detailed information without charge—transformers unconditionally guaranteed.


Manufactured by STAMM-LAWSON RADIO MFG. CO., Upland, California

RADIO! RECEIVING

The principles, fundamentals and actual practice of Radio Receiving are combined in twenty lessons in this handsome textbook on Radio.

For the man who is interested in Radio enough to grasp the full value of this wonderful new Science that is more and more each day coming to be the most amazing new industry in the world.

Everything is explained and simplified. A wonderful book to have on hand when questions come up on Radio Receiving.



RADIO! BROADCASTING

Transmitting with all basic fundamentals is also included in this handy textbook. It gives you an insight on how broadcasting is carried on from the broadcast stations giving all information and principles simplified and explained in every-day language.


“The Standard Radio Textbook”

By S. GERNSBACK, A. LESCARBOURA and H. W. SECOR

Size 6 x 9 inches. 264 Pages. 500 Illustrations. Binding De Luxe. Semi-Flexible Leatherette cover. Genuine Gold Stamped, round covers, red edges.

PRICE.....\$2.50

EXPERIMENTER PUBLISHING COMPANY, Inc.
53 PARK PLACE
NEW YORK CITY



Performance plus Beauty

Choose your panel for its insulating value as well as for its appearance.

MAHOGANITE Radion Panels

give you both the supreme insulation and the beauty of polished mahogany. For Mahoganite is not a surface finish but a material which extends from one side of the panel to the other.

21 Stock Sizes

Mahoganite and Black

6 x 7	7 x 14	8 x 26
6 x 10½	7 x 18	9 x 14
6 x 14	7 x 21	10 x 12
6 x 21	7 x 24	12 x 14
7 x 9	7 x 26	12 x 21
7 x 10	7 x 30	14 x 18
7 x 12	7 x 48	20 x 24



Look for this stamp on every genuine Radion Panel. Beware of substitutes and imitations.



RADION

The Supreme Insulation
PANELS

Dials, Sockets, Knobs and Insulators
At All Good Radio Shops
or write to

American Hard Rubber Co.
11 Mercer St. New York
See our exhibit at the **FIRST RADIO WORLD'S FAIR**, Madison Square Garden, **SEPTEMBER 22-28th, 1924**

A CHEAP ELECTRIC BATTERY

An electric battery, strong enough to run a small electric bell or a toy electric railroad, can be easily constructed as follows:

Take four common drinking tumblers, and fill three-quarters full with water. Into the first put a tablespoonful of sulphuric acid. Then cut four pieces of wood about half an inch square, and long enough to rest upon the edges of the tumblers. Get four strips of sheet copper and zinc, and cut them just large enough to stand vertically in the tumblers nearly touching the sides.

Tack the zinc to one side of each piece of wood, and the copper to the other side. In doing this take care that the points of the tacks do not pass entirely through the wood, and touch the metal on the opposite side. If this were to happen, the cell would be what is technically termed "short-circuited," and a very small amount of electricity could be obtained from it.

Pry up a corner of each of the metals, and crowd between it and the wood an end, from which the insulation has been carefully scraped, of a small copper wire. The wire should be in good contact with the metal, and a better way would be to solder them together. Twist the outer ends of the wires on one side in No. 1 and copper No. 2 together. Do the same with zinc No. 2 and copper No. 3, and so on.

The wires from copper No. 1 and zinc No. 4 are connected with the bell or other piece of apparatus. On being used, the metals should be removed from the salt water, washed and dried.

DeForest's first battery.

DeForest's first battery.

spoons and silverware plated as they had seen some of their friends' plated and they must needs take them to DeForest.

It was with this outfit that he made his first dollar.

Here it might be interesting to note that he was always practical. With every new idea, new discovery, the question of practicality always thrust itself before him. With all his experiments he sought to find a practical purpose for which to use them.

After the advent of the electroplating apparatus other electrical experiments followed swiftly. There was a horse-shoe magnet that was really worthy of its name since it consisted of a real old, rusty, horse-shoe around the two legs of which were wound the necessary wire.


Then followed in rapid sequence the construction of a compass and galvanometer. The obliging college druggist furnished the case for the compass which took the form of the well known round pill box. The top of the box was removed and faced with glass. One of his mother's needles went to support the magnetic needle which was a piece of main-spring cut from an old clock. After the compass was completed, the wire came off the horse-shoe magnet and was rewound upon two supports for the galvanometer. The compass was placed between the coils and the addition of two wood screws for binding posts completed his first measuring instrument for electrical currents.

At the age of thirteen, DeForest's bent for electricity was well established—so well established, in fact, that his father began a sort of counter campaign in favor of the ministry and the classics. As a result of this campaign, Lee wrote his father a long and elaborate letter, painfully executed on his father's early typewriter, stating in unequivocal terms that it was his desire to follow his natural inclination to take up engineering and invention.

There is no indication in the facts known which would show the inception of this desire to invent. It was natural and evident from the first unfolding of his mind. It certainly must have been natural. It is hardly remarkable, however, since the history of the world's geniuses all followed an almost identical course.

(Continued on page 592)

POLLARD LOOP



Distance and Clarity of Reception
Elimination of Interference

Convenience in Transportation
Operates on all Broadcasting Wave Lengths
Braided Pure Coper Wire Gives Maximum Efficiency with Super Heterodyne—Reflex and Radio Frequency Amplification

Some POLLARD Points

Solidly constructed brass hinge with slip joint held in place by automatic latch to insure proper tension of wire when in use and relieve strain when folding for transportation or setting up.

Wires pass through hard rubber—no contact with the wood; consequently perfect insulation and no current losses.

Double spiral winding insures maximum efficiency and directional qualities.

Frame and base satin finished mahogany. All metal parts heavily nickel plated.

Retail Price \$10.00

Sold to the trade through recognized jobbers.

Dealers—Write for circular and terms, and if your jobber cannot supply you, we will serve you direct.

Radio Fans—If you want the best loop you ever saw and your dealer is not sufficiently wide awake to supply you, send us your order with check or money order and we will mail direct, charges prepaid, to any point in the U. S.

Pollard Bros.

4036 N. Tripp Ave., Chicago, Ill.

Radio Cabinets



Prompt shipment on stock sizes. Made to order cabinets given special attention.

Prices upon request

YOUNG MFG. CO.,

725 N. Second St., Beloit, Wis.

WASHINGTON RADIO ENGINEER PROVIDES INVISIBLE AERIAL FOR PATRON

One day a Washington telephone subscriber and a fan called WCAP and requested the services of a radio engineer; one was sent to his house immediately.

The subscriber, who had just moved into a new house, desired an invisible aerial. The expert asked why he did not use an inside loop. He was informed that, although the set might operate well with a loop antenna, the owner desired maximum distance, and consequently wanted an outside aerial. "But," he admonished, "it must not show; this house is the pride of both myself and the architect and we do not want unsightly aerials overhead."

Realizing the impracticability of installing a real aerial without its showing, the engineer climbed to the roof to look over the arrangement of the eaves and chimneys, hoping he could so string an aerial that it would not be seen from the street below. He soon found this impossible. Ready to give up, he was crawling down over the gutter, when he made a discovery. He descended, inspected the down spout and gutters all around the house, then climbed back and soldered the lead in to the down spout. Inside, he hooked up and tuned in several stations with fine results. He called the owner, who was delighted and wanted to see the aerial.

"There isn't any," replied the expert. "You have a very fine copper gutter, completely insulated from the house by a slate roof, and other non-conductors; even the down spout leads into a terra cotta pipe, so I soldered a lead in to the down spout just outside your library window, and there you are. Incidentally, it's probably the first invisible aerial," he added.

Reason No. 1 for Specifying 1

RATHBUN SINGLE-HOLE MOUNTING SUPERIOR CONDENSERS

Single Hole Mounting

THE only Condenser that requires the drilling of just *ONE* hole. You can't spoil the panel. No possibility of mounting screws pulling plates out of alignment. All Types of "RATHBUN" Condensers (except the No. 3 Plate Vernier) are interchangeable in the same hole. Alterations in the circuit are thus made extremely easy. "RATHBUN" Condensers incorporate every possible improvement so far developed by scientific research in the principles of Variable Condensers. Minimum amount of pure Bakelite used, consistent with strength, to insure low dielectric loss. No current through bearings. In Combination Types, vernier and main rotor shafts absolutely independent, impossible for one to move the other. Non-Magnetic material used exclusively.

There is no such thing as a Condenser being just as good as a "RATHBUN" without these important advantages.

For Your Protection


Look for this moulded seal appearing on every original Single Hole Mounting, Low-Loss, unconditionally guaranteed Condenser.

Prices

Prices on 3 to 43 Plate Types \$1.00 to \$6.00



RATHBUN MANUFACTURING CO., INC.
JAMESTOWN, NEW YORK



Stand by!
3rd ANNUAL NATIONAL RADIO SHOW

"WHERE THE RADIO WORLD MEETS"

3rd Annual National Radio Show
Grand Central Palace
Main and Mezzanine Floors
November 3rd to 8th, inc.

BIGGER THAN EVER :: BETTER THAN EVER
MORE EXHIBITS THAN EVER

All the latest radio developments.
Something new and interesting every minute.
Sensational features and special programs every day.

AT THE THIRD ANNUAL RADIO SHOW—NOV. 3 TO 8


Under the Direction of the

AMERICAN RADIO EXPOSITION CO.

522 Fifth Ave., New York

J. C. Johnson, Manager

Tel: Vanderbilt 0068



Get Directly at Them

Are the contacts in the sockets of your radio set easily accessible for ordinary and necessary cleaning?


With Na-ald DeLuxe Sockets in use you need neither sandpaper or an extra reach to keep contact strips and tube terminals bright and clean.

Just rotate the tube three or four times. Instantly the dual-wipe laminated contacts remove corrosion, making a bright perfect connection. This action is on the side of the tube terminals away from the soldered ends. "It's the contact that counts."

Make your Superheterodyne set free from socket trouble by using Na-ald De Luxe Sockets.

Sockets and panel mounts for all tubes. Prices 35c to 75c. Send for catalog.

ALDEN MANUFACTURING CO.
Dept. K SPRINGFIELD, MASS.



His course was well defined before the writing of the letter mentioned above. After that, the matter was practically settled and his schooling was regulated accordingly, in as far as the curriculum of the schools he attended permitted.

While his education continued in Alabama there was little outlet for his mechanical activities. He continued reading such journals and books as he could find with the result that he definitely decided to become an electrical engineer and inventor long before he completed his other plans for prep. school. And always, when he mentioned his occupation as engineer the "inventor" was joined with it.

His development was rather lop-sided all during the period he spent at home. Although he took many trips with his father to all parts of the country, there was little in them save a glorification of what he constantly encountered at home. A continual round of religion and the classics sandwiched, here and there, with some enjoyable scientific adventure, formed a large part of his routine. Throughout it all, however, he was seldom recalcitrant. There seemed to be in him a veneration for the family with his father at its head which forbade him questioning the system.

One instance of his resenting it is shown clearly (and it is practically the only one). It was his last year at home before entering prep. school and his father insisted on his learning the fundamentals of Greek.

This decision brought forth a tirade that lasted for weeks. It was not shown publicly, however, being confined entirely to a diary.

He had several conditions to make up before his entry for the class of '93 could be made at Mt. Hermon, Massachusetts, Preparatory School, and so the months following were crowded full of work. It was his plan to finish the course at Mt. Hermon in two years, with the assurance of credits he gained through the tutelage of his father. This he did successfully and with extremely good grades.

FOURTH CELEBRATION

The South did not observe the Fourth of July in those days. The DeForest family being good Yankees, however, felt in duty bound to make the usual noisy celebration of their country's independence. No fireworks were obtainable in Talladega, so it devolved on Lee to manufacture the greater part of the family's pyrotechnical display. Some Roman Candles and pin-wheels were imported from the North and, with the assistance of a handful of shot-gun shells and a few fruit tins, the day was celebrated properly. During the day preceding, Lee repaired the flag pole at the college and made one for his home. On the morning of the Fourth flags were flown at both places.


As he returned from hoisting the one atop the college cupola a bunch of the "nasty little Rebs" gave chase, speeding him homeward, so he arrived with lots of time before breakfast.

It was on July 6, 1891, that he left his home in Talladega for Savannah, Ga., and thence by boat for Boston. In Savannah, while waiting for the boat, he used his time in observing the various wonders of the wharves and the vessels anchored there.

During the voyage of the *City of Macon* DeForest kept a full account. It reads almost like a ship's log. Very little attention is given to passengers or other incidents. It consists almost wholly of details of the ship's action. In getting out of the harbor of the Savannah River, the vessel became grounded on a bar and it was necessary to call tugs to pull her off. The process is given in detail in DeForest's account.

On arriving at Boston, his first visit was

It's a cinch to build any set with Stevens Radio Tools



You needn't be afraid to tackle the most complicated set when you're equipped with Stevens Special Tools for Radio Builders. These helpful little labor-savers enable you to accomplish the "impossible" with ease and speed.

STEVENS PANEL CUTTERS cut true, clean holes through hard rubber or bakelite. In three sizes, for peek holes, socket holes or fitting bezels: 3/4", 75c; 1", 85c; 1 1/2", \$1.00.

STEVENS BEZEL BEADER, a beautiful tool that cuts a full, smooth bead in peek holes, just like manufactured sets. Does not chatter. In two sizes: 3/4", \$1.75; 1", \$2.00.

Stevens SPINTITE Wrenches

Enable you to get into confined spaces and spin every nut tight as if soldered. No more fussing with pliers. Time and temper saved. Fans everywhere enthusiastic.

For HEX NUTS. Set T-71. Three most popular sizes, 1/4", 5/16", 3/8". In box, \$1.00.

For ROUND NUTS. Set T-825. Three sizes, 5/16", 3/8", 7/16", tapered to fit all round radio nuts, in box, \$1.00.

If your dealer doesn't carry Stevens Tools, write us direct. Ask for Catalog 24 describing all the tools.

Stevens & Co.
Toolsmiths since 1899
375 Broadway, New York



Save \$38.00

Take advantage of the great saving we offer on the economic, world-famous, ball-bearing, long-wearing L. C. Smith Typewriter. Late model machines, standard size, up-to-date in every way, at remarkably low prices.

SEND NO MONEY **TEN DAYS' FREE TRIAL** Test it thoroughly—no obligation. **LOW PRICES** **A YEAR TO PAY EASY TERMS** **Guaranteed Five Years**

We do the most perfect and highest class job of rebuilding known to the typewriter industry. Our machines do perfect work and last for years and years. Just like new. The L. C. Smith is the easiest machine to operate and you can easily type your own letters. Complete lessons on typewriting, also our 5 Year Guarantee with every machine. **FREE**—Send today for Free Booklet of Valuable Typewriter Information, Big Catalog and our Special Offer.


SMITH TYPEWRITER SALES CO.
237-360 East Grand Avenue Chicago, Illinois

I MAKE THE BEST CHOCOLATE BARS

Mints and Chewing Gum. Be my agent. Everybody will buy from you. Write today. Free Samples.


MILTON GORDON, 262 Jackson St., Cincinnati, Ohio

No. 65 Audio Transformer



No. 95 Variocoupler

Variable Condenser



"Guaranteed by Federal"

THE famous Federal No. 65 Audio Frequency Transformer and over 130 other standard radio parts now bear the Federal ironclad performance guarantee.

If you want exceptional tone beauty, selectivity and distance range in your home assembly, insist that each part bear the Federal Guarantee.

A Book "The Radio Work Bench" aids you in avoiding construction pitfalls. Sold by Federal dealers—25c—Canada 35c.

FEDERAL TELEPHONE AND TELEGRAPH CO. Buffalo, N. Y.



Federal
Standard RADIO Products



Head Telephones

Look for this sign.



- Boston
- New York
- Philadelphia
- Pittsburgh
- Chicago
- San Francisco
- Bridgeburg, Canada

The DAY-FAN Set Has Made It's Mark

When the Model OEM, DAY-FAN receiving set, was placed on the market it met with instant approval.

Its ease of operation, clearness of tone, appearance, and all around performance stamped it as one of the outstanding achievements in the radio field this year.

You don't have to know anything about radio to operate this set. Even a child can tune in the station desired. Full instructions are sent with each set.

Thoroughly satisfied users, many of whom were formerly radio "doubters," testify to the excellence of both the OEM-7, four tube set, and the OEM-11, three tube set.

The DAYTON FAN and MOTOR COMPANY
DAYTON-OHIO
Manufacturers of High Grade Electrical-Apparatus for Over Thirty Five Years

Model OEM-7 Four Tubes - \$98
Model OEM-11 Three Tubes - \$90



DAYTON FAN & MOTOR CO., Dayton, Ohio.

Without obligation, send me complete information on your Model OEM receiving sets.

Name
St. & No.
City..... State.....

\$27.50



Startling Improvement

Really marvelous are results you get with a super-heterodyne receiver built around the new Liberty R-40 Kit.

It widens the range of your outfit, greatly increases the number of stations you can get and its tones are so clear they make you wonder. Stations 3-5 meters apart can be separated. You double your enjoyment of radio with a correctly designed super-heterodyne.

Write to us for illustrated description, blueprints, and data. Sent FREE.

Build or Rebuild

It is easy when you have our simple yet complete plans, blue-prints, etc. No uncertainty when using our data. You can build an exact duplicate of a tried and proven laboratory model. We show you how. Get our FREE instructions and see for yourself.

Five years' successful experience. Now filling important Government contracts.


All Liberty units are balanced before packing in sealed carton. That, combined with our complete plans, enables us to fully guarantee the R-40 Kit.

Ask your dealer. If he can't supply you, order direct. Accept no substitutes.

FREE! Write for complete plans, blue-prints, etc., today. You will want one of these exceptional receivers.

Get the latest development, and save money.

Liberty Electric Corp.
Dept. 210 Stamford, Conn.



IT IS A PORTABLE

No aerial, ground or loop required for Local Stations.

You can take it with you when visiting. Use it in your Hotel room—On your vacation—Anywhere, Anytime.

LONG RANGE
—coast to coast—

Reception Loud and Clear. Wide range on loud speaker. Single Tube "SUPERFLEX" in Leatherette Case. Very Neat.

Order NOW—Will be sent C. O. D. parcel post anywhere on receipt of \$1.00 with order, to cover postage.

PRICE..... \$65.00 COMPLETE
Ready to operate. Dealers write
BENSON ENGINEERING COMPANY
2125 N. Halsted Street. Chicago, Illinois

Insure your copy reaching you each month. Subscribe to RADIO NEWS — \$2.50 a year. Experimenter Publishing Co., 53 Park Pl., N. Y. C.

to a book shop where he purchased a copy of the "Encyclopedia of Science," which he kept and studied in spare hours for a number of years.

From Boston he entered a boys' camp, where he spent the time intervening until the opening of Mt. Hermon. Here he showed a surprising ability at practical joking which was not particularly marked before. It followed him through his time at Mt. Hermon and cost him many a weary hour of extra duty and not a few fights.

His accounts of them are screamingly funny, not so much because of the stunts themselves, but the manner in which they are told. Set down in the most matter-of-fact way, without the slightest embellishment, it hardly seems possible they were practical jokes. One of them goes something on this order:

"Doused Bob and Joe on the floor below with two bags of water; found my bed torn up when I came home, as a result." All the accounts read similarly, clear, concise, no extra words. He seemed to perform them as though they were a quite regular part of the day's routine.

It was during his stay at this camp that he obtained his first view of the electric lighting system. One of the instructors took a class of boys into a nearby town and conducted a tour through the small generating system.

After the completion of six weeks in the camp he was matriculated in Mt. Hermon, September 2, 1891. The first two days of his stay were given over to examinations, all of which he passed with ease. He says of his first academic day: "Father goes home tomorrow. I had a hard day. Didn't get my books and so lessons will be unprepared. Studied from seven till nine. Then rest. . . ."

WORK HOUR

At Mt. Hermon, each student was required to do a certain amount of manual labor each day. There were assignments that had to be fulfilled even as Greek or Virgil. During his first term DeForest was assigned to farm work and spent two and a half hours a day for the first several days at school digging potatoes.

To those not acquainted with such a curriculum—consisting of Virgil, algebra, geometry and three other subjects, together with two and a half hours of work—such a daily routine seems almost horrible. Add to that training for track work and DeForest's routine results.

Nowhere is there recorded a complaint against the amount of work he was called upon to do. It seems he had become accustomed to a strenuous grind since his childhood so the work at the school was no harder than usual. To make it worse, on account of the diminutive size of his allowance, he was forced to spend many of his weekly holidays working for additional funds. He continued this practice almost constantly throughout his entire stay at Hermon.

It is notable that unless he was actually busy, mentally or physically, he classed the time as "fooled away." Such use of it was seldom made. Through early training or otherwise, he was unable to master the technique of graceful loafing sometimes called "contemplation." His mind demanded some occupation and demanded it in the form of an actual problem. This trait is one that followed him consistently, also.

This seems to have led to a strange deviation. It could be logically expected at his entrance into the life of the school, with the wealth of human contact which had been denied him before, and an untrammelled outlet for his actual spirit and moods, that he would have shown some of the spirit of fun and care-free youth. Such was not the case. With a doggedness, which often became almost drudgery, he continued to mull

Announcing

THE NEW

Ackerman ARISTOCRAT

The SUPER-HET of Loud Speakers

Model 25

An improved Loud Speaker made by loud speaker specialists.

Will operate on any set of three tube capacity up to the eight tube super heterodyne.

Guaranteed to reproduce voice and music in perfect mellow tone, with plenty of volume.

No extra batteries required.

25" high
11" bell

Three finishes: Black, Olive Green or Brown Crystalline.

With gold plated ferule connecting fibre horn with base.

Price Complete Ready for Immediate Use

\$20.00

If your Dealer cannot supply you, send us cash with order or we will be glad to ship same to you C. O. D. and you can pay postman on delivery. In ordering specify finish.



Ackerman Brothers Company, INCORPORATED

Department RN-10

301 West 4th Street New York

Order Today—Model 25

Dealers: Write to

KLAUS

About the NEW RADIOLA LINE

The New Radiolas are going to multiply sales for dealers everywhere. There is a model for every purse. Klaus regular authorized dealers will obtain preference in deliveries. If you are not one of our regular dealers write us today for our proposition.

KLAUS DEALERS BULLETIN

Expert advice regarding the merchandising of radio equipment and the newest information is in the Klaus Radio Bulletin. Send us your name for the Bulletin and get our trade discount list.

KLAUS RADIO & ELECTRIC CO.

Authorized Distributors

Dept. 200

EUREKA, ILL.

and work, taking joy in nothing else. Though he was extremely fair with himself, he was almost constantly worried when some trick of chance would force him to let a lesson go unprepared. The ideas which motivated this application were a blind sense of duty to himself, an everburning ambition, a healthy egotism.

AT HERMON

He was not extremely efficient and decidedly was not a hale-fellow-well-met. When a room-mate or fellow student became restless or talked while he was studying, DeForest could not concentrate and would become slightly angry. He had few friends—really no close ones while he was in Mt. Hermon. There was no one whom he considered as a confidant or no particular chum with whom he shared his feelings. It was mostly work—little, if any, play.

Even in athletics, a chance game of tennis or checkers, he looked upon as work and felt hurt if he was beaten. In every note of every game—even an impromptu tennis game played by two couples on a holiday afternoon—he would record the score, and if beaten the reason for it.

In case of defeat, he never made an alibi. If he was beaten on account of training or lack of knowledge he said so. And upon stating the defect would follow it with a resolve to better himself.

He set a record in the one-mile walk during his first year's work, but did not thereafter touch the mark again. In fact, he was beaten when he attempted to uphold the honor of his school the following year.

The summer following his first year was occupied in selling books—the volume was one dealing with handicraft around the home. A fair amount of success crowned a hard, dirty summer's toil.

The last year followed pretty much the same course as the first. Among his studies were geology, chemistry (which he particularly liked), trigonometry, history, Bible and public speaking. Along with the activities of the school went a great amount of church work. Since the school was under the special protectorate of The Rev. Dwight L. Moody, it was no small wonder that the Christian character of the students was pretty thoroughly cared for. There were not more than half a dozen Sundays during the time DeForest was in school when he missed church services. Aside from the regular Sunday services, there was no end of prayer meetings which all students were expected to attend. Many times attendance at them caused him extra hours preparing work which should have been done during the time they consumed.

One of the most enjoyable courses the last year was a laboratory course in chemistry. For the whole semester DeForest kept well ahead of the class and did an amount of extra work.


On account of an enmity which arose between him and one of the monitors, a great deal of bitterness crept into his last weeks at Mt. Hermon, since he was forced to observe work hour almost until graduation day. The remainder of the Seniors were excused.

Graduation, however, made up for a great many inconveniences and ills. He stood among the highest in his class, having made a long list of "E's" in chemistry, geology, algebra, geometry and the very highest grades in the physics class.

The prospect of entering Sheffield Scientific School at Yale in the immediate future where he could continue more actively his studies without the pettiness and bigotry entailed by the religious school, and his nomination by his class to present a scientific oration at the class day exercises tended to ameliorate, to a great extent, some of the ills which fastened themselves upon him during his latter months at Mt. Hermon.

Mt. Hermon closed a definite period in

A New Operadio



GREATER THAN EVER!

Introduced last year—the Operadio created a country-wide sensation. The new set is an even more startling development.

The Truly Wireless Radio

Absolutely Portable

No outside wires or connections of any kind required. A remarkably efficient six tube set with loud speaker and all parts contained in a compact carrying case.

Long service from the large dry cell equipment. No storage battery required.

Extremely selective. Easy to tune out nearby stations.

Long Range. Compare it with any big set on the market.

Wonderfully clear and natural tone—free from atmospheric noises.

So simple any one can operate it.

A beautiful and efficient home set, yet one that can be carried anywhere as easily as a suitcase.

THE Operadio Idea—a complete self-contained set without external wires or connections—has been a sensational success. Thousands of Operadios are now in use. More than a year's experience has proved the soundness of the principle and pointed the way to still further revolutionary and exclusive developments. All the present features are retained and many new ones added. The result is a truly remarkable set—ideal for use both in the home and outside. Write immediately for full particulars.

The Operadio Corporation
8 South Dearborn Street, Chicago

OPERADIO

The Original Self-Contained Radio Set

TUBES REPAIRED IN OUR OWN LABORATORY

We wish to impress upon you the fact that we are not agents, but that we renew all recognized types of vacuum tubes. In our own laboratory, with our own equipment. Your satisfaction is, therefore, positively guaranteed.

GUARANTEED LIKE NEW

Burned out filament or broken bulb—send the tube in to us. We return it to you good as new—and guaranteed against defective workmanship same as new tube. New glass bulb in every instance makes sure of proper vacuum and proper "Hardness" for type of tube. Tubes returned parcel post C.O.D. Send yours in TODAY.

CHICAGO ELECTRIC DEVICES COMPANY
70 E. 22nd St., Dept. 10, Chicago, U. S. A.

\$2

RADIO PARTS and SCREW MACHINE PRODUCTS to your

Specifications—Send Blueprints or Samples for Quotation

THE NEWTON MFG. CO.

125 Main Street, Plainville, Conn.

KEEP OFF THE ROOF

Aragon's Silver—Indoor—Aerial

Made of Phosphor Bronze and Sterling Silver

Can be used in any size room. Has capacity of 150-foot outside aerial. Cuts down static—Gives sharpest tuning—Practical and ornamental—For any home. Shipped all ready to be installed.

\$2.50

Aerial complete.....

Mail your order today

ARAGON RADIO CO., 6 E. Lake St. CHICAGO


KESTER Radio SOLDER

(Rosin-Core)

A Safe Bet—Use It On Your Set

"REQUIRES ONLY HEAT"

The Greatest Book on RADIO ever written



only **\$1**
514 pages
Pocket Size

100,000 SOLD

Compiled by HARRY F. DART, E.E.
Formerly with the Western Electric Co.,
and U. S. Army Instructor of Radio.
Technically edited by F. H. DOANE

NEW edition just off the press! The greatest book on radio ever written. Price only \$1. Filled with sound, practical, tested information for every radio fan, from beginner to hard-boiled owl. Written, compiled and edited by radio experts of national reputation.

Every page tells you something useful. And there are 514 pages! More than 150 illustrations and diagrams!

You may dip into this I. C. S. Radio Handbook at random, or hunt up special information you want, or read it right through. Different types of receiving and sending hook-ups are explained; electrical terms and circuits; antennas; batteries; generators and motors; electron (vacuum) tubes; interesting experiments; definitions, and thousands of suggestions for getting more pleasure out of radio. Will save you from wasting money on things that won't work. More than 100,000 sold.

Send \$1 to-day and get this 514-page I. C. S. Radio Handbook before you spend another cent on parts. Money back if not satisfied.

TEAR OUT HERE

INTERNATIONAL CORRESPONDENCE SCHOOLS
Box 8283-C, Scranton, Penna.

I enclose One Dollar. Please send me—post-paid—the 514-page I. C. S. Radio Handbook. It is understood that if I am not entirely satisfied I may return this book within five days and you will refund my money.

Name.....
Address.....

Tubes Repaired

Only middle west tube service station

8 hour service. No extra charge for broken glass.

WD-11, WD-12, C-11, C-12
UV-201, C-301 **\$2.25**
UV-201-A, C-301-A, UV-199, C-299
All styles DeForest
UV-200, C-300\$2.25

Discounts in quantities of six or more may be had in assorted styles. We pay the postage.

Dey's Radio Service

Dept 6, 5947 Superior St., Chicago, Ill.

Get a Handy Binder for your RADIO NEWS. Holds and preserves six issues, each of which can be inserted or removed at will. Experimenter Publishing Co., Inc., Book Dept., 53 Park Place, New York.

DeForest's life. It had its effect and the assistance and kindly understanding given him by his science teacher, a Professor Dickerson, remained always as an inspiring and pleasant memory.

(To be continued)

"Roxy"

(Continued from page 484)

as they sang, humming with them in his enthusiasm, indicating shades of meaning with his hands, never still for a second. He invited the audience to put out their lights to listen to the "Meditation" from "Thais," as the orchestra played it, and he himself turned out the studio lights. Now the orchestra will play "Narcissus."

"How does it go?" asks Roxy. They hum a bit for him, and before they are finished he is on the conductor's stand leading it. Remember, he can't read music! But make no mistake about it—he is really leading it, his face on fire with emotion, his whole body a-quiver with the rhythm. Amazing!

Is it any wonder the band stays together, that Betsy Ayres was there with an infected foot, rather than disappoint him when he had planned a special program? Or that David Mendoza should say to me just before Mr. Rothafel read Eugene Field's poem, "Mother":

"Now you are going to hear a beautifully impressive thing," while the singer who assisted him came back to us with tears in her eyes and explained that she had hardly been able to sing because of the lump in her throat.

It is the recognition of this tremendous personality of his that has caused the government to lend him the assistance of Major-General Ireland, Surgeon-General of the Army, and Rear-Admiral Stitt, Surgeon-General of the Navy, and brought also the co-operation of the *New York Sun* in the raising of the half-million dollar radio fund.

Indeed, any one need spend little time with this man, who in his early forties is a power, in order to realize that here is a dreamer who makes his own dreams come true.

WHY CONSTRUCTORS SOMETIMES FAIL

No matter how efficient a set may be, no matter how simple the construction, no matter how detailed and lucid the instructions, there are always a certain number who do not get full results, and some who do not get any results at all.

We have made a special study of the constructor's troubles and tried in every possible way to produce constructional articles which would ensure success.

THE CONSTRUCTIVE ABILITY

The constructor, before he makes his set, must not over-estimate his own ability. He must, moreover, have regard for the simplicity of the design of the set. The simpler the design, the greater will be the proportion of constructors who achieve success with the set. For example, a set in which the first tube acts as a detector and the second as an audio frequency amplifier, if built up by 100 readers would probably result in 90 per cent. getting the correct results. Add regeneration to the set and probably 80 per cent. would get the desired results; the others would probably use the wrong sizes of coils, would not tune correctly, would have the tickler coil connected the wrong way, or something of the sort.

RADIO FREQUENCY TROUBLES

If, now, a set in which a stage of radio frequency amplification is made, the chances are that the number of successful sets will

The Standard of Radio Receivers



The Neutrodyne Receiver

The astounding popularity of the Neutrodyne circuit is well deserved. When properly constructed the Neutrodyne can be guaranteed to give remarkable and consistent results at all times of the year and under the most trying conditions.

"Conrad" Pattern No. 7 shows you how to construct an authentic Neutrodyne circuit using the simplest and most direct method known. Pattern consists of full sized blueprints on a sheet 16" x 28" and a four-page instruction sheet for full details of construction. Enclosed in beautiful two-color folder 9" x 12".


AT ALL RELIABLE RADIO DEALERS
Or direct from us.

PRICE 50¢ Prepaid
Pattern No. 7

The Conrad Co.
233 Fulton Street
New York City


Conrad

"RADIO'S FOREMOST PUBLISHERS"



Registered U. S. Patent Office

An Insulated Audio



A brand new scientifically prepared Mica compound, insulating the core laminations, eliminates the howling and squealing so prevalent in ordinary audio transformers.

Supertran transformers are specially designed for the Neutrodyne and Reflex circuits. Instructive booklet free on request.

Can be used with any amplifying tube on the market with excellent results

Eastern Distributor

Wetmore-Savage Company, Boston

West and Southwestern Distributor

The Beckley Ralston Co., Chicago

Manufactured by

Ford Mica Company, Inc.

33 East 8th Street

New York

be lower; while if a reflex receiver using two or more tubes is described, perhaps only 60 per cent. would get good results.

The fault is either in the article or in the constructor, or just as likely in the apparatus used.

As regards the effectiveness of the sets described, there can be little question, for they are pretty thoroughly tested during the experiments in which they are evolved. The laboratory workers completely test and chart each new set before releasing for publication.

Readers will also be interested to know that sets constructed for RADIO NEWS are frequently exchanged between different members of the staff for trial. From this it will be seen that every precaution is taken to see that the actual set gives really good results.

As regards the description of sets, the numerous letters which we receive make it clear that even absolute beginners frequently get excellent results the first time.

IMPROVEMENTS

The reason for lack of success, in some cases, must, therefore, be looked for elsewhere. It is astounding, the extent to which designs published in these columns are improved upon by constructors. A straight-forward panel set is converted into a most elaborate cabinet set looking like a piece of furniture, with great long leads between different parts of the set, and innumerable switches introduced to enable different combinations to be obtained. When the set does not work, the constructor writes plaintively to us and expects to receive our sympathy and advice.

Some other constructor, even if he adheres to the described arrangement, alters the circuit and perhaps connects in the set some shabby, nameless transformer. While we do not expect every constructor to buy a complete set of new parts for every set he makes, yet if he departs from the description, he does so entirely at his own risk. In some kinds of circuits the substitution of inefficient apparatus causes entirely different results to be obtained.

TRANSFORMER TROUBLES

Where only one stage of audio frequency amplification is employed, the chances are that different transformers may be tried without very much difference, but when two transformers are employed, an audio frequency howl may be set up, or bad distortion may arise. These disadvantages may be corrected to some extent by the man who has a good grounding in the general technique of vacuum tube circuits. The constructor, however, without much technical knowledge of the subject meets with difficulties. This is particularly the case when reflex circuits are being arranged. We do not for a moment suggest that any particular type of transformer is best for reflex circuits; we do, however, suggest that if a constructor departs from the instructions given in the article dealing with a reflex circuit, he may find that the results he gets are very different from those which the author of the article originally obtained.

For example, with a certain pair of transformers, a certain condenser connected in a certain position might be found desirable by the author of the article. The arrangement may be perfectly stable, but if some other kind of transformer is used, the feed-back may be increased, or some other effect may be varied, and the circuit may be unstable and give inferior results.

INFERIOR PARTS


We cannot emphasize sufficiently the dangers of buying inferior parts. Frequently such goods are a trifle cheaper; their origin is always doubtful; and if the apparatus is faulty you have nobody to blame. In the case of named goods, you know the manu-

USE "RAGEMCO" TOOLS TO BUILD BETTER RADIO SETS



DR-701 RADIO TOOL SET

This is the handiest set of tools ever made for Radio Work by the makers of the famous "YANKEE" Tools. It contains the following: 1atchet Screw-driver, 6 1/2 in. long, holding all attachments; 1 Blade, 5 1/2 x 3/16; 1 Blade, 3 1/2 x 1/8; 1 Blade 2 1/2 x 1/4; 1 Countersink; 2 Socket Wrenches for all small nuts; 1 Reamer to enlarge holes in panel from 1/8 x 1/4; 1 Wrench, one end 5/16" square or hex. for jack, other 1/2" hex., etc.
Price per set\$3.00



DR-702 RADIO HANDI-TOOL

Bends Bus Bar or wire strips and strapes wire, bores and reams holes, etc. Tool consists of 4" black japanned handle, to which is attached wire bending device, with nickled ferrule and 3/8" long two sided reamer.
Price\$0.50



DR-303 HAND DRILL

The hardwood handle is hollow to store drills. Iron frame, nickled parts, ball bearing three jawed chuck holding and centering accurately round shank drills from 0 to 3/16. Length of drill, 12 inches.
Price\$2.25



DR-203 WIRE BENDING TOOL

For making eyes, loops, bends, and offsets on Bus Bar wire. With this device any Radio Constructor can wire his set to compare favorably with any factory made set. Easier to use and more accurate than pliers. Full directions in box. Made of heavy steel, blued and finished.
Price\$1.00



DR-402 CIRCLE CUTTER

Especially designed for the Radio Constructor. Made of the finest material and equipped with the highest grade high steel cutting bits. It does three things at once. It drills its own pilot, cuts out plug and puts bead or scroll around the hole in one operation. Cuts holes 1/4 to 4 in. in diameter.
Price\$3.00
DR 401, Same tool but smaller and not fitted with bead or scroll in one operation.
Price\$2.00



DR-302 HAND DRILL

Especially designed for Radio Work by the makers of the famous "Yankee" Tools. A beautiful balanced, small, powerful drill, with 4 to 1 ratio of gears for speed. Special chuck 9/32" capacity, to take largest drill, mostly furnished with drill or tool sets. Length over all, 9 1/2 in. Weight 1 1/2 lbs.
Price\$2.75



201-A TYPE TUBES
PRICE \$3.45 Each

1/4-Amp., 5-6 Volts
201-A Type Tubes in stock for immediate delivery. Tubes that give the best results over the longest period of time and at your call at all times. Quiet in operation and highly sensitive. Note our special low price.


Order by order numbers. Remit by check, money order, stamps or cash. All goods are shipped free of transportation charges to all parts of U. S. and possessions same day as order is received. If not satisfied, money will be refunded upon return of goods.

The Radiogem Corp.
66-R-West B'way, N. Y. City




DR-703 TOOL CHEST

Set consists of "LOCK-GRIP" master handle, 37" long, black Rubberoid finish with steel chuck, nickel plated, buffed and with the following 9 tools: Saw, Bradawl, large screwdriver, file, scratch awl, gimlet, reamer, chisel, small screwdriver. Each tool of fine steel, drop forged, tempered, hardened, and nicely finished. Set comes in leatheroid box with tray.
Price\$1.85



DR-304 SCREW STARTER and DRIVER

Holds any screw by its slot with a firm grip, makes it easy to place and start screws in different places. Just the tool for the Radio Constructor. All parts heavily nickled and polished.
Price\$1.00



DR-305 RADIO DRILL SET

Composed of 10 straight shank twist drills, fitting all band and breast drills. The selection of these drills has been especially made for Radio Constructors and consists of the following sizes: 1-16, 5-64, 3-32, 7-64, 1/4, 9-64, 5-32, 11-64, 3-16, 17-64. Drills are mounted on white Holland Linen with sizes clearly marked.
Price\$1.25



DR-800

ELECTRIC SOLDERING IRON

A perfect tool for Radio Work. Operates either on 110-volt A.C. or D.C. The heat element is of Nichrome, which prevents overheating and assures the desired even temperature. Size of Iron, 10 1/2 in. long. A 4-foot cord and plug is furnished.
Price\$2.00



THE RADIOGEM

Complete Radio Receiving Outfit

\$2.50

This outfit is absolutely complete. Nothing more to buy—no batteries or tubes needed—no upkeep of any kind. The simplest radio outfit made—you build it yourself. So simple that anyone can construct it. Complete instruction book with every outfit.

Complete Radiogem Outfit.....\$2.50
The Radiogem only.....1.00
The Complete only.....1.00
Aerial Outfit only......50


WE CARRY A COMPLETE LIST OF RADIO TOOLS. NO MATTER WHAT YOU WANT WE HAVE IT IN STOCK. WRITE FOR OUR COMPLETE TOOL LIST.

DISTORTIONLESS AMPLIFICATION
is yours with REMEY audio-frequency **PANEL-MOUNTING UNITS** Adaptable to any set; complete \$5.
TWO-STAGE AMPLIFIER \$12.
Complete with mahogany cabinet
DESCRIPTIVE CIRCULAR FREE ON REQUEST
REMEY RADIO MFG. CO.
105 FOURTH AVE. BROOKLYN, N. Y.

\$125.00 Neutrodyne 5 tube Receiver, in solid mahogany Cabinet, Piano finished and hinged. \$55.00
\$35.00 Magnavox B-3, new type.....\$26.00
\$12.50 Combo Push & Pull Transformers.....\$9.75
ARMATURE CONTACT POINTS FOR HOAR-CHARGERS \$1.00
SUPER B BATTERY, 12 cells, 24 volts, \$4.40
Rechargeable.....\$4.40
45 v. large B Batteries, \$2.90; medium.....\$2.25
22 1/2 v. large B Batteries, \$1.45; small......75
Remittance must include Postage, No C. O. D.
MARVEL RADIO SPECIALT' CO.
132 Nassau St., N. Y. Dept. R.N.

Get a Handy Binder for your RADIO NEWS. Holds and preserves six issues, each of which can be inserted or removed at will. Price 65c. Experimenter Pub. Co., Inc., Book Dept., 53 Park Place, N. Y.

**Tune in-
with ease**



NA-ALD
Super DeLuxe Dials

*Where eye and hand are
in scientific balance*

Test this dial with any other and see how much more quickly you can turn to any degree or fraction of a degree.

Shorter intermediate lines, numerals on the bevel and a generous knob are the reasons.

It is a truly beautiful creation which gives that final touch of dignity and attractiveness to the quality set. On the set you buy look for the minute Na-ald trademark as you would for "Sterling" on silver.

Price 75c. Other prices of Na-ald Dials are: 3 1/2" 50c, 3" 35c and 2" (rheostat) 35c.

ALDEN MANUFACTURING CO.
Springfield, Massachusetts
DEPT. K

NA-ALD

TUBES
REPAIRED \$2.50
AND EXCHANGED

ALL TYPES
CUNNINGHAM R. C. A., ETC.
We will either repair your tube or give you a brand new tube at the same price. Price without old tube, \$2.75. All tubes shipped same day order received.
SATISFACTION GUARANTEED
OR MONEY REFUNDED
RADIO TUBE HOSPITAL
206 BROADWAY Department N NEW YORK
Cor. Fulton St., Room 418

Insure your copy reaching you each month. Subscribe to **RADIO NEWS** — \$2.50 a year. Experimenter Publishing Co., 53 Park Pl., N. Y. C.

facturer, and if there is anything faulty he will replace it.

Readers of **RADIO NEWS** who order apparatus from advertisers are particularly secure. If they have any complaint regarding either the quality of the goods supplied or delay in delivery, and they fail to get satisfaction, they have the whole weight of this publication behind them to have their wrongs set right.

MINOR FAULTS

The experience of individual members of our staff, and of our Information Department, indicates that frequently the source of trouble is in some minor component which is, perhaps, of faulty insulation.

Tuning is also a very common source of trouble to beginners, although to the experienced man it will seem very simple. There are still an extraordinary number of constructors who do not realize that when tuning a set it should be possible to tune out both above and below the incoming wavelength. The question of different aerials is an extremely important one and a set which may be stable on one aerial may oscillate furiously on another.

VACUUM TUBES

As regards tubes, we do not attach very much importance to specifying tubes in constructional articles. The tubes at present on the market are all very much alike, although some manufacturers seem to ensure a uniform standard for their tubes, an extremely important matter for the enterprising tube manufacturer.

As regards distortionless reception, this is a matter in which technical knowledge plays more part than anything else; it is a question of the proper operation of the set, the avoidance of excessive regeneration, the introduction of grid bias on the audio frequency amplifying tubes, the use of good quality transformers and the ability to introduce various correctives, such as resistances and condensers, to ensure perfect reproduction. Only by reading notes of the character outlined above will the home constructor be able to get the best results. There is far more in radio than merely joining together a number of different parts and mounting them on a panel. The best results will always be obtained by those who have some theoretical knowledge of the subject.

A Radio Frequency Solodyne Receiver

(Continued from Page 469)

cuit is quite critical, necessitating the use of a rheostat having the proper resistance. The compression type rheostats will work very well, as a fairly even adjustment can be made using any tube. The grid leak will probably give more trouble than any of the other instruments and it should, therefore, receive the most perfect attention. It should have a range of from 500,000 ohms to 30 megohms if possible. We found the compression type works as well as any of the others on the market. The variable grid leak is perhaps the most critical control in the set. One of the greatest difficulties in the set's operation is met here in the large variation of resistance, for an almost minute adjustment of the leak found in many instruments.

Now for the construction of the set: If a panel of dull finish is desired, it may be had at a cost of a few cents. The only things necessary are that the panel be of bakelite or similar material (not hard rubber), a few rags, a small amount of pumice powder and some machine oil. The oil should be spread over the surface and a small amount of pumice sprinkled on the



"There it is!"

What a delight to get some surprisingly far away station; its program coming in with clear, natural tones. You can do it with

Stromberg-Carlson

HEAD SETS and LOUD SPEAKERS

These instruments have powerful magnets giving great sensitivity and finest tonal quality.



They have layer wound and layer insulated coils—a feature exclusive to Stromberg-Carlson apparatus. They stand up under high voltage and maintain their excellence indefinitely.

Ask Your Dealer
STROMBERG-CARLSON
TELEPHONE MFG. CO.
Rochester, N. Y.

HISSING AND SIZZLING ENDED IN RADIO RECEPTION

One of the most important developments in radio and that will have the most far-reaching effects is a new "B" storage battery that eliminates hissing and sizzling in reception and does away with the annoyance of constant retuning.

This achievement has been made possible by the discovery of an entirely new way of making batteries—the only different method since lead batteries were first made.

As a result of this new method—known as the Lavier Formula—no separators are used, thus completely doing away with current resistance that causes disturbances and noises usually laid to static. Another remarkable characteristic of this revolutionary battery is that it increases in strength in use for a long period of time.

Clear, distinct reception is attained and the greatest single step in perfecting radio has been realized.

All these things are making the Ray-dio "B" Storage Battery the most sought after radio battery ever made—and dealers everywhere are finding a tremendous demand for them.

This battery is known as the Ray-dio "B" Storage Battery, and full particulars may be had by writing to the

JORDAN BATTERY CO.,
DEPT. 1, YPSILANTI, MICH.

INSIDE AERIAL

HUNG HEAD **DISTANCE-SELECTIVE-NOT A LOOP** 11 FT. LONG
CEILING FULL SIZE ANTENNA—150 FT. STRANDED COPPER WIRE
NOT AFFECTED BY WIND, RAIN, SNOW OR LIGHTNING
CERTIFICATE OF APPROVAL by one of Largest Radio LABORATORIES sent.
PRICE \$7 POSTPAID or \$5.00 and 4 ADDRESSES SET OWNERS
Ask about our NOISE KILLER
INTER-STATE SIGNAL CO., Dept. 3 COLUMBUS, OHIO

oiled surface. Rub the panel in one direction only, as any cross rubbing will spoil the appearance of the finished product. The operation just described will have to be repeated once or twice to get the desired result. An oily rag will remove all traces of the powder, after which a dry rag should be used.

The apparatus should be arranged so that the leads will be as short as possible without unnecessarily crowding the different parts. When the location of the parts has been decided upon, the panel can be drilled, using templates if possible. Mount the baseboard and then the apparatus, fastening the latter to baseboard or panel, thus decreasing the chance of loose connections being made as the set is handled. The wiring is the final step to be taken in the construction of the set. Care should be taken that grid and plate leads are kept as far apart as possible, to prevent unwanted feed-back. In case there is any chance of two wires touching, the safest procedure is to cover one with an inch or so of cambric tubing. Solder all connections, except those held by machine screws. In soldering, use a non-corrosive flux which can be bought in most stores, or resin-core solder which is considerably easier to use than the former. Whatever kind of flux you use, do not smother connections with it, because it usually makes a fairly good insulator. When soldering the jack try to use plain solder, as the prongs are usually tinned before leaving the factory.

In operating the set, it is not necessary to have the rheostats turned on full, for, in most cases, the tubes operate best with a voltage between four and five. As mentioned before, the grid leak is very critical and the results obtained will depend to a great extent upon the action of the leak. If no regeneration is obtained, try reversing the tickler connections. The connections of the radio frequency transformers may also need to be reversed.

GLOSSARY OF RADIO TERMS
COMPILED BY LESTER MAXWELL


Aerial.—A system of elevated wires insulated from the ground and from surrounding objects, and intended to impart the radio energy generated by a transmitter into the ether of surrounding space. The aerial may comprise one wire or many wires, and it may be arranged in many different ways, such as a straight wire or a number of parallel wires; a number of vertical wires separated at the top but coming down to a common point, fanlike; a single pole or mast with the wires coming down and radiating away from the pole like the ribs of an umbrella, and so on. When used for receiving purposes, the aerial should be called an antenna, although these terms, erroneously, are often used interchangeably.

Alternating Current.—(Abbreviated A.C.). An electrical current whose direction of flow is constantly changing during a given period of time. The number of changes in a second is called the frequency. A 60-cycle current, therefore, is one that completely reverses its direction of flow 60 times per second. In radio work alternating current plays a leading role. Alternating currents of commercial frequencies, such as 33 cycles, 60 cycles and 120 cycles, are referred to as low-frequency currents, while the radio currents, running up into the tens of thousands and hundreds of thousands of cycles, are referred to as high-frequency currents.

Alternator.—An electric machine capable of generating alternating current. The usual alternator has the general appearance of a generator or dynamo.

Ammeter.—An instrument for measuring the flow of current, in amperes, through a given circuit. The ammeter is connected in series with the circuit, while the voltmeter.

Science Perfects the Grid Leak!



Now - The Certified Grid Leak

Our Engineers Have Perfected the Grid Leak

ARE there stations you can't get—is your reception ruined by distortion? Nine chances in ten, your grid leak is at fault.

No matter what circuit you have, if you use tubes, the clarity of your reception, the distance you get depend on your grid leak. It must not only be of the right resistance, it must permit the current to flow from the grid smoothly and noiselessly.

For better reception get an Electrad Certified Grid Leak of the proper rated resistance and see what a difference it will make. Price 50c.

Insist on Electrad Parts

When building or rebuilding your set, don't overlook the small parts. Electrad Certified Parts are all guaranteed.

Indorials, Lamp Socket Antennas, Lightning Arresters, Resistance Coupled Amplifier Kits, Verni-Tuners, Hydrogrounds, Glass Grid Leaks, Variable Grid Leak and Condenser Combined, Grid Leak Mountings, Aerial Outfits, Fixed Resistance Units.

Your dealer has them, or if he cannot supply you, write direct to

ELECTRAD INC.

Dept. H, 428 Broadway, New York



VARIOHM

A scientific variable adjustable carbon disc grid leak. Any resistance from 1/4 to 30 megohms.

Price 75c. Mounted \$1.00



LEAD - IN


Fits under closed doors or windows, covered with 3000 volt insulation. Beware of imitations.

Price 40c.

AUDIOHM

Just try an Audiohm across secondary of your transformer.

\$1.50 with adjustable bracket




You can tell the genuine because "They Have The Bulge On Them All."

Sterling Pocket Meters

THE GUIDE TO GOOD RADIO RECEIVING

EVERYTHING in radio depends on the mastery which you control in knowing your set. You can only know the condition of the "A" and "B" Batteries with the aid of good pocket meters—the Sterling kind.

Sterling voltmeters, ammeters and voltmeters are truthful indicators of current conditions. Carefully calibrated, dependable as a high priced watch, and with exactly the right resistance so as not to draw excess amount of current from batteries while reading is taken. Ammeters \$1.00. Voltmeters \$1.25, \$2.25, \$2.75. Voltammeters \$1.50 and \$4.00.



THE STERLING MANUFACTURING COMPANY
2831 Prospect Avenue, Cleveland, Ohio



repels water!

Rain never hurts Bakelite-Dilecto red stripe panels. That's why they are used on so many out-door or portable radio sets.

bakelite Dilecto

Distinguished by its Red Stripe

No weather can warp, crack, check, split, mar or change Bakelite-Dilecto's form or finish in any way—or lessen in the least its high dielectric strength. Tell genuine Bakelite-Dilecto by its center red stripe.

The
Continental Fibre Co.
Factory: Newark, Delaware

Service from:

NEW YORK Woolworth Bldg.	CHICAGO Wrigley Bldg.
PITTSBURGH 301 Fifth Ave.	SAN FRANCISCO 75 Fremont St.
LOS ANGELES 307 S. Hill St.	SEATTLE 1041 Sixth Ave., So.

Offices and Agents Throughout the World

Manufacturers of Radio Parts (No Sets)

As large Wholesalers only and carrying stock in eight largest Cities in Australasia, we can give standard Lines exclusive representation. Send us your catalogue; and samples by Parcel Post, which we will pay for or return.

UNITED DISTRIBUTORS Ltd.
Sydney, Australia

Cable Address; "SUPERIOR"

References: United Manufacturing & Distributing Co.,
9765 Cottage Grove Ave., Chicago, Ill.

Coto
"Built First to Last"

GUARANTEED
RADIO PRODUCTS
Coto-Coil Co.
Providence, R. I.

which measures volts, is connected across or in parallel with the circuit. If the meter mechanism cannot handle the entire current flow, which is often the case with heavy currents, the greater part of the current flows through a special conductor of known conductivity, and the ammeter is connected across this special conductor so as to receive a small portion of the current, in a known ratio to the full current. The ammeter can be calibrated accordingly. This special conductor is known as the "shunt."

Ampere.—The standard electrical unit of current flow.

Amplifier.—A device that builds up or amplifies either the radio energy intercepted by a receiving set or the sound-producing current. There are two kinds of amplifiers, namely, the *radio frequency* amplifier and the *audio frequency* amplifier. The former builds up the intercepted wave energy before passing it on to the detector, there to be rectified into audible or sound-producing current. The latter builds up the sound-producing energy; in other words, it does not increase the sensitiveness of the receiving set, as does the radio frequency, but it builds up the strength of the signals so that better results are obtained. The radio frequency amplifier goes ahead of the detector and makes for sensitiveness; the audio frequency amplifier follows the detector, and makes for loudness.

Amplitude.—The crest or peak of a wave or oscillation measured from an imaginary horizontal, median line of rest. In radio the amplitude means the highest point attained by each wave—the crest. A wave may have a large or small amplitude, according to the energy which produced it. Amplitude should not be confused with height of wave, which is measured from trough to crest.

Announcer.—In the radiophone broadcast studios an announcer introduces the singers and speakers, gives out the bulletins and other features of the program, and gives the call letters, name of owners, and location of the station. In the large radiophone broadcast stations the announcer is not a radio operator.

Antenna.—The name given to an aerial used for receiving purposes only. (See Aerial.)

Arc.—An electrical discharge steadily maintained between two electrodes or current-carrying members, such as carbon rods, copper cylinders or plates, silver plates, and so on. The arc is used for generating high-frequency oscillations or waves in transmitting. In the early days of the radiophone it was used almost exclusively as the generator of the continuous waves for radio telephone work.

Armstrong Circuit.—(See Regenerative Circuit and Feed-back.)

Atmospherics.—This is another name for "static." Sometimes these disturbances are called "strays" or "X's." They have been referred to as the "noises of space," by radio men with a poetic turn of mind. Atmospherics are the noises caused in a radio receiving set by atmospheric electrical disturbances. They are at their worst during the summer months, and almost totally absent in winter. Atmospherics are largely caused by miniature lightning storms which take places in the clouds.


Audio Frequency.—Frequency well within the range of audibility of the human ear. All frequencies below 10,000 cycles per second are termed audio frequencies, while those above are called radio frequencies. (See Amplifiers.)

"B" Battery.—A relatively high-voltage battery, say of 22½ or 45 volts, employed for the plate circuit of a vacuum tube. "B" batteries are made in the dry battery form, and as storage batteries which may be recharged. Also, the "B" batteries come in the fixed voltage model, and in the variable

BEWARE of Imitations!

The UNCLE SAM MASTER TUNING COIL is the original 3-circuit tuner. Demand only the genuine if you want

Volume—Distance—Selectivity



UNCLE SAM MASTER TUNING COIL

Verifications from satisfied users prove conclusively such DX Reception as Philadelphia to KFAE (Pullman, Wash.); Ardmore, Pa., to WKAQ (Porto Rico); Trenton, N. J., to KHJ (Los Angeles). And as to selectivity, a committee of engineers in Philadelphia clearly heard 49 different stations sign off in 3½ hours on the air.

The only licensed all Litz Tuner
Only \$5.50

At all good dealers

Ask your dealer or send self-addressed, stamped envelope for FREE wiring diagrams of circuits using this coil.

UNCLE SAM ELECTRIC CO.
211 E. 6th St. Plainfield, N.J.

30 DAYS FREE TRIAL

CUT TO \$49.50

GENUINE MASTER MODEL ROYAL No. 10

You cannot buy a better machine anywhere or at any price than this latest "Master Model" Royal, No. 10. It is, we honestly believe, the best typewriter made.

Like New In Looks and Service

Literally like new. Guaranteed for 5 years. Will give splendid service for many more. An all around machine for letters, cards and billing. Has all late improvements, high speed type bars, forced alignment, two-color ribbon, with automatic reverse, tabulator, etc., etc. Standard keyboard, 84 characters.

Satisfaction Guaranteed or Money Back

Try it 30 days. If it does not please you in every way, send it back at our expense and we will refund every dollar you have paid. Write for full details at once.

Cut Prices On All Standard Makes

LINCOLN TYPEWRITER COMPANY
INCORPORATED

America's Leading Independent Typewriter House
Dept. 16A, 298 Broadway, New York City

Insure your copy reaching you each month. Subscribe to RADIO NEWS — \$2.50 a year. Experimenter Publishing Co., 53 Park Pl., N. Y. C.

voltage model. For detector work, the variable voltage model should be employed for best results.

Bakelite.—An insulating material moulded in all kinds of forms, such as panels, handles, knobs, dials and binding posts, and largely employed in receiving and transmitting equipment.

Broadcasting.—The simultaneous transmission of music or speech by radio telephone, or the simultaneous transmission of news or special bulletins to a great number of receiving stations. Broadcasting differs from the usual radio communication in that it is public and intended for anyone who cares to receive it, while other radio communication is private and intended for some specific receiving station.

Buzzer.—A device capable of interrupting an electric current so as to produce weak oscillations that may be employed for testing a crystal detector. The detector is tested by running one wire from one of the interrupter points of the buzzer to the ground-lead of the receiving set, and then, while the buzzer is operated, the crystal is adjusted until the buzzer interruptions are heard loudly and clearly, indicating that the crystal detector is at its best. A buzzer is also employed in transmitting work for the interruption of continuous waves so as to make them audible with an ordinary receiving set. This is known as buzzer-modulated C. W.

Capacity (abbreviated C).—This is one of the factors in all radio work. Capacity is the property of circuits or things to accumulate a charge of electricity. The unit of electrical capacity is the farad; but since the farad is too large for practical radio work, the microfarad (abbreviated mfd., equal to one millionth of a farad), is employed. The capacity of a condenser, which is an instrument that represents a given electric storage facility, is always given in microfarads or mfd.

Cascade Amplification.—In all high amplification work the amplifiers are arranged in steps, so that one feeds its output into the next stage of amplification, while the second stage feeds its output to the third stage, and so on. This is known as the cascade arrangement.

Choke Coil.—A device that possesses a marked choking or damping effect when placed in an alternating current circuit. Such choking action is called "impedance" when used in radio work. Choke coils are employed in transmitting work, to prevent the high frequency current from flowing back through the generating members and either using themselves up without doing real work, or even doing damage to the electrical equipment.

Circuit.—The path followed by an electric current is known as a circuit. A circuit, so far as radio is concerned, may be open or closed, primary or secondary, or oscillating.

Coupling.—In certain radio transmitting and receiving arrangements it is necessary to transfer energy from one circuit to another. This is generally done by having a few turns of wire in each circuit, which may be brought nearer together or drawn farther apart. When the coils are brought close together, we have what is known as a *close coupling*; when they are drawn farther apart, we have *loose coupling*. The primary of a coupler, which gives the coupling effect, is the one that has the source of power, while the secondary is the coil that receives the power transferred by the primary.

Condenser.—A device consisting of two or more metallic surfaces, separated by a non-conductor or dielectric, capable of receiving and holding a charge of electricity, and discharging it when called upon to do so. The condenser plays an important role in tuning operations, both in receiving and in sending. It is also employed in the generation of radio waves.

They said it couldn't be done!

HERE \$60
it is at

A 5-TUBE SET

- Clarity
- Beauty
- Volume
- Distance
- Selectivity

Tuned Radio Frequency


built of the finest low loss material and in a beautiful genuine solid mahogany cabinet at only *sixty dollars*.

Ask your dealer for a free demonstration Complete Catalogue gladly sent on request

**FRESHMAN
MASTERPIECE**



Chas. Freshman Co., Inc., 106 Seventh Ave., New York



ON ONE TUBE

Broadcasting from Atlantic Coast, Mexico, Hawaii, Canada and Cuba heard in California by users of CROSS COUNTRY CIRCUIT. Range due to simplicity of set and only one tuning control. Easily and cheaply built by any novice. Dry cell tubes may be used. All instructions, blueprint panel layout, assembly photo, etc. Postpaid, 25c. Stamps accepted. VESCO RADIO COMPANY, Bx. RN-117, Oakland, Cal.

DEALER'S SERVICE

An established service to dealers is offered on all standard lines allowing the regular discount. Write for quotations on the things you need.

Everything in Radio
**FRIEDLANDER-
KOPPLE RADIO
SERVICE**
149 Church Street
New York City

YOU CAN LEARN NEWSPAPER WORK

**Experienced Editor Will Teach You
How to Become a
Reporter**

FACINATING WORK--GOOD PAY

**Only a Few Months' Work Required
To Qualify You for a
Better Position**

Regular reporters earn from \$40 to \$125 a week. Good deskmen on a daily paper are paid from \$60 to \$100 a week. A "Star" Reporter can command his own salary. Hundreds of ambitious men and women enhance their income materially by corresponding for newspapers or writing for magazines in their spare time.

We Will Teach You at Home

We can develop your talent for writing and lead you into this well paying profession. Our Practical Course in Journalism was personally prepared by Henry J. Brockmeyer, Assistant City Editor of the New York Evening Post. Mr. Brockmeyer has trained hundreds of men and women, many of whom have, under his guidance, developed into front rank reporters or feature writers.

Mr. Brockmeyer's course will teach you what it would take years of actual newspaper work to learn. It consists of six comprehensive lessons just brimful of everything a reporter must learn. The following are only a few of the subjects covered.

Starting in Journalism. What is a Newspaper? What is News? Start and Finish of a News Story. Technical Terms. The Type Point System. Styles of Type, Proof Reading. Capitalization and Punctuation. A Late Fire Bulletin. Court Stories. Libel Laws, Copyright. Hints to Reporters. Personal Conduct. Re-Writing and Condensing Stories. Paragraphs and Short Items. Good and Bad Styles. Broadening the Vocabulary. Aids to Good Style. Special Stories. Suggestions for Stories. Rhetoric. Preparing Your Story. Don'ts for Writers. Office Organization. Syndicated Matter. Business Office. Mechanical Department. Hints for Headline Writers. The Make-Up. The Country Correspondent, etc., etc.

Use Coupon—Save 50%

Although the price for the entire course is \$10, entitling the student to full consulting services directed by Mr. Brockmeyer personally, we will accept enrollments, if the coupon below is used before Nov. 20, at \$5—exactly half price.

Five Days' Trial

Just pin a check, money order or five dollar bill to the coupon below and mail. Then take five days after the course arrives to decide whether you want to keep it. If not, return it at our expense and your money will be immediately refunded.

THE PRESS GUILD, Inc., 66-R West Broadway, N. Y.

THE PRESS GUILD, Inc. (Expires Nov. 20, 1924)
66-R West Broadway, New York City.

Enclosed find \$5 for which you are to ship me at once, prepaid, Henry J. Brockmeyer's complete course in Practical Journalism with the distinct understanding that if I return the course in five days my full \$5 will be refunded and no questions asked.

(Name)

(Address)

(City) (State)

Counterpoise.—One or more elevated wires insulated from and placed but a short distance above the ground, as compared with the usual antenna or aerial which is placed high above the ground. The counterpoise serves as the ground in place of the usual ground connection. Where it is impossible to obtain a good ground connection, the counterpoise is employed. Again, in aircraft-radio the counterpoise arrangement must be employed, and in this case all the metal fittings and guy wires of the aircraft are employed as the counterpoise, while one or two trailing wires serve for the aerial. The counterpoise is used in continuous wave transmission for the reason that it may give greater stability than the usual ground connection.

Continuous Wave (abbreviated C.W.)—This is a form of radio wave which is maintained at a constant amplitude, as distinguished from the damped wave which is produced in trains or groups each consisting of a number of oscillations which rapidly die down in amplitude until zero is reached. Continuous wave transmitters are more efficient than damped or discontinuous waves in radio telegraphy and are absolutely necessary in radio telephone work.

Crystal Detector.—A radio-wave detector device consisting of one or two crystals possessing certain rectifying properties which cause them to rectify or convert radio energy into audible currents, so as to affect the telephones. In some designs a single crystal is used, with a fine wire (known as the "cat whisker") or metal point in contact. In other designs two crystals are used in contact.

Decrement.—The rapidity with which damped wave trains die down or are damped from the maximum amplitude to zero. The radio laws have something to say regarding the decrement of a transmitter, for the decrement has much to do with the sharpness of tuning.

Detector.—A device that rectifies or transforms the intercepted radio waves into visible or audible indications. The two general classes of detectors in present-day use are the crystal detector and the vacuum tube.

Direct Current (abbreviated D.C.)—An electric current that flows continuously in one direction, as distinguished from alternating current which changes its direction of flow. A direct current always flows from the positive source to the negative return.


Duo-Lateral Coils.—Compact inductance coils with a unique winding that makes for great wave-length value with a rather small amount of wire.

Electrolyte.—The liquid used in a storage battery, composed of water and sulphuric acid. The electrolyte changes its density or specific gravity according to the relative charge of the battery, and it is this changed density or specific gravity which serves to indicate condition of a storage battery at all times. (See Hydrometer.)

Electron.—This stands for the ultimate particle of matter, which is a charge of negative electricity. Electrons are emitted by the incandescent filament of the vacuum tube and attracted by the cold plate. The grid, which is placed between the filament and the plate, serves to absorb more or less of these electrons and thus controls the number reaching the plates. It is this action which controls the plate current, and since a very small charge on the grid can control a far greater volume of current in the plate circuit, we have the basis for the vacuum tube detector, amplifier, modulator, and so on.

E. M. F.—Abbreviation for electro-motive force, meaning the electrical pressure or potential, the unit of which is the volt.

Ether.—Since radio communication is said to be a wave motion set up by a transmitter, it is necessary to conceive of some medium for this wave motion. This medium is called the ether. It is a hypothetical medium of great elasticity and extreme tenuity, and is




FREE

All About Neutrodyne! The most elaborate descriptive literature ever published. Second huge printing ready June 1st. Why coast to coast, Hawaii, Cuba. reception is infallible. The secrets of 5-Tube achievements, selectivity, clarity. The wonders of new synchronized design. Amazing list of stations reached. Names and addresses of fans reporting from all parts of U. S. Miniature reproduction of master blueprint hook-up. Diagram of the ideal parts for perfect synchronization. List of 498 broadcasting stations with call letters and wavelengths. Key map of big stations. Every fundamental fact necessary to show you how to bring the great things of radio enjoyment within reach of a modest purse. We promise you the radio revelations of your life. Send now. It is FREE to every earnest fan. If you like, send 2 cent stamp to pay part of the cost. We will appreciate your courtesy. Address Dept. RN10



THE RADIO SHACK 55 Vesey Street
Largest Radio Dealers in America Dept. RN10, New York



**MIRACO
GETS 'EM
FROM
COAST TO
COAST**

LIST PRICE ONLY \$29.50

**Beats radio sets costing
\$50 to \$60 more!**

"Have received more stations with my Miraco than I ever received with any other set costing \$50 or \$60 more," reports F. J. Brink, Grove, Okla. "More than pleased with my Miraco—have 125 stations on my log to date."—C. Gilland, Franklin, Texas. "Best set I have ever used. Have heard London and California."—C. A. Henry, Verbank Village, N. Y. "When you can't get a program with the Miraco you need not try any other set. Am getting all over U. S. with mine."—J. C. Brown, Albertville, Ala.

**COAST TO COAST RECEPTION—
verified by Miraco users**

ILLINOIS HEARS N. Y. AND CALIFORNIA
"Believe Miraco best on market. Have heard stations all over U. S. Also Cuba, Hear N. Y. and Cal. most every night."—Mrs. F. K. Prophet, Fawn, Ill.

MINNESOTA HEARS TEXAS
"Using my Miraco, got reception from coast to coast. Calgary, Canada, Houston and Dallas, Tex."—E. E. Ruquist, Coakos, Minn.

OHIO HEARS PORTLAND, ORE.
"Miraco works fine. Just heard Atlanta, New York City, Davenport, Tampa, Fort Worth, Dallas and Portland, Ore. Guess that is range enough, isn't it?"—T. E. Mann, Ashland, Ohio.

Reports like these from users in every state prove Miraco Tuned Radio Frequency Receivers—at rock bottom prices—have efficiency of sets costing three times as much. Two-tube guaranteed outfit, solid mahogany cabinet, list price \$29.50. Four-tube guaranteed loud speaker outfit, list price \$54.50. Order direct or

Send Coupon
for latest bulletin and special offer. It will interest you!

**DEALERS
AGENTS**
The Miraco proposition is a winner. Write.

THE MIDWEST RADIO COMPANY
804 Main Street, Cincinnati, Ohio
Interested in Miraco () as a dealer () as an agent () as a user.
Name

Address

said to pervade all space as well as the interstices of solid bodies. It is also the medium which transmits light waves, heat waves, and electric waves. While it is true that the Einstein theories have shattered the former concept of the ether, it is still employed by radio men in explaining the action of radio.

Fading.—Due to certain atmospheric conditions which are not altogether understood but whose existence is well authenticated, radio signals often die down or fade away when received at a distant point. This is especially noticeable when receiving radio-telephone programs from some long-range radio-telephone station. The speech or music, loud one moment, gradually dies down, only to come up again some time later.

Feed-Back.—In the Armstrong regenerative circuit a certain portion of the energy in the plate circuit is thrown back into the grid circuit so as to raise the grid potential. The increased grid potential, in turn, gives a greater plate effect, which, once more, feeds back a certain part of its energy to the grid circuit, and so on. This action results in considerable self-amplification. The feed-back action is also employed in the generation of oscillations for transmitting purposes.

Frequency.—In radio work and in alternating current practice, the rapid reversal of the current in a circuit. Frequency is applied only to alternating currents. High frequency currents mean currents above the usual commercial frequencies, which are 33-cycle, 60-cycle, and 120-cycle. Audio frequency currents mean currents up to 10,000 cycles. Radio frequency currents are those above 10,000 cycles.

Grid.—That member of the vacuum tube which is placed between the filament and the plate, and which serves to absorb a greater or less number of electrons. The grid is generally made in the form of a spiral or zigzag or again like a tiny ladder.

Grid Leak.—This is a very high, non-inductive resistance connected across the grid condenser or between the grid and the filament of a vacuum tube to permit excessive electrical charges to leak off to an external point, thus furnishing stable control under all operating conditions. The grid leak may be a pencil line drawn on a piece of paper and clamped between heavy copper washers. The pencil line may be heavier or lighter according to the resistance required.

Ground.—The antenna or aerial is one side of the wave distributing or wave receiving system, while the ground is the other. The ground consists of a suitable connection with the ground, such as a water pipe, steam pipe, gas pipe, large metal plate buried in moist soil, bare wires laid in deep trenches and then covered over, and so on. The British call the ground connection the "earth."

Harmonics.—In receiving radiophone programs, one is often surprised to hear a given radio telephone on an altogether different wave-length. This lower or higher adjustment of the tuner brings in the radio telephone much weaker than the real adjustment, but nevertheless sufficiently loud sometimes to interfere with other receiving operations. In radio work, such interference is due to harmonics, and is most noticeable in undamped or continuous wave operation. These harmonics differ in wave-length and frequency from the original and true operative wave. The first harmonic is three times the true frequency, or one-third the wave-length of the aerial; the second harmonic is five times the true frequency or one-fifth the wave-length; the third harmonic is seven times the true frequency or one-seventh the wave-length. High-power stations are sometimes heard at very short wave-lengths.

Henry.—The unit of inductance.

Hertzian Waves.—Radio waves named after Prof. Heinrich Hertz of Germany, who discovered them in 1887.

Honeycomb Coil.—A compact inductance coil with a unique winding that makes for

The First Set to Operate Without Batteries

Use your Electric Light Socket



Radio as Convenient as Your Telephone

THE first receiver to operate at maximum efficiency without "A" and "B" batteries—THE MU-RAD MA-20.

Just plug into your electric light socket. Avoids the heavy expense, unsightliness and inconvenience of "A" and "B" batteries and battery chargers. The MA-20 RECEIVER with the MU-RAD RECTO-FILTER does away with these former handicaps.

The ultimate in simplicity. Especially designed for high selectivity so that powerful local stations can be tuned out while receiving distant programs. Tuning on all three dials always the same. Where alternating current is not available batteries can be used as with any other set.

A new circuit—new in all its principles. Five tubes, non-oscillating, non-radiating. \$185

See our advertisement in this issue of the MU-RAD RECTO-FILTER—a power unit.

Write for Literature!

MU-RAD LABORATORIES, INC.
301 FIFTH AVE., ASBURY PARK, N. J.

The New MU-RAD RECEIVER MA-20

ONE THOUSAND AGENTS WANTED


WE want one thousand agents to sell subscriptions to RADIO NEWS, SCIENCE & INVENTION, PRACTICAL ELECTRICS and MOTOR CAMPER & TOURIST. We will pay a generous commission for this work and help you in every way. Our four publications are leaders in their fields, ready sellers and this is an offer well worth your while. A few spare hours a day will bring you a handsome return. Write regarding our proposition at once and be the first one to get started in your vicinity.

Experimenter Publishing Co.

53 Park Place

New York


For Every Radio Requirement—



—there is a proper **FAHNESTOCK Clip**

FAHNESTOCK solderless connectors are made in 47 styles and sizes designed to cover a multitude of requirements and are in every case undoubtedly the best for the particular need.

The display case illustrated contains 14 varieties, which have been proven by past sales the most popular with the radio buying public. Wide awake dealers everywhere are enjoying increased business by installing these display cases, which show the prospective purchaser instantly the type of connector best suited to his needs.



Improved Ground Clamp
Equipped with Fahnestock Patent Wire Connectors Easily Attached.
No Soldering—For Radio Use Only

ASK Your Dealer to tell you about the **FAHNESTOCK Antenna Connector**, which assures a Perfect Connection.

None genuine without our stamp

FAHNESTOCK ELECTRIC CO.
LONG ISLAND CITY, N. Y.

SEND FOR YOUR FREE COPY

TESTED HOOK-UPS

SUBMITTED BY USERS OF OUR



Price \$1.00
POSTPAID
with instructions

WONDERFUL TRANSMITTER

BUTTON FOR LOUD SPEAKERS

AMPLIFICATION AND EXPERIMENTS

K. ELECTRIC CO.

15 PARK ROW

NEW YORK

great wave-length with a rather small amount of wire.

Hook-Up.—A diagram giving the wiring or connections for radio apparatus. Hook-ups are diagrams which make use of the various radio symbols to represent the different pieces of equipment.

Hot-Wire Meter.—The usual electrical measuring instruments cannot be employed in measuring high frequency radio currents. It therefore becomes necessary to use special instruments which have a fine platinum wire whose expansion and contraction, brought about by the radio current of fluctuating strength, operates an indicator over a calibrated scale.

Hydrometer.—An instrument for taking the specific gravity of the storage battery electrolyte. The hydrometer gives a specific gravity reading, which in turn indicates the relative charge of the storage battery. In this manner the radio operator knows just when to place his storage battery on charge, and when to stop charging.

Impedance.—The term applied to the resistance offered by a coil of wire to an alternating current flowing through it due to the counter-electromotive pressure, irrespective of the actual resistance of the conductor in ohms. Counter-electromotive pressure is developed in all forms of inductance, and this counteracts the flow of current to a greater or less degree. Impedance may be said to be the result of reactance.

Inductance.—The property of a material system by virtue of which it is capable of storing energy electro-magnetically. The unit of inductance is the henry. In radio work the mil-henry and the micro-henry are the units employed.

Insulator.—A non-conductive material through which current will not normally pass.

Jack.—The hole which receives the plug used in making rapid connections in radio receiving and transmission apparatus.

Kick-Back.—The flow of current from high frequency generating equipment back through the current supply line where it does not belong and where it may do some damage. Certain forms of choke coil and graphite resistance rods connected to the ground are sometimes used with transmitting equipment so as to prevent kick-backs.

Kilowatt (abbreviated k.w.).—One thousand watts, a unit used in measuring large amounts of electricity. However, a kilowatt is considerably in excess of an electrical horsepower, which is 746 watts.

Lead-in.—The connection between the antenna or aerial and the receiving or transmitting apparatus.

Log.—The record kept in commercial radio stations of their radio business day by day.

Loop or Loop-Antenna.—A wooden frame with a number of turns of wire wound about it so as to form a square loop. Such a device is employed in place of the usual antenna and ground for receiving purposes. In certain rare instances, such as trench communication work in military operations, it has been employed for transmission. The loop is a directional device, working best when pointing edge on towards the transmitter. The use of the loop gives greater selectivity and also reduces materially the static disturbances that prove so troublesome in the summer. The loop is the basis of the radio compass, now so extensively used in navigation.

Loose-Coupler.—A device that serves to couple two circuits so that energy may be transferred from one to the other and their relation may be increased or decreased by making the coupling closer or looser, as demands may dictate. (See Coupling.)

Loud-Speaker.—A modification of the usual telephone receiver, made on a large scale so as to produce a large volume of sound which is distributed throughout a room by means of a horn. The loud-speaker does away with the necessity of head phones and puts the radio receiving set on a par with the



A PORTABLE RECEIVER

The Latest
Development in
Radio Receivers

The Portable Radio Receiver offers a keener enjoyment of Radio than any other type of Receiver on the market. The Portable Receiver, as the name implies, can be moved from room to room in your home as best suits your convenience. It can be placed in your Automobile and taken on week-end trips or it can be easily transported to the house of a friend on special occasions. The Portable offers so many interesting applications that no home is complete without one.

"Conrad" pattern No. 12 "How to Build a Portable Receiver" shows you how to construct a highly efficient Portable by the simplest and most direct method known. A complete set of full-sized blueprint patterns are furnished consisting of two sheets 15" x 18" and another 15" x 16" together with a four-page instruction sheet that details all operations in the building of this set. All blueprints are drawn full size so that no extra measurements of any kind are necessary.

SOLD BY ALL RELIABLE
RADIO DEALERS
Or Direct From Us.

"BUILD YOUR OWN"

PRICE
50¢

Prepaid
Pattern
No. 12

The Conrad Co.

233 Fulton Street
New York City

Conrad

"RADIO'S FOREMOST PUBLISHERS"



\$1.25

A solidly-built wrench for every radio need. Reaches and fits every round and hexagon nut on any set; works with a fast, screw-driver turn. Compact, light, and handy.

If your dealer cannot supply you
order from us

THE PERRY-FAY COMPANY

Screw Machine Products
ELYRIA, OHIO

phonograph, so far as convenience is concerned.

Megohm.—One million ohms.

Microfarad (abbreviated mfd.).—One millionth part of a farad. This is the practical unit of capacity, employed in radio.

Microphone.—An instrument for converting sounds into electrical fluctuations or modulations in a given circuit. The microphone takes the voice or music and converts it into variations of an electric circuit, and these variations, in turn, when passed through a distant receiver, are translated back into the original sounds. The usual microphone, such as is used for wire telephone and also with small radio telephone transmitters, consists of a mass of loosely-packed carbon granules held between two carbon blocks, and subjected to a varying pressure according to the sound waves falling on the diaphragm.

Milliamperes (abbreviated MA.).—The thousandth part of one ampere.

Modulation.—The act of varying an electric current in a given circuit by means of the voice or music. Thus the modulation of a given radiophone broadcast station may be said to be good, fair, or poor, according to how realistic the voice or music sounds at the receiving end.

Natural Frequency.—The natural or fundamental wave-length of an aerial or antenna without inductances or capacities of any kind added to it. Every aerial or antenna has a natural frequency or wave-length of its own.

Ohm.—The unit of electrical resistance.

Ohm's Law.—The fundamental law of electricity is known as Ohm's law. It states that the current in amperes flowing through a circuit is equal to the pressure in volts divided by the resistance in ohms. Thus with any two factors in an electrical problem known, it becomes possible to determine the third or unknown factor, so far as direct current practice is concerned. In alternating current practice there are other factors that must be taken into consideration and that complicate materially such calculations.

Oscillations.—Alternating currents of extremely high frequency are known as "radio oscillations." If the voltage or amplitude of a series of oscillations is constant, the oscillations give rise to continuous or undamped waves; on the other hand, if the voltage or amplitude is not constant but is rather of a damped or decaying nature, like the beats of a pendulum, which swings less and less until it comes to a dead stop, then we have damped waves. A series of waves is called a train.

Parallel.—In all electrical work various devices and equipment, such as lamps and batteries, may be connected in series or in parallel. The series arrangement is such that the current must flow through one device after another until all the devices have been traversed, after which the current returns to the starting point. Parallel wiring means that all the devices are arranged across the two current-carrying members as the rungs of a ladder, and the current, therefore, flows through all the units or devices at the same time. In the series arrangement we build up or require greater voltage. Thus five 110-volt electric lamps, connected in series, would require 5 x 110 volts or 550 volts to light them to full candlepower. The same five lamps, arranged in parallel, require only 110 volts, but if each lamp draws 1/2 ampere, then the parallel arrangement calls for 2 1/2 amperes, while the series arrangement, calling for greater voltage, requires only the same amperage as is called for by each lamp, or 1/2 ampere. Please note, therefore, that parallel hook-up calls for greater amperage, and series hook-up for greater voltage. In connecting batteries, the series arrangement builds up the voltage. Five dry batteries arranged in series will give 5 x 1.4 volts or 7 volts. The same batteries, connected in parallel, will give only 1.4 volts, but the amperage will be 5 x 25 amperes (the usual capacity of a dry battery on short circuit)

"GOLDEN-LEUTZ" "SUPER-PLIODYNE 9"

MANUFACTURED UNDER FARRAND LICENSE



"The Perfect Broadcast Receiver"



SIZE 40x8x8 INCHES

WEIGHT 65 LBS.

BUILT FOR PEOPLE WHO WANT THE BEST

A New Broadcast Receiver having 6 Stages of Tuned Neutralized Radio Frequency Amplification, Detector and 2 Stages of Audio Frequency Amplification.


Represents the Highest Type of Efficiency Obtainable in Point of Extreme Range, Tremendous Audibility and Remarkable Selectivity.

Complete Illustrated Catalog and Instruction Book mailed upon receipt of 25c.

GOLDEN-LEUTZ INCORPORATED

476 BROADWAY

NEW YORK CITY



Save 1/2 Cost of New Tube

GUARANTEED VACUUM TUBE REPAIRS AT POPULAR PRICES.

We try to maintain 24-hour service.

All repairs guaranteed.

Tubes satisfactory or money refunded.

Special discounts to dealers.

Send broken and burned out tubes parcel post.

Repaired tubes returned parcel post, C. O. D.

HARVARD RADIO LABORATORIES

200 OLD COLONY AVE.

SO. BOSTON, MASS.



Announcing!
BIG PRICE REDUCTIONS
on all
LEMCO
EQUIPMENT
Triple Duty Tuner

For simple regenerative, Flewelling, Radio frequency and other circuits



Price
\$5.00
Less
Dials

Price
\$6.20
With
Dials

**BUILD YOUR RADIO SET
AT HALF PRICE**

No. 300 Fixed Crystal.....	\$.60
No. 250 Reflex Coils (Harkness)....	2.00
No. 275 Reflex Units (Harkness)....	8.00
No. 401 A.F. Transformer.....	3.50
Ratio 3-1 & 5-1	
No. 340 A & B Crystal Sets.....	6.00
No. 55 Two Tube Reflex Kit, Panels drilled & Engraved.....	25.00
No. 50 Two Tube NEUTROFLEX.....	50.00

Write for catalogue No. R 81 illustrating diagrams, parts and sets manufactured by

LEE ELECTRIC & MFG. CO.
220 Eighth Street, San Francisco, Cal.
DEALERS and JOBBERS
Write for Attractive Proposition

or 125 amperes. In connecting dry batteries in series, the center post of one cell is connected to the outside of the next cell, and so on.

Plate.—One of the elements of the usual vacuum tube. The plate is the cold electrode which attracts the hot electrons from the filament.

Plate Circuit.—The circuit connected with the plate of the vacuum tube. This circuit contains the telephone receivers and the "B" battery or high-voltage battery, generally of 22½ volts rating. In some forms of regenerative receivers, a variometer is included in the plate circuit so as to tune this circuit for the purpose of feeding back some of the energy to the grid. In other instances, the plate circuit includes a few turns of wire known as the "tickler," which induces some of the plate current into the grid circuit.

Plate Battery.—Usually called the "B" battery. A 22½-volt dry battery or a storage battery intended to supply a steady current for the plate circuit of the usual vacuum tube. In amplifier work the "B" or plate battery may be as high as 45 volts, and for extreme amplifications as high as 90 to 100 volts.

Plug.—A device consisting of two contacts on a brass rod, which may be inserted in a hole known as the jack, the latter making contact with the two contact members of the brass rod. This method ensures a rapid method of making and breaking connections. It is the same arrangement as is found on the usual telephone switchboard. In radio the plug and jack are widely employed, especially for the telephones of the receiving set, and for the microphones of a transmitter. There are certain types of automatic jacks so constructed that when the plug is inserted, a separate circuit is closed, aside from the actual circuit in which the plug is to form part. Such an arrangement is used to light tube filaments when the plug is inserted, and to extinguish them when the plug is withdrawn.

Primary.—The first circuit of an electrical combination where two circuits, which transfer energy from one to the other, are employed. The primary contains the original current or source of power, while the secondary receives more or less of that power. Thus in transmitting practice, the primary would be the coil in the oscillating or local circuit, containing the generating equipment, while the secondary would be the coil in the aerial-ground circuit. The primary of a receiving set, on the other hand, is the coil in the antenna-ground circuit, while the secondary is the local or detector circuit.


Potential.—Another term for voltage, when used in the electrical or radio sense.

Potentiometer.—An instrument for regulating the voltage supplied to a device or circuit within very delicate limits, as compared to the rougher variations obtained with a rheostat. The potentiometer is a resistance which is connected directly across the source of current. It is provided with a sliding contact, which moves from one side to the other. The device or circuit to be fed this delicately varied current is connected with one side of the resistance and with the movable slider. Now, as the slider is moved from one side to the other, current is taken off the resistance in proportion to the distance between the slider and one end of the resistance. This method of regulating voltage is a very delicate one, and it applies a more steady load on the current source. Potentiometers are used in applying very critical voltages on plates in vacuum tubes, when the utmost efficiency is sought.

Radiogram.—A dispatch sent by radio telegraph. It is the word in radio communication that corresponds with telegram.

Radiophone.—A wireless telephone or radio telephone. This word is coming into very general use.


Radio.—This word has more or less supplanted wireless, in the United States at



Point
Number
One

One Piece Stator

*One of Several New Features
in Four New Types*



Stamped out of one piece of aluminum—the one piece stator eliminates broken contacts and soldered joints. Positive results—no leakage. Found in types 3 and 4, celoron end plates, and types 5 and 6, low loss—metal end plates.

**ASK YOUR DEALER to Show You
the ONE PIECE STATOR and other
Improvements.**

100% GUARANTEED

Write for Literature

U. S. TOOL COMPANY, Inc.
118 Mechanic Street, Newark, N. J.
Mfrs. of Special Tools, Dies, Jigs, Automatic
Machinery and Sub Presses.

\$3
DOWN
Brings you a Genuine
UNDERWOOD
TYPEWRITER

10 DAYS FREE TRIAL Your \$3.00 unconditionally returned if at end of 10 days you are not satisfied with this late model UNDERWOOD typewriter rebuilt by the famous Shipman Ward process.

GREAT PRICE SAVING Direct to you from the largest typewriter factory in the world by our money saving methods.

EASY MONTHLY PAYMENTS So small that you will not notice it while you enjoy the use of this wonderful machine.

FREE BOOK OF FACTS Explaining Shipman Ward's word crystal system of rebuilding typewriters and also valuable information about the typewriter industry both instructive and entertaining.

Act Today!
Mail
Coupon



5
Year
Guarantee

Please send me a copy of your free book of facts, explaining bargain offer.

Shipman Ward Mfg. Company
1937 Shipman Building
Montrose & Ravenswood
Aves., Chicago

Name.....
St. and No.....
City..... State.....

TRESCOLA



Coast to Coast Radio

Received the Chicago Evening American, regional prize of \$350.00, 3,000 miles range,

Price \$22.50

Regenerative, Licensed under Armstrongs, U. S. Pat. No. 1,113,149

OUR AMAZING OFFER

for a short time only, send us your old crystal set and we will send you one of these beautiful tube sets for the small sum of \$12.50; add P. P. on 10 pounds.

Tubes batteries, phones, etc. extra.

TRESCO SALES Inc, Davenport., Iowa
P. O. Box 148

Insure your copy reaching you each month.
Subscribe to **RADIO NEWS** — \$2.50 a year.
Experimenter Publishing Co., 53 Park Pl., N. Y. C.

least, although it dates back only a few years.

Radiation.—The propagation of radio energy through space. When applied in practical radio work, it means the amount of energy that is being delivered to the aerial circuit, and presumably propagated through space. Thus we speak of good radiation and poor radiation, depending on the proportion between what is put into the wireless or radio transmitter, and what actually flows into the aerial in the form of radio oscillations. Radiation is generally determined by means of a hot-wire ammeter in the aerial circuit.

Radio Frequencies.—Frequencies corresponding to vibrations far above those to which the human ear will respond, are known as radio frequencies. All frequencies above 10,000 cycles per second are termed radio frequencies.

Radio Link.—The radio section which forms part of a regular telephone system. Thus in certain parts of the United States, where conditions militate against the installation and maintenance of a telephone line, a radio link can be established, so that radio telephony spans the gap. In California there is a radio link in regular use between Santa Catalina Island and the California mainland. This radio link bridges the gap in the regular telephone system, so that persons talk to each other with regular telephone instruments and in their own homes, little aware that their voices are carried through 31½ miles of space in order to span a bit of the Pacific Ocean.

Reactance.—The reactance of a circuit is a function of the inductance, capacity, and the impressed frequency.


Rectifier.—An apparatus which converts alternating current into direct current. In radio a rectifier is employed in charging storage batteries on alternating current circuits, and for operating vacuum tubes on alternating current circuits. Various types of rectifiers are in general use. Some of these are vibrating devices which serve to take each half of an alternating current cycle and place it on its proper side so that all the + will be on one side and all the — on the other, thus giving direct current. Others have a special form of vacuum tube which permits only half of the alternating current cycle to come through, thus giving direct current. Again, the usual crystal detector is a rectifier, since it converts the high frequency alternating currents of radio energy into pulsating direct current for the telephone receivers.

Regenerative Circuit.—In a circuit containing a vacuum tube, it is possible to take a small part of the plate current and throw it back into the grid circuit, so as to build up a greater potential for the grid. In this manner a more pronounced effect is obtained for the plate circuit, and this, in turn, is again thrown back to the grid circuit, also with an increased effect on the plate, and so on, over and over again. This throwing back or feedback of energy is known as the regenerative action, and is also known as the Armstrong circuit, named after its inventor. This feedback of energy is obtained in two ways, as a matter of regular practice. The first is to place a variable inductance, such as a tuning coil or variometer, in the plate circuit so that this circuit can be tuned until it feeds back energy into the grid circuit. The second method is to connect a few turns of wire in the plate circuit, and to bring these few turns of wire into close quarters with the grid circuit, thus inducing a greater or less amount of plate energy. This arrangement is known as the tickler. The regenerative action results in a marked self-amplification for the usual vacuum tube, and gives excellent results for weak signals.

Relay.—A device employed when one circuit is to cause another circuit to perform some given task. Thus a weak current of

Good Bye BATTERIES

A New Day in Radio Art



Six inches wide, ten inches long, and four and a half inches high. All enclosed in neat, enamelled metal cabinet with handle for carrying, connecting wire and lamp socket plug. \$60.

“**B**” BATTERIES banished, outclassed, along with the tin-type and the wax cylinder phonograph record. New power—every required voltage—steady, smooth, dependable, right from the nearest lamp socket through the MU-RAD RECTO-FILTER. The final achievement of a long awaited ideal.

Not an experiment—a demonstrated, practical power unit.

Actually smaller than the batteries it displaces. Only six inches wide, ten inches long and four and a half inches high.

Used with the new Mu-Rad Receiver MA-20 also eliminates the “A” battery—a dual power unit.

A Mu-Rad product—that underwrites your satisfaction with the RECTO-FILTER—a full surety that it will live up to every claim.

See our advertisement in this issue of the MU-RAD RECEIVER-MA20.

Write for Literature!

MU-RAD LABORATORIES, INC.
801 FIFTH AVE., ASBURY PARK, N. J.

The MU-RAD RECTO-FILTER

TO THE RADIO DEALER

Let us explain how you can make the sale of our publications a worth while, well paying part of your business. Every one that enters your store is a prospective buyer of RADIO NEWS. RADIO NEWS will sell with little effort on your part.

You may sell our publications on a single copy basis with a fine margin of profit or on a subscription basis with a generous commission allowance.

Write now and prepare for the Fall and Winter trade.

EXPERIMENTER PUBLISHING CO.,
53 Park Place, New York.

For Low Losses You Can't Beat A PROUDFOOT



A phase angle of 14.2 seconds! A loss of only seven one-thousandths of one percent! Think of it. Have you ever known a condenser with such efficiency? And this record was made with our 25-plate model.

Requires Only Small Space

The Proudfoot One-Knob Condenser is a lean, but sturdy, unit that has a world of efficiency and strength without bulk. It's built to fit into tight places. Just the condenser for that compact set you are planning.

Complete Control With One Knob

Both group plate and vernier plate adjustments are ingeniously made with one knob. Two separate scales give definite readings. Stator plates are mounted on two rods instead of the customary three. Three improved spring-wiping contacts insure positive electrical connection and eliminate the inefficient pigtail.

If you want the best results, demand the Proudfoot One-Knob Vernier Condenser. It's priced right—13 plate (M.F.C. .0025), \$3.75; 25 plate (M.F.C. .0005), \$4.50; 43 plate (M.F.C. .001), \$5.75.

If your dealer cannot supply you, write us.

Jobs and Dealers: We will be glad to give you detailed information about the Proudfoot if you will address us on your letterhead.

CRUVER MANUFACTURING CO.
2456 W. Jackson Blvd., Chicago, Ill.

BARGAIN CATALOG

Yours FREE! 100 Pages!

Just send your name

Get it now!

Crammed full of big money-saving offers

of all kinds of Radio sets complete, from a few dollars up, and parts and accessories including

Parts for "Knock-Out" Sets

developed and approved by Radio Broadcast magazine, published by Doubleday, Page & Co.—anything you may need to build or equip any set.

It's easy to do business with us, for this is "The Radio House of Friendly Service." All goods offered subject to examination and approval. No money in advance. Quick shipment. We pay transportation anywhere in U. S. Satisfaction or money back. Your questions answered free. Get this wonderful catalog — you need it — write today!

LIBERTY MAIL ORDER HOUSE
Dept. 679, 160 Liberty St., N. Y.

RED-HEAD PHONES Used and praised the world over
3000 Ohm \$6.50 Complete with Cord and Headband.
2000 Ohm \$5.00 At your dealer's, or sent direct.
THE NEWMAN-STERN CO., Cleveland, Ohio

one circuit can close the circuit for a much more powerful current. In radio work the vacuum tube is often used as a relay. Using a very weak current, such as the intercepted radio waves, it becomes possible by means of a vacuum tube to control a relatively powerful local current. The vacuum tube in this case can well be called an electronic relay, for such it is.

Resistance.—Opposition to the flow of an electric current through a conducting medium. There is no such thing as a perfect electrical conductor. Every metal has some resistance for electric current. Copper has very little resistance, and for that reason it is widely used. Silver has even less, but it is too expensive. However, it is well to note that in certain radio instruments the conductors are silver plated, in order to afford the lowest possible resistance to the radio energy which flows on the surface of a conductor rather than through the core.

Resonance.—Resonance in a given circuit exists when the natural frequency of that circuit has the same value as the frequency of the alternating current introduced in it. It is an ideal condition when it does obtain. If a circuit is not in resonance with the applied alternating current, then the best results cannot be obtained because it is forced to function or respond to an abnormal condition. Two circuits are brought into resonance when they are in absolute harmony. Tuning the receiving set to a given radio-phonograph is a matter of bringing the receiving set into resonance.

Rheostat.—A device which provides a variable resistance so that the voltage of a given power source may be regulated to meet requirements. The more resistance is introduced into a circuit by means of a rheostat, the lower the voltage that reaches the apparatus or circuit, and so on.

Selectivity.—In radio work, the ability to select any particular wave-length to the exclusion of others. Thus good selectivity means the picking out of one broadcast station while several transmitters are working in the general vicinity. Selectivity means sharp tuning.

Sharp Tuning.—Instances where a slight change in the tuning adjustments throw out a given transmitter. The sharper the tuning of a given receiving set, the greater its selectivity. In transmitting, sharp tuning means the generating of a very pure wave which will be received within narrow limits on all receiving sets.

Spider-Web Coil.—A novel means of producing compact inductance coils. A piece of fibre, composition sheeting, or other material is first cut down to a small disc, and radial slots are then cut in it so that they come within a reasonable distance from the center of the disc. Then wire is wound in these slots, with the wire first on one side, then on the other, back to the first side, and so on. In other words, each turn zigzags in and out of the disc leaves formed by the radial slots until the winding is completed. Such coils are quite flat yet are highly efficient.

Series.—(See Parallel.)

Specific Gravity.—The relation which any liquid bears to the weight or density of water. In radio work specific gravity is encountered in the electrolyte of the storage battery, which must be constantly watched. The specific gravity of a storage-battery electrolyte, may be determined by using a hydrometer, which indicates the exact condition and tells when to stop charging and when to re-charge. The hydrometer has a little float or "bob" which indicates the specific gravity.

Spaghetti Tubing.—Varnished cambric sleeving which is placed over delicate wires in order to insulate them electrically as well as protect them from mechanical injury.

Slider.—A device that moves along and makes contact with a coil of wire or a resistance material at any point.

Stand By.—An expression employed in radio when a transmitting station pauses,

GREWOL

The
PERMANENT DETECTOR



\$1.50

NO need to adjust the tube in a bulb set. Why adjust the crystal in a crystal set? The Grewol eliminates the only problem of crystal set reception—adjustment. Set tightly, at the factory, to the most sensitive spot and made rigid—you know without doubt that you always receive on the loudest spot.

*Sold by Good Dealers
Everywhere or Direct Upon
Receipt of Dealer's Name
and \$1.50*

Patented May 15, 1923
Serial No. 1454997

Infringement subject to prosecution.


GREWOL 2 in One Crystal
Two surfaces instead of only one.
Double life, double value.
50c each 

*Jobbers: Write for
Exclusive Territory!*
GUARANTEED BY

GREWOL MFG. CO.

NEWARK, N. J.

Only 198 Motors



Left at \$10 Each

Ideal for home-made phonographs, experimental purposes and combination PHONOGRAPH-RADIO sets.

We have 198 small motors which are greatly under-priced for quick clearance. You will never again equal this low price, when this lot is sold.

They are universal motors, 110 volts, 60 cycle single phase, complete with turntable, cord and socket for immediate use. 1400 R. P. M. Motor has 1" pulley with flange for 1/4" flat belt. Housed in highly polished, nickel-plated shell.

Don't lose out on this remarkable offer. Order your motor today. Tomorrow may be too late. **DO IT NOW!** Price in U.S.A., \$10.00 f. o. b. Steger, Illinois.

Industrial Division

Steger & Sons Piano Manufacturing Co.
Dept. 60, Steger Building CHICAGO, ILLINOIS

meaning that the listeners should keep their adjustments and wait for a given length of time until the transmitting station resumes.

Soft Tube.—Vacuum tubes are said to be "soft" or "hard" according to their content. Thus the "soft" tube is one containing some gas; in other words, it has not been exhausted to a high vacuum. The "hard" tube, on the other hand, has a nearly perfect vacuum. Soft tubes make excellent detectors, while hard tubes make good amplifiers.

Storage Battery.—A battery that may be recharged whenever it becomes exhausted. In radio work the storage battery is employed for the filament current supplied to the vacuum tubes.

Static.—(See Atmospherics).—Disturbances of an electrical nature which interfere materially with radio communication.

Tickler.—The coil employed in throwing back or feeding back some of the plate energy into the grid circuit.

Transformer.—A device employed in electrical and radio work for the transference of energy from one circuit to another. All transformers have a primary and a secondary. The primary has the original current, while the secondary has the transferred or induced current. The transference of energy can take place so that there is a change in the voltage and amperage, or no change at all, as may be desired.

Tuning.—Altering the capacity and inductance values of a receiving or transmitting circuit so as to vary the equipment for the reception or transmission of signals. Tuning enables the receiving operator to pick up a desired transmitter to the more or less complete exclusion of all others.

Undamped Waves.—A train of radio oscillations that maintain a constant amplitude or potential. Undamped oscillations or waves are known as continuous waves, C.W. for short.

Vacuum Tubes.—The devices used in modern radio for receiving and transmitting purposes. A vacuum tube resembles nothing so much as an electric lamp, containing as it does a filament as well as a grid and a plate. The glass tube of this device has had its content more or less exhausted. In action, the heated filament gives off electrons, or tiny particles of matter which are attracted by the cold plate. Meanwhile the cold plate attracts these electrons. The grid, consisting of a fine wire interposed between the filament and the plate, absorbs more or less of the electrons and, therefore, alters the size of the electronic bridge formed in the tube, over which the plate circuit has been passing.

Variometer.—A device which serves to vary the inductance of any circuit in which it is connected. The variometer consists of two sets of coils, a fixed and a movable set, which may be so placed with relation to each other, or buck their inductances. Thus the wave-length can be built up by means of a variometer, or it can be reduced, according to the position of the coils.

Velocity of Waves.—Radio, electricity and light waves travel through space at the astounding speed of 186,000 miles per second.


Volt (abbreviated V).—The unit of electrical pressure.

Voltmeter.—An instrument for measuring the electrical pressure or potential in volts.

Watt (abbreviated W).—The unit of electric power. To find power in watts, multiply the voltage by the amperage. 746 watts equal one horsepower. 1000 watts equal one kilowatt (K.W.).

Wave-Length.—Radio waves in their passage through space or ether, travel in undulations similar to the waves of the sea. When the wind is blowing hard and steady the distance between each sea-wave crest is comparatively long while if the wind is blowing mildly and in short spurts, the distance between wave crests is accordingly shorter and we have short waves. In radio, substitute the

The NEW Heath NON-DIELECTRIC Condensers




Micrometer Geared Vernier

Ordinary adjustments reduced by separate geared adjustment to hair's breadth distinction. The most highly perfected vernier so far developed.

Permanently FLAT Plates

The well-known Heath process of stamping and tempering rotor plates—makes the new HEATH an instrument of lasting accuracy.



HEATH Bakelite Dial

Specially designed, easy grip-knob, beautifully proportioned, highly polished and clearly incised. Brass bushing centered by precision machinery to positive accuracy for perfect balance. Made in two (2) inch, three (3) inch and four (4) inch diameters. A typical HEATH product.

HEATH Sockets, with the Exclusive Shock Absorber Feature


Bakelite base into which re-enforced phosphor bronze, self cleaning contacts are securely embedded. Binding posts are slotted hexagon nuts. HEATH Standards of material and workmanship. Price 75c

Write Today for Literature

HEATH RADIO & ELECTRIC MANUFACTURING CO.

206 FIRST STREET, NEWARK, N. J.

Exclusive Canadian Distributor Marconi Wireless Telegraph Co., Ltd. Montreal, Canada



\$2.00 12th Edition \$2.00

WIRELESS COURSE IN 20 LESSONS

By S. Gernsback, A. Lescarbours
and H. W. Secor


The Standard Radio Text Book

Size 6 x 9 inches. 264 pages. 500 illustrations. Binding de Luxe. Semi-flexible Leatherette Cover. Genuine Gold Stamped, Round Corners, Red Edges.

Experimenter Publishing Co.

53 Park Place

New York, N. Y.



CONTINENTAL
Lo Loss
CONDENSER
Built Like A Swiss Watch

So perfect in design, fabrication, and results that it instantly brings to mind the accuracy and precision of a Swiss Watch. Every official test has given the Continental Lo Loss a rating equal to that of the finest laboratory instruments.


Ask your dealer to let you test it on your own set, to hear the difference made by a really fine condenser.

13 Plate, Cap. .00025	\$5.50
18 " " .00035	5.75
25 " " .0005	6.00
45 " " .001	7.00

Price without vernier \$1.00 less

If your dealer can't supply you write us direct.

GARDINER & HEPBURN, INC.
Sales Office, 611 Widener Bldg., Philadelphia
Factory, 2100 Washington Ave., Philadelphia



wind for the transmitter and we have the same action. Wave-length is, therefore, closely related to frequency; i.e., long wave-lengths have low natural frequencies while short wave-lengths have greater natural frequencies. In general, short wave-lengths are used for short distance low-power work, while long wave-lengths are employed for long-distance high-power work.

BALTIMORE RADIO SHOW COMING

Arrangements have been completed for the first Baltimore Radio Show, which will be held at the 5th Regiment Armory, Saturday, October 18, to Saturday, October 25.

This will be the largest and most complete show staged south of New York and will be conducted by the 5th Infantry, Maryland National Guard, and sanctioned by the Radio Board of Trade of Maryland, which will act as renting agent.

These two organizations co-operating make a very strong combination, particularly in view of the fact that the profits derived from this show will be used toward the installation of a broadcast station in the Armory.

This station will be installed prior to the show and will be in use during the show. All features connected with the show will be broadcast.

SENATE COMMITTEE APPROVES FUNDS FOR RADIO ADMINISTRATION

Appropriations for the administration of radio under the Department of Commerce, which were reduced by \$21,500 by the House of Representatives recently, have been re-established by the Senate Appropriations Committee at \$180,278, as originally approved by the Budget Bureau.

Following the reductions made by the House in the funds to be available for radio inspection, licensing and supervision for the coming fiscal year, Secretary Hoover appeared before the Senate Committee and voiced his opinion that the Departmental radio section absolutely needed the full amount allowed by the Budget. It is now believed that the amount decided by the Senate will finally be passed.

RADIO COMMUNICATION IN SPAIN

The following are the decisions of the recently held National Wireless Conference and the regulations controlling the establishment and working of private radio-electric stations.

The regulations differentiate between official and private stations. The latter stations, radio-telegraphic or telephonic, transmitting or receiving, including those belonging to instructional centers or used for scientific experiments, will be subject to governmental control and inspection of the newly created Technical Committee.

The transmitting stations are divided into five categories: (1) Stations for instruction at official schools. (2) Stations for tests, experiments or studies of centers or persons of Spanish nationality. (3) Stations for direct communication between two or more places, whether fixed or mobile, belonging to the same person or society. (4) Broadcast stations, official or private. (5) Amateur stations.

The General Director of Communications will have the right to grant concessions in accordance with the definitely fixed conditions.

As regards receiving stations, permission will be granted to all Spanish subjects who apply to the chief of the telegraph service in the town where the set is to be installed or to the provincial telegraphic director for towns where there is no telegraph station.

Permission will be granted to foreigners



A Reflex Receiver
The Double-Duty Radio Receiver

One of the most simple Radio Sets on the market with a reflex circuit that doubles the value of the single tube. Is highly efficient for its size. The construction of this set costs very little. It is one of the most practical sets for the man who wants a simple, inexpensive receiver that requires no special knowledge to operate and can be repaired and kept in order by anyone.

"Conrad" pattern No. 5, "How to Build a Reflex Receiver," gives complete instructions for building this Reflex. Pattern contains full set blueprints consisting of two sheets 14"x16" drawn full size so that no extra measurements are necessary, together with four page instruction sheet with full details of construction operations.

AT ALL RELIABLE RADIO DEALERS

Or Direct From Us.

"Build Your Own"

PRICE
50¢

Prepaid
Pattern
No. 5

The Consrad Company
233 Fulton Street,
New York City

Consrad
"RADIO'S FOREMOST PUBLISHERS"



Better Tone for Your Radio!

Greater distance, volume and selectivity guaranteed with this aerial, or money refunded. Try it without risk!

Demand the genuine by name **TRANSCONTINENTAL RIBBON**. If your dealer cannot supply you order direct from the manufacturer, postage paid. Thousands now in use for broadcasting and receiving. Endorsed by world's greatest Radio Engineers as the aerial for better results, better tone.

Acorn Radio Mfg. Co. 307 W. Lake St. Dept. 405 CHICAGO

TRANSCONTINENTAL RIBBON AERIAL
DEALERS! Write for Special Offer!

Burned Out or Broken RADIO TUBES REPAIRED

Including

- WD-11 or C-11
- WD-12 or C-12
- UV-199 or C-299
- UV-201A or C-301A
- UV-200 or C-300
- UV-201 or C-301
- DV-1 or DV-2
- DV-6 or DV-6A

\$2.25

202 Transmitting Tubes repaired, \$3.50
All Tubes Guaranteed to Work Like New

Radio Tube Exchange

220 S. State Street, CHICAGO, ILL.
Department N
Mail Orders Given Prompt Attention

on their application to the General Director of Communications, subject to recommendation of the Ministers of War, Navy and Foreign Affairs.

Applications for permits must contain particulars of the location of the set to be installed, with sufficient details to enable possible difficulties to be considered, such as interference with neighboring stations.

Receiving stations are forbidden to use any apparatus producing oscillations likely to cause interference with nearby stations. The General Director will have power to locate such interfering stations and to warn them to modify their apparatus. If such warning is ignored, the installation will be treated as a secret one with the corresponding punishment.

The annual fee for each private receiving station will be 5 pesetas and that for apparatus installed in public places, such as cafes, hotels, societies, etc., will be 50 pesetas.

The construction and sale of receiving stations will be free.

The decree mentions the punishments incurred in the event of breaches and the circumstances in which the Government can appropriate all installations.

In conclusion, it is stated that if the newly established free system is found to work badly, on the petition of more than one-half of the license holders for receiving stations, a special committee will be created, with any powers that experience will prove necessary.

RADIO TRAINING IN ARGENTINE NAVY RIGOROUS

The training of radio men in the Argentine Navy is being stimulated by the award of prizes to operators who qualify in copying code messages of 50 words, at the rate of 22, 24, and 26 words per minute. These prizes, however, are withheld for bad conduct and if the man is not in good physical condition. Athletic training is required in all radio stations both afloat and ashore, wherever there is more than one operator.

PROFESSOR JANSKY WITH THE SIGNAL CORPS

Prof. C. M. Jansky, formerly of the University of Minnesota, was appointed Assistant Consulting Radio Engineer of the Signal Corps, on July 1. His duties will include research problems in radio telegraphy and telephony in the Signal Corps Radio Laboratory at Camp Alfred Vail, N. J., where technical problems are worked out and apparatus is designed for the Army.

RADIO AIDS IN SOLVING MIRAGE

When approaching Sydney, Nova Scotia, recently, Captain Bauge of the hospital ship *St. Joan of Arc* was confronted by a mirage which distorted the shore lines so they could not be recognized. Calling his radio compass into service, he took radio bearings from North Sydney, Magdalen Island, and Canso, with the result that he succeeded in locating his position.

BRITISH BROADCASTING COMPANY OPENS NEW STATION

The B. B. C. high-powered station at Chelmsford has been open for experimental work since Wednesday, July 9th.

The hours of transmission provisionally fixed are 11:30 a. m. to 12:30 a. m., 4 to 5 p. m., and 7:30 to 8:30 p. m. The morning and afternoon programs will be mostly speech, but it is hoped that some music will be played during the evening programs.

The wave-length is 1,600 meters. The power will be announced later; it will not be less than 15 kilowatts. The call sign is 5XX.

A Challenge to Sending Stations

Thorola notes are as pure as the singer's—exactly. Thorola's speech is as sharp as the voice of the speaker—exactly. Thorola tones are as clear as the tones of any musical instrument.

Thorola IS a great musical instrument.

Distance is the only difference between Thorola Loud Speaker and the sending station! In radio laboratories Thorola reproduction is now considered a *test* and a challenge of sending quality, so faithful is Thorola. Gone is distortion, rattle, blare, screech.



Horn of Thorite

The famous synthetic material with controlled acoustic properties impossible in wood or metal.

Permanent Adjustment

A new principle which permanently adjusts Thorola to each individual set, assuring highest efficiency always.

THOROLA 4
14 1/2" Bell Horn. Complete with Cord and Plug. Beautiful Black Florentine Finish. **\$25**

THOROLA 3
12" Bell Horn and Cord. Finest Black Florentine Finish. **\$20**

No external battery required Plug in same as headphones

Thousands heeded the first Thorola announcements. Thousands convinced themselves that Thorola was another great triumph for America's oldest makers of loud speaking apparatus.

Thorola success is certain. Or else the daring Thorola guarantee is impossible. Thorola **MUST** be far better, or we lose. You can't.

So send the money-back coupon quickly for your Thorola, if your dealer cannot supply you. (Thorola is ordinarily sold only through regular channels, protecting dealers.)

Most remarkable, it is now possible to attain BOTH volume AND absolute clarity even on weak signals.

THOROLA

Made by the Makers of Famous THOROPHONE High Power Model—\$45

now gives thousands of fans a new notion of radio pleasure. Thousands already know these new possibilities opened by Thorola Loud Speaker.

But this coupon offer, good until dealers are supplied, will give you the thrill of Thorola now. The coupon brings Thorola direct. It is the greatest improvement you can make in your set. It stamps you as the cleverest fan in your crowd. This coupon gets astounding **RADIO RESULTS.**

REICHMANN CO., 1729-35 West Seventy-fourth St., Chicago

GUARANTEE

Thorola is guaranteed approximately twice the volume of any loudspeaker (except Thorophone itself) in your own opinion, or money refunded at any time within 30 days from purchase. Thorola will give from 2 to 3 times the volume of most well-known makes of loud speakers. Thorola improvement in tone quality is even more remarkable.

30-Day Trial Coupon—Good This Month Only

REICHMANN CO., 1729-35 West Seventy-fourth Street, Chicago I am unable to obtain Thorola from my Thorodealer. Therefore please supply me promptly, shipment prepaid. I enclose..... in the Certified Check—Money Order—Cash amount of \$..... for one Model..... Thorola Loud Speaker. I understand that this full amount will be promptly refunded if I return the instrument, at your expense, for any reason within 30 days from date.


Name..... Date..... Street Address..... Town and State.....



CICO BAKELITE JACK

No soldering necessary. Connections made to neat binding posts. Moulded completely from bakelite. No metal in frame. Short springs of special phosphor bronze. Sterling silver contact points.

- No. 30—Single circuit open . . . \$.80
- No. 31—Single circuit closed85
- No. 32—Double circuit90
- No. 33—"A" Battery Switch. . .90



CICO AUTOMATIC PLUG

Gives instantaneous connection. A slight pressure on the wings releases tips for change. Nothing to take apart—no tools—no set screws. Bakelite body. Metal parts nickel-plated. Takes all tips. Price 75c.




RADIO PRODUCTS are

UNQUALIFIEDLY GUARANTEED AGAINST ALL DEFECTS

Look for the Distinctive GREEN CICO BOX

CONSOLIDATED INSTRUMENT CO. OF AMERICA, INC. 41 East 42nd Street, New York, N. Y.



CICO 2-WAY PLUG

Two sets of headphones or loudspeaker and one set of phones may be connected simultaneously. Fits all standard jacks. Takes all types of tips. Price 40c.

THE Super Heterodyne

Will Be Your Eventual Receiver and Then Be Sure You Enjoy the Satisfaction That Comes Only With High Quality Apparatus.

We specialize in super heterodyne receivers and after making exhaustive tests find the circuits and parts designed by THE EXPERIMENTERS INFORMATION SERVICE to be the best known to the art today.

THEREFORE WE OFFER

NEW MODEL C-7

First Harmonic

IMPROVED REGENERATIVE SUPER HETERODYNE AS THE FINEST RADIO-CAST RECEIVER THAT CAN BE BUILT TODAY

Complete set of Model C-7 Super Heterodyne Parts, including panel, cabinet, and complete constructional drawings \$104.79
 Complete set of Standard Model "C" Super Heterodyne Parts, including panel, cabinet and constructional drawings (Loop Receiver) 108.15

VERY DESIRABLE EXTRA FEATURES FOR BOTH MODEL SUPERS

Drilling and engraving panel, Model C-7 \$ 7.50
 Drilling and engraving panel, Model "C" 10.40
 Weston Voltmeter for both Models..... 7.50
 Weston Ammeter for both Models..... 7.50
 Special Jewell Meters reading all tubes and also B Battery, per set of two.... 19.50

INDIVIDUAL PARTS WILL BE FURNISHED SEPARATE FOR ABOVE MODELS IF DESIRED ACCESSORIES

Standard RCA Loops 30" Square..... 19.00
 Western Electric type 10-D Loudspeaker 43.00
 Baldwin Type "C" Phones..... 10.50
 Willard Batteries, Tungar Chargers, etc.
 Selected RCA tubes (only with parts), ea Model C and Model C-7 Sets wired to standard by experts. 4.25

Information Gladly Furnished Upon Request

NORDEN, HAUCK & CO.

Engineers and Purchasing Agents
 25 SOUTH ASHMEAD PLACE
 PHILADELPHIA, PA.

Listeners are cordially invited to listen for this station and write to the British Broadcasting Company at 2 Savoy Hill, giving details of their results. It is particularly requested that reports should be concise.

The B. B. C. reserves the right to cancel or change these arrangements in any particular, as it is to be understood that these transmissions are purely of an experimental character. It must not be thought that the transmissions are in any way a part of the regular program.

CONTRABAND RADIO CONQUERING CHINA

There are several hundred radio receiving sets in use in Shanghai, though radio sets are upon the contraband list and their importation is absolutely prohibited by the Customs, Consul General E. S. Cunningham reports. Some of the sets here have probably been assembled locally from materials imported under various classifications. The fact that many firms are able to offer these radio receiving sets for sale is evidence that some firms are able to manufacture or assemble them locally.

STANDARD RADIO FREQUENCY TRANSMISSIONS

The Bureau of Standards is transmitting special signals of standard frequency on announced dates. The signals may be heard and utilized in general east of the Mississippi River.

These special signals are of use to testing laboratories, transmitting station operators and others, in standardizing wavemeters and adjusting transmitting and receiving apparatus. The transmissions on September 5 include ship communication, and those on September 22, broadcasting. The accuracy of these signals is better than three-tenths of one per cent. Information on how to use them is given in Bureau of Standards Letter Circular No. 92, which may be obtained on application from the Bureau of Standards, Washington, D. C.

Schedule of Frequencies in Kilocycles (Approximate wave-lengths in meters in parentheses)

Eastern Standard Time	Sept. 5	Sept. 22
11:00 to 11:08 P. M.	300 (1000)	550 (545)
11:12 to 11:20 P. M.	315 (952)	650 (461)
11:24 to 11:32 P. M.	345 (869)	750 (400)
11:36 to 11:44 P. M.	375 (800)	833 (360)
11:48 to 11:56 P. M.	425 (705)	1000 (300)
12:00 to 12:08 A. M.	500 (600)	1200 (250)
12:12 to 12:20 A. M.	600 (500)	1350 (222)
12:24 to 12:32 A. M.	666 (450)	1500 (200)

UNOFFICIALLY VICAR OF WAKEFIELD

In the little town of Wakefield, located in the Virginia mountains, there dwells a young man named Haywood Williams, who, though crippled and confined to his bed for years, has, through the aid of radio, become the unofficial "Vicar of Wakefield."

This bright and energetic mountain boy suffered a fall when very young, and now, at the age of 23, is confined to his bed, paralyzed for life probably. But his popularity in the community, where there is neither church nor preacher, together with a recently acquired radio set, has made his humble home the community center, especially on Sunday. The radio receiving set was a gift.

Soon after the set was received, the neighbors in this township, 18 miles from the railroad station, began to come in, chiefly out of curiosity, never having heard radio before. Having only one set of headphones, Haywood undertook to repeat for

Unequaled for Clarity of Tone Volume and Long Life



KEYSTONE VACUUM TUBE

The Keystone Vacuum Radio Tube is the result of the very latest research into the principles underlying vacuum tube construction.

The Keystone Tube has a larger mutual conductance factor which insures greater clarity of tone than the ordinary tube.

The Keystone Tube also has a larger amplification factor, which means much louder signal strength than the average tube. Operates equally well for radio or audio frequency amplification.

FULLY GUARANTEED to give satisfactory service


If you, dealer does not have Keystone Tubes we will ship prepaid anywhere as many as you need upon receipt of price.

KEYSTONE ELECTRIC & RADIO CO
 110-116 Nassau Street, New York, N. Y.
 Some dealer territory still open

Eliminate Soldering

with this new

Radio Tool



The Rance Combination Pliers made to our specifications by KRAEBUTER, maker of fine tools. Nickel-dreadnought steel. For a lifetime of hard use. Price \$3.50.

GET away from the mess of soldering. Use the Rance Radio Pliers with its specially designed pins. This new feature forms wire ends into perfect loops that fit accurately over standard binding posts, and make cleaner, better connections. Sets wired in this efficient way look neater and work better. Electricians and mechanics find these pliers indispensable.

Mail the coupon today and we will send you further details or the pliers. Complete instructions with each pair.

Dealers and distributors will be interested in our sales plan

RANCE CORPORATION

41 E. 42d Street New York

Rance Corp., 41 E. 42nd St., New York.

Please send me

Descriptive Folder R1 [] free.

The Rance Radio Pliers [], for which I enclose \$3.50.

Name

Address

Dealer's Name.....



CHALFONTE-HADDON HALL ATLANTIC CITY

Hospitable, homelike. In the very center of things. On the Beach and the Boardwalk.

For more than fifty years, these two delightful hotels have been the natural choice of cultivated, interesting people—bent on happy, health-giving days by the sea.

American Plan Only. Always Open. Illustrated folder and rates on request.

LEEDS and LIPPINCOTT COMPANY



their benefit such of the broadcasts received as were possible of repetition—chiefly, of course, talks and sermons. Being interested in religion, he found the Sunday services broadcast by the Right Reverend James E. Freeman, Bishop of Washington, of great interest, and as the visitors on Sunday were more numerous than on any other day, he began to repeat the words of the Bishop. Before very long it became a regular ceremony on Sundays for the neighbors from far and near to gather in Haywood's home and listen to his repetition of the Bishop's sermons, broadcast by WCAP from the Cathedral at Washington.

Now, through the activity of Mrs. Barnett, a fund for the purchase of a loud speaker, to which the Bishop himself has contributed, has been started, and within a short time Haywood will be able to reproduce every word of the Bishop's Sunday services, including the music, for his "parishioners." It is even possible that this young layman may become a missionary and function, unofficially perhaps, as a modern Vicar of Wakefield.

**AUSTRIAN BROADCASTING
BEGAN JULY 1**

In view of the great economic and social importance of broadcasting, which has created a new industry in Austria, a permanent service has now been undertaken by the Oesterreichische Radio-Verkehrs-Aktiengesellschaft with the Austrian Postal authorities in the matter of transmission.

The Radio installation on the building of the War Ministry was used for the first broadcast station. Experiments were made with a normal sending power of one kilowatt. Different wave-lengths are now used; on March 25 broadcasting took place for the first time and on a 1,200-meter wave-length. On Easter another trial took place and regular broadcasting was started July 1.

The tax for a radio set is 10 gold crowns collected by the federal post offices. To cover the expenses of the broadcast station, every owner of a radio set is compelled to pay a yearly fee of possibly 50 gold crowns. This fee is reduced considerably in cases of hospitals, associations, and schools. Motion picture houses and other public places, where radio is used for advertising purposes, pay a higher rate.

**PRIVATE RADIO STATIONS IN
POLAND FORBIDDEN**

The Polish Post Office Department has announced that, pending legislation, private radio sending or receiving installations in Poland are forbidden, advises to the Department of Commerce state. Anticipated legislation, while expected to permit private receiving stations, will control their installation strictly by license. Unauthorized private radio telephone receiving stations will be sealed, upon discovery by the Postal authorities, and the case prosecuted.


Considerable criticism of this restrictive radio policy is expressed but the government is urged not to abandon control of communications, especially with Soviet Russia, due to the presence of numerous communist agents within the country. Efforts of British, French, German and Polish concerns to obtain a monopoly over eventual sales of radio equipment have further delayed relaxation of government control.

HOLY SMOKE—PITTSBURGH!

There now is a lady, they say,
Whose voice carries an awful long way;
Of the air she is master,
She's a bloomin' broadcaster,
Her name must be Katy Kaya.

—George F. Morgan.

**Editorial Friends of
The MOZART Baby GRAND**



THROUGH the radio business we have made a host of new friends in almost every part of the world and naturally none of these are more highly esteemed by us than those editorially associated with this country's newspapers and other publications. May we quote from another letter received just prior to going to press with this ad:

"The reproducer ordered from you arrived in good shape and I desire to express my surprise at the results. Have had little trouble getting stations in Chicago, New York, St. Louis, Cincinnati, Pittsburgh, Dallas, Miami, Tampa, Charlotte, Milwaukee, Jefferson City, Davenport, Atlanta, Havana, and others on the loud speaker, which reproduced the music and human voice almost perfectly."

(Signed) J. P. Leggett, In charge Sports & Radio Dept.,
The Macon News, Macon, Georgia.

PRICES . . . F. O. B. Factory.

- Reproducer complete in black and gold crocodile finish with (gold plated) unit and polarity-indicating cord \$12.00
 - New Model in black rubber finish with nickel plated unit as above 10.00
 - Unit only with polarity-indicating cord, gold plated 5.00
 - Unit only with polarity-indicating cord, nickel plated 4.00
- Shipping weight of reproducer, 8 lbs. (approx.). Dimensions—Diameter of bell, 12". Length and height overall, 12 1/2".


No extra Batteries required. Direct from the factory or through one of our authorized dealers.

(Radio Division)

THE MOZART GRANDÉ CO.

Manufacturers of Fine Instruments

NEWARK, N. J. U. S. A.



ALL TUBES REPAIRED \$2.25
Guaranteed Like New
Detectors or Amplifiers

One Amp., 6 Volt Tubes Changed
to 1/4 Amp. Tubes

Write Today for Tube Circular on New and
Refilled Tubes

AMERICAN RADIO TUBE WORKS
23 Central Ave. Newark, N. J.

Agents Wanted Everywhere

**Steinite Gives
Distance
On Crystal Sets!**

Results truly amazing. Everyone astonished. H. Harryman, Opdyke, Ill., says: "I have heard 26 stations, most distant 825 miles, Schenectady." H. Lapsley, Council Bluffs, Ia., says: "Second night I got KDKA, E, Pittsburgh." You can't doubt your own ears. Listen in on **STEINITE** at my risk.


50c Each or 3 for \$1.00

STEINITE opens up new possibilities for crystal sets. Don't delay the Radio treat in store for you. Send Dollar Bill today for 3 Crystals and free hookups. None genuine unless stamped "S" Two big Atchison Banks guarantee prompt refund if not delighted. Manufacturers of the Famous Stein \$10 Tube Sets, Long Distance Crystal Sets \$5, Stein Wave Trap \$5, and Stein Two Stage Amplifier \$12.50. FREE descriptive literature on request.


STEINITE LABORATORIES
14 Radio Bldg., Atchison, Kansas

Advertising Testimony!

EXHIBIT—D



RADIO CORPORATION OF AMERICA
233 BROADWAY
NEW YORK



P. BOUCHERON
MANAGER

ADVERTISING & PUBLICITY
DEPARTMENT

April 2, 1924.

The Superlatives Selection

Mr. R. W. DeMott,
Advertising Manager,
Radio News,
New York, N.Y.

Dear Mr. DeMott:

Referring further to your recent communication, I wish to take this opportunity to compliment you sincerely upon the splendid performance of Radio News during the past three years as an advertising medium.

As you know we have a definite way of ascertaining the pulling power of individual radio publications which fact permits me to tell you that Radio News plays a very active and prominent part, as a member of the RCA selling force..

With continued good wishes, believe me to be,

Sincerely,
Pierre Boucheron

The **NET PAID CIRCULATION** of **RADIO NEWS** is twice that of any other Radio Magazine

This is the fourth of a complete Series watch for Exhibit—E

A MOST ASTOUNDING THEORY!

Are radio broadcast stations responsible for late summers and early winters? A Pattersonville, N. Y. farmer believes so and promises frost in August because of the activity of radio stations. In a letter to WGY, the Schenectady, N. Y., station, he expounded his interesting and novel theory as follows:

"This broadcasting of music is good entertainment for the people in different parts of the country. But why is the weather so cold?"

"I think that transmission of power through the air freezes all the heat out of it. Think, 20 broadcast stations in the New England States alone! Why, we have had cold summers for three years, ever since they started broadcasting music and entertainments. Four or five years ago when there wasn't any station transmitting power we had warm summers. You know yourself when it is hot in the summer there are thunder storms. Now there aren't any, and why?"

"When it is a hot day and a thunder storm goes over, the lightning burns most of the heat and after the storm it is nice and cool. Now, when about 10 or 15 stations get a-going for about five hours each day, the electricity from these stations burns more heat than 50 storms. The weather is altogether different from what it was years ago. *What* are the farmers going to do?"

"I may be wrong, but that is the cause of this cold weather, I think. Please try and get all the stations in the New England states and more besides to stop the broadcasting during the summer months and see if we don't get the good old warm days back again."

WORLD'S FIRST PORTABLE BROADCAST STATION

A very unusual occurrence took place when a metropolitan broadcast station was recently disposed of by one of the pioneer radio corporations in broadcasting, because the station dominated the air to such an extent as to prevent radio listeners within its immediate scope, from hearing any other stations. That was not only altruistic to a marked degree, but highly significant in a radio sense. It probably started a new era in broadcasting. It probably began the movement of broadcast stations having their ultimate location away from the thickly populated areas of the country.

This unexpected stroke of policy was announced by the Zenith Radio Corporation, when it sold the well known station WJAZ, then located on the Edgewater Beach Hotel. Because of the uncontrollable interference caused by this station throughout the entire North Shore of Chicago, the company decided to erect a new station far enough away from the city and its environs so as to be no longer an interference to the three million people who make up the second largest city in the United States.

On the heels of this announcement, the Zenith Radio Corporation was deluged with letters from the Chambers of Commerce of many of the small communities in the outlying districts of Chicago. Some letters came from places two hundred miles away. So urgent were many of the invitations from these smaller towns that it was decided to conduct a series of tests to ascertain the best locality for broadcasting and to determine at the same time the place offering the least opportunity for interference. The best working plan which suggested itself was to erect temporary broadcast stations in all the towns selected for test. Then difficulties developed. For a time, it looked as though the plan of making tests would have to be abandoned because the attendant obstacles seemed to

PATENTS

Hand Books on Patents, Trade Marks, etc., sent free. Our 78 years of experience, efficient service, and fair dealing assure fullest value and protection to the applicant. The Scientific American should be read by all inventors.

MUNN & CO.

687 Woolworth Building, New York
Tower Bldg., Chicago, Ill.
Scientific American Bldg., Washington, D. C.
Hobart Bldg., 532 Market St., San Francisco, Cal.
Van Nuys Bldg., Los Angeles, Cal.

Special Library of Information on

RADIO PATENTS and TRADE MARKS

JOHN B. BRADY

Patent Lawyer

Ouray Building Washington, D. C.

Cable address:
RADIOPAT

Telephone:
Main 4806

Insure your copy reaching you each month. Subscribe to Radio News—\$2.50 a year. Experimenter Publishing Co., 53 Park Place, N. Y. C.

be insurmountable. But, after considerable planning and experimenting in the company's laboratories, a way out was discovered.

The company now has in the process of construction a complete broadcasting unit mounted on a one-ton Federal truck. There have been portable transmitting stations for code work, but from all available information, this is the first portable broadcast station in history. It will be equipped with a 100-watt transmitter. It will have the unusual setting of a glass-enclosed truck, so that the public may witness the operation of the station wherever it is taken. It will be operated entirely from storage batteries. Part of the truck equipment will be a motor generator for recharging the batteries. The aerial will be supported above the truck by means of telescoping masts. Nothing less than gold plated antenna wire will be used—gold reduces surface resistance, and, as a result, greatly increases efficiency in an antenna of this small size.

Arrangements are under way with the Chambers of Commerce of all towns favorably disposed to receive the new broadcast station. Tests will be arranged in each case for a definite night and the officials of these municipalities will be invited to extend the greetings of their respective communities to the world by themselves speaking into the microphone of the portable broadcast station. Already the programs with two municipalities provide for the local band taking part in the broadcasting. In every town prizes will be awarded for the longest distance reception. This will help towards an accurate diagnosis of conditions in each locality "radioically" speaking. The data expected to be gathered through these tests will be especially valuable to radio technicians and engineers. For, as is generally known, it is impossible for radio experts, with all their theory and practice, definitely to pre-determine the broadcasting value of any given locality without actual tests.

For this series of experiments, which promises to be so intensely interesting, the call letters 9XXN, intimately and long familiar to the general public, will be used. They will be remembered as the call letters that played so important a part in the radio communication with the MacMillan Arctic Expedition. The same call letters were prominently connected with the record breaking transmitting reception episodes when music and messages from Chicago were heard in Hobart, Tasmania; Melbourne and Sidney, Australia; and by the British Fleet off Tasmania, after Captain Waldo Evans, U. S. N., Commandant of the Ninth Naval District, extended the compliments of the United States Navy to the British Navy.

OUR RADIO EARS

By R. H. LANGLEY*

The ordinary house fly, as everyone knows, has thousands of eyes. Each of them gives him a different picture of his surroundings. All his eyes, however, are bunched together, and every eye seems almost the same scene. The only way Mr. Fly can see something new, is to go to the new place, and take his generous supply of vision along with him.


Man is pretty much in the same fix. His two eyes see just about as much as the fly's many eyes, and he has to move his whole body around the world, if he wants to feast his eyes on some new picture. Photography and the printing press have, of course, done something for man. They bring him more or less faithful reproductions of distant scenes and objects, and the motion picture puts a measure of animation into these images.

The fly can see the pictures too, so man is not much better off, so far as seeing is concerned. The pictures may not mean much

*Radio Engineer, General Electric Company

WALBERT
Parts with a Purpose

New!



Walbert Filament Lock Switch 50c

New!



Walbert Safety Rim Socket 75c



With new "dished" dial and heavier mechanism.
UNIVERNIER with mahog. any knob and gold-plated dial \$1.50
With black knob and silver dial \$1.25

At your dealer or sent postpaid on receipt of purchase price.
Jobbers and Dealers: Write for Discounts.

WALBERT FILAMENT LOCK SWITCH

Safeguards Tubes and Batteries

THE only Battery Switch and Lock combined. Works just like the ignition key to an automobile. Simply take the key with you when you leave your set. Your tubes and batteries will be safe. A necessity. Can be instantly applied to any set. Compact—takes little room on panel or behind it. Sturdy interior springs assure positive contact. Costs no more than an ordinary battery switch without the protective lock feature.

WALBERT SAFETY RIM SOCKET

The Low-Loss Lifetime Socket

WITH ordinary use you simply can't break this new Low-Loss Bakelite Socket with its Silver Safety-Rim. No more chipping or cracking at the slot. The Walbert Socket is GUARANTEED for a lifetime against breakage. It is specially designed to give Low-Loss with the new bakelite-base tubes. Double springs and double contact. Soldering lug and top contact spring one-piece. An attractive Socket of heavy Bakelite, perfect in every detail, yet moderately priced.

WALBERT UNIVERNIER

Micro-Selective Tuning Control

DISTANT stations you never heard before are tuned-in readily with the Walbert UNIVERNIER Dial and its 12-to-1 tuning ratio. Though they be but one-half degree apart on the dial, you will be able to tune-in and log these DX stations easily and accurately. The single knob gives at will either direct (rapid) or 12-to-1 (micro-selective) control of the whole condenser, variometer, potentiometer, etc., throughout the entire range of each. The UNIVERNIER makes vernier condensers unnecessary. It costs no more than a good dial which it is to replace. Especially attractive with new "dished" dial.

Send 2c stamp for a FREE copy of the UNIVERNIER Log—Every set owner needs this handy log-book.

WALBERT MANUFACTURING CO.
923 Wrightwood Avenue, Chicago, U. S. A.

All Walbert Products are Protected by Patents or Patents Pending

B-METAL
B-METAL Crystals make dead sets live wires. See your dealer or us.
B-METAL REFINING CO.
4th fl. 525 Woodward Ave., Detroit, Mich.



MONOTRON
THE SUPER QUALITY TUBE
Fully Guaranteed

Typo 201A Amplifier and Detector. 1/2 Amp. 7-6 Volts, standard base, silvered tube.
List Price \$3.50
Jobbers & Dealers: Write for Discounts.
EMPIRE RADIO SUPPLY CO.
325-17 Ave. Milwaukee, Wis

PATENTS WRITE for our Three Guide Books and "RECORD OF INVENTION" before disclosing inventions. Send model or sketch and description of your invention for Examination and Instructions. Electrical cases a specialty. Highest references, reasonable terms, prompt attention.

No charge for the above information.

VICTOR J. EVANS & CO.
919 NINTH ST., WASHINGTON, D. C.

PATENTS

If you have an invention and desire to secure a patent, send for our Free Guide Book, HOW TO GET YOUR PATENT. Tells our Terms, Methods etc. Send model or sketch and description for our opinion of its patentable nature.

RANDOLPH & CO.

Dept. 459 Washington, D. C.

Insure your copy reaching you each month. Subscribe to Radio News—\$2.50 a year. Experimenter Publishing Co., 53 Park Place, N. Y. C.

Results

Speak louder than words

Get the fullest enjoyment out of your radio. Pick up the messages

From **ANYWHERE**
ANYPLACE
ANYTIME



Non Directional Aerial

successfully used on all makes of sets.

As the name indicates the Portable Globe Aerial is shaped like a Globe and can be moved from place to place. It is also collapsible, ornamental and, above all, mechanically perfect, for whatever position a wire has to be in to pick up wave lengths the best, this Aerial has one in that position and several more similar. It is

Absolutely Non Directional

The Portable Globe Aerial works on the roof, in the house, on trains or ships or out in the woods.

In its operation it is more selective, and tunes much sharper and clearer with less static.

It is the greatest Radio Value of the day—featured at a price within the range of everyone.

Send money order or will ship C. O. D. **\$10.00** Parcel post prepaid in United States

THE PORTABLE GLOBE AERIAL CO.

1604 Locust St. St. Louis

DEALERS—We have an interesting proposition for dealers and jobbers. You can greatly increase your radio sales with the use of the Globe Aerial.



PATENTS

To the Man with an Idea

I offer a comprehensive, experienced, efficient service for his prompt, legal protection and the development of his proposition. Send sketch, or model and description, for advice as to cost, search through prior United States patents, etc. Preliminary advice gladly furnished without charge. My experience and familiarity with various arts frequently enable me to accurately advise clients as to probable patentability before they go to any expense.

Booklet of valuable information and form for properly disclosing your idea free on request. Write today.

RICHARD B. OWEN
PATENT LAWYER

2 Owen Building, Washington, D. C.
2276A Woolworth Bldg., N. Y. City

Insure your copy reaching you each month. Subscribe to **RADIO NEWS** — \$2.50 a year. Experimenter Publishing Co., 53 Park Pl., N. Y. C.

to the fly, he may misinterpret them, but man frequently makes the same mistake, and no one would choose to look at even a motion picture, rather than see the scene itself.

Man's ears were even more limited than his eyes. He could see great distances, he could look into the very depths of space, and with the telescope and the microscope, see the greatest and the smallest (or almost the smallest) things in the universe. He could only hear over very limited distances, a few thousand feet, and there were no instruments to increase this power of hearing.

Then came the telephone and later radio broadcasting.

The telephone, in its present state of development, makes it possible for one person to talk to another almost anywhere. It extends our ears and our voices, and annihilates the miles that may be between two persons who must talk to each other. It is a tremendous help to us.

Just as the world provides many wonderful things for us to see, so it also provides many fine things for us to hear. Some of us, a very limited few, can find the time and the means to travel and see some small part of a beautiful world. The rest of us must stay at home and be content with what we can learn from pictures and books. Also, some few of us live in the great centers where the feasts for the ear are to be found, and some of us can go and hear them. But here again, most of us cannot hear things, or could not until radio came.

Radio broadcasting extends our ears. Even today, with this new art starting its fourth year, we can send our ears into a dozen different places of amusement, almost any time we wish to. We can send them to great cities to hear the symphony orchestras, we can send them into the churches to hear the famous preachers, we can send them into the studios where carefully chosen artists have come to sing or play for us. We can send them into the hotel dining rooms where dance orchestras are playing, and we can send them to banquets and conventions.

Today our ears can go to many places where we cannot go. They can go out across the miles and listen in places where, even if we had the time and the means we could not gain admission. They can enter the great national conventions, for example, and without inflicting any discomfort on the rest of our body that stays at home, they can hear the deliberations of the political parties, and the speeches of the political leaders. They can even go into the White House, and sit beside our Chief Executive when he reads his message.

The great convention halls that have recently attracted our attention are very large, as such places go, but it would have been quite impossible for even a thousandth part of those who sent their ears to these places by radio, to have been there themselves. Radio not only takes your ears and mine to these places, but everybody's and there is no crowding.

When we send our ears away by radio, let us say to hear a famous orchestra, it is not at all like going ourselves. If we should go personally, we should have to be content with the best seat we could obtain, and we would not know, until the performance started whether it was a good seat or not. Many of us would not have good seats. When we go by radio, we have the best location for hearing the entire program, regardless of whether this is in a seat, on the ceiling, or in mid air. Men who are experts have been there beforehand and have found this the best place.

When we go in person to hear an entertainment, we take our two ears along, and use them as best we can. Unless we are very fortunate, we miss parts of the pro-

FREE



To Each Purchaser of a World Battery

A 24-Volt "B" Storage Battery positively given FREE with each purchase of a WORLD "A" Storage Battery. The WORLD Battery is famous for its guaranteed quality and service. Backed by years of successful manufacture and thousands of satisfied users. You save 50%.

Prices That Save and Satisfy

Auto Batteries	Radio Batteries
6-Volt, 11 Plate \$12.25	6-Volt, 100 Amps. 12.50
6-Volt, 13 Plate 14.25	6-Volt, 120 Amps. 14.50
12-Volt, 7 Plate 17.00	6-Volt, 140 Amps. 16.00

Shipment Express C. O. D. subject to examination. 5 per cent discount for cash in full with order.

2-Yr. Guarantee Bond in Writing With Each World Storage Battery

proves satisfactory World performance. Mail this ad with your name and address — we will ship battery day order is received; and give you your choice of "B" Storage Battery or a handsome nickel finish Auto Spotlite, FREE. Write TODAY.

WORLD BATTERY COMPANY
1219 So. Wabash Ave. Dept. 10, CHICAGO, ILL.

This FREE "B" Storage Battery takes the place of dry cell "B" batteries. Can be recharged and will last indefinitely. To be sold retail for \$6.00. It is the only battery of its kind equipped with solid rubber case—and insurance against acid and leakage. Take advantage of this remarkable introductory offer NOW. (To those who prefer it, we will send FREE a handsome nickel finish Auto Spotlite, instead of the "B" Battery. Be sure to specify which is wanted.)

Prices That Save and Satisfy

Auto Batteries	Radio Batteries
6-Volt, 11 Plate \$12.25	6-Volt, 100 Amps. 12.50
6-Volt, 13 Plate 14.25	6-Volt, 120 Amps. 14.50
12-Volt, 7 Plate 17.00	6-Volt, 140 Amps. 16.00

Shipment Express C. O. D. subject to examination. 5 per cent discount for cash in full with order.

2-Yr. Guarantee Bond in Writing With Each World Storage Battery

proves satisfactory World performance. Mail this ad with your name and address — we will ship battery day order is received; and give you your choice of "B" Storage Battery or a handsome nickel finish Auto Spotlite, FREE. Write TODAY.

WORLD BATTERY COMPANY

1219 So. Wabash Ave. Dept. 10, CHICAGO, ILL.


This FREE "B" Storage Battery takes the place of dry cell "B" batteries. Can be recharged and will last indefinitely. To be sold retail for \$6.00. It is the only battery of its kind equipped with solid rubber case—and insurance against acid and leakage. Take advantage of this remarkable introductory offer NOW. (To those who prefer it, we will send FREE a handsome nickel finish Auto Spotlite, instead of the "B" Battery. Be sure to specify which is wanted.)

GIVEN FREE

To introduce this new and superior World "B" Storage Battery to the Public.



You Know These HEADBANDS



Simple friction slide adjustment. Most satisfactory on the market. No thumb screws to bother with or to catch in the hair.

Two yoke sizes fit any 'phones. Bands covered in Black or Khaki tubing.

Prompt deliveries on any quantity.

\$500,000.00 worth of special and automatic machinery assures quantity output and guaranteed delivery for manufacturers and dealers on any radio equipment.

Submit sample of product. Write for prices.

THE AUTOYRE CO.
OAKVILLE, CONN.

Operate your radio from your lamp socket with a

Gould Unipower Battery

For complete information address

GOULD STORAGE BATTERY CO.,
30 East 42nd Street, New York

INVENTORS who derive largest profits know and heed certain simple but vital facts before applying for Patents. Our book *Patent-Sense* gives those facts; sent free. Write **LACEY & LACEY**, 631 F St., Washington, D. C. Established 1869.

gram, do not hear all the words, and are disturbed by others near us, who are not as interested as we are. When we go by radio, we may have a dozen ears, all carefully placed for us to catch every syllable and note of the performance, and protected from any disturbing noise. If it is a church, there is one ear to hear the organ, or perhaps two or three. There is another for the choir, another for the pulpit, another for the belfry, and so on. There is an operator there to change us from one ear to another as the service proceeds.

Each evening we have hundreds of electrical ears, carefully placed for us in the most interesting places in the country. We sit quietly and comfortably at home, and we make any one of those ears our own. We listen where we please, and if we do not like it, we change. If the ear at the Chicago Hotel is not entertaining us, we change to one in Philadelphia, or Montreal. The miles between us have lost their meaning.

Naturally, we are learning to be very critical about what this new extension of our ears brings to us. We have much to say about quality, and faithful reproduction, but we shall have to be patient, and we shall have to be reasonable. Who will say that the radio reproduction of the distant orchestra is any less faithful than the photograph of the Grand Canyon, or the motion picture of Niagara Falls? Who will say that what we get by radio from a national convention is any less accurate or informing than what we can learn about it from the newspapers? Who will say that radio, with its few brief years of development, has made less progress than any other art, in extending our senses to a distance?

THE VALUE OF HIGH FREQUENCIES

Radio experts of the Navy have achieved phenomenal results with high frequency short wave transmitters operating in the neighborhood of 3,000 kilocycles.

Commenting on regular tests, Dr. A. H. Taylor, Superintendent of radio at the Naval Research Laboratory at Bellevue, D. C., said:

"The American Radio Relay League is co-operating with us in the tests we are making, and we are receiving reports from observers in the following states: Maine, New Hampshire, Massachusetts, Rhode Island, Connecticut, New York, New Jersey, Pennsylvania, Virginia, North Carolina, South Carolina, Ohio, Kentucky, Tennessee, Georgia, Florida, Louisiana, Illinois, Wisconsin, Michigan, Minnesota, Iowa, Missouri, Oregon and California.

"We are also receiving reports from Canada regularly and occasionally from Porto Rico. We have had reports from Brazil, France, Holland and England, and hope for some from other countries before long.

"What we are attempting to do is get a line on the seasonal variation of transmission and on the reliable range which can be obtained with a given amount of power. It will take considerable time, perhaps another year, to conclude these experiments and we are now in no position to make final statements as to what can or can not be done. We are simply collecting a large amount of data, increasing the number of observers from day to day and relying very largely on the co-operation of American amateurs.

One of the most interesting things about this work is that it does not in any way interfere with broadcast listeners, as it would be impossible for any of them to be aware of it when we are transmitting on our highest powered set. That is because our sets all operate on pure C.W. with a very steady pure wave, free of those irregularities which

You Can't "Blow" Out YOUR TUBES!



Equip your radio with a Protect-O-Tube! Then short-circuiting absolutely *cannot* blow out a tube. Experiment with your circuit as much as you please. No slip of the screw driver can cause a blow out. You could even throw a handful of steel wool into your set. No damage! Nothing else like Protect-O-Tube on the market. Saves you *dollars* and *dollars* of tube money. *Not a fuse.*

Protect-O-Tube \$1.35

One protects your entire set of any number of tubes

Radio owners are taking Protect-O-Tubes as fast as they can be produced. Manufacturing facilities now increased to supply everybody. Easily attached in a few moments. Get a Protect-O-Tube today.

At Your Dealer's

If your dealer has not yet stocked Protect-O-Tube have him order for you and we will send it immediately

JOBBERs and DEALERs: Write or wire us regarding supplies of the fast-selling Protect-O-Tube to take care of your trade. Extremely attractive sales proposition. Protect-O-Tubes come grouped on handsome display cards, all ready for hanging. Advertising campaign in big mediums now scheduled.

THE DON-MAC CO., Dept. 10
29 S. Desplaines Street, Chicago, Ill.



Tested and approved by Radio News Laboratories. Sold on Money-Back Guarantee

PATENTS

C. L. PARKER
Formerly Member
Examining Corps,
U. S. Patent Office.
PATENT - LAWYER
McGill Bldg., Wash., D. C.

Patents, Trade Marks, Copyrights, Patent Litigation
Handbook for Inventors, "Protecting, Exploiting and Selling Inventions," sent upon request.

68 Stations on Crystal

without tubes or batteries. You fellows who haven't tried my hook-up don't know what you are missing. Write

LEON LAMBERT
595 Volutsia, Wichita, Kansas

PATENTS

Trade-Marks, Copyrights and Patent Litigation
Write for advice and instructions how to proceed, costs, etc. Hand Book with illustrations of 100 Mechanical Movements sent free on request.

ALBERT E. DIETERICH
Patent Lawyer and Solicitor
Successor to Fred G. Dieterich & Co.
690A Ouray Bldg., Washington, D. C.



PATENTS

DON'T LOSE YOUR RIGHTS
Before disclosing your invention to anyone send for free blank form "EVIDENCE OF CONCEPTION" to be signed and witnessed.
LANCASTER & ALLWINE
Reg. Pat. Attys. in U. S. and Canada
270 Ouray Bldg., Washington, D. C.
Originators of the form "Evidence of Conception"

Build a Super-Heterodyne Receiver
Use the



Branston Kit No. R-99

Contains: 1 Oscillator Coupler, complete with mounting brackets, bank wound inductance and adjustable coupling coil with locking device; 3 Intermediate Radio Frequency Transformers, very sharply tuned and completely shielded; 1 Special Transfer Coupler for first or last stage of Intermediate Frequency; and 1 specially designed Coupler for using Antenna

\$36.50

Branston-Guaranteed

This apparatus is of standard Branston Quality, rigorously tested and proved better than anything heretofore obtainable. Its efficiency and superior performance will delight you.

"Superheterodyne Construction"

(one dollar) With this book The amateur can easily make a complete and efficient Super-Heterodyne Receiver that will be extremely selective, give remarkably fine quality of tone and be noticeably free from interference.



Chas. A. Branston, Incorporated
817 Main St., Buffalo, N. Y.
Your dealer has Branston Kits or can get them for you.
In Canada—Chas. A. Branston, Ltd., Toronto, Ont.

Add miles and smites with Branston Radio Parts.

RADIO PAYS BIG
EARN \$3000 to \$9000 a Year

Enter fast growing radio field, thousands of big pay jobs waiting for you. U. S. Gov't., Steamships, R. R's., Corporations eagerly seek Radio trained men. Advancement rapid, earn from \$3000 to \$9000 yearly.

Prepare for Big Pay in Spare Time

My reputation as Radio Engineer and instructor insures you complete, speedy success, at home in sparetime; **earn while you learn.** I make you expert in radio designing, building, repairing and operating and teach you only practical "inside" dope. You quickly complete my course and step out into Big Pay. No experience required.

FREE RADIO OUTFIT 1000 MILE TUBE SET

For a short time I will give tube radio set in handsome cabinet to men who enroll now, absolutely FREE. Send at once for my FREE wonder-book of inside Radio "dope."



A. G. MOHAUPT, Radio Engineer, RADIO ASS'N OF AMERICA
4513 Ravenswood Avenue, Dept. 1510 CHICAGO

Dear Sir: Send me your FREE Radio Book and your limited plan without cost or obligation.

Name.....
Address..... City.....

RADIO FOUR-PHONE PLUG
for STANDARD JACKS
CONNECTS IN SERIES ONE TO FOUR HEAD SETS
The **BARKELEW ELEC. MFG. CO.**
MIDDLETOWN, OHIO. CAT. NO. 616



are so prone to cause interference in broadcast receivers. The wave-length is so far removed from the broadcast listening band that it is not possible for such receivers to pick up our signals even if they desired to do so."

Further observations indicate that high frequency transmission is frequently better in darkness than daylight and that it fades less. In a report to the Navy Department, Dr. Taylor writes as follows:

"This laboratory has recently been carrying on extensive tests, both daylight and after dark, at frequencies between 1,500 and 3,000 kilocycles. Long distance so-called freak transmission after dark on high frequencies is no new thing, and has hitherto been of little interest to the naval service because of its utter unreliability, but in recent years, the advent of the tube transmitter for high frequencies permitting C.W. reception, and the enormous improvements that have been made in receivers for high frequencies, puts the matter in a somewhat different light. Furthermore, experimental work done by the Westinghouse Co., by the Bureau of Standards and by numerous amateur experimenters, has shown that if the frequency is high enough, some apparently new phenomena of transmissions take place and the intensity of signals apparently does not in any way follow the well known Austin-Cohen transmission formula. Amateurs have succeeded in bridging almost unbelievable distances, using frequencies in the neighborhood of 3,000 kilocycles.

"The Westinghouse Co. has been experimenting for several years with these frequencies and information is at hand that they have discovered that great distances can be regularly bridged with very small amounts of power if the frequency is high enough. They found, for instance, working between Pittsburgh and Cleveland, that at 3,000 kilocycles transmission was possible by daylight, but better after dark. On the other hand, at 3,500 kilocycles, (80 meters) the transmission was actually better by daylight than after dark. They also found a remarkably lesser degree of fading and swinging of signals on these high frequencies than on those well known in the amateur range within 1,500 kilocycles. They further found very much less in the way of atmospheric disturbances, thus permitting very high amplification in the receiver. They are actually running a regular broadcast schedule between Pittsburgh and Hastings, Nebr., on 94 meters. The Hastings station relays these signals on a wave-length suitable for the broadcast receivers, thus availing itself of the Pittsburgh programs.

"These experiments have been more or less borne out by the tests which this laboratory has made on the infralect transmitter. It has been comparatively easy to work as far west as Detroit in the daytime and as far north as Connecticut. As a matter of fact, a considerable number of stations within a radius of several miles have been comfortably communicated with both by daylight and after dark. Until recently, the shortest wave-length which this transmitter reached, was 110 meters (2,726 kilocycles). On this frequency considerable fading had been observed both by daylight and after dark, but it is not as pronounced, as it is on somewhat lower frequencies. This transmitter can readily be modified to go down to short waves or higher frequencies, and further experiments in this laboratory will be made. Successful tests with 54 meters have also been made.

"It is well known that other countries, particularly France and England, are prosecuting such investigations very actively. It is reported that entirely satisfactory daylight transmission between Paris and Nice has been obtained on a wave-length of 56 meters, which is about 5,500 kilocycles. It is well known that Marconi has succeeded in bridging considerable distances in the

Simplify Your Tuning
with
E-Z-TOON
(EASY TUNE)
Radio Dials



Stations that are hard to get are brought in quickly with E-Z-TOON dials. They give that vernier control so essential to easy tuning, selectivity, and long distance. They have a smooth easy movement, no cogs, gears, back lash or lost motion. There are two dials in one, the smaller one having a ratio of 50 to 1. This gives you closer tuning than you ever dreamed of before. Easily installed. Just take off old dials, slip on E-Z-TOON and tighten the screw.

3" dials \$2.00
4" dials \$2.25

Write for illustrated folder.

E-Z-TOON Radio Co.
3234 W. Washington St., Indianapolis, Ind.

Build Style into Your Radio
With a **JUNIOR BENCH SAW**



Make your radio a handsome piece of living-room furniture by building a cabinet for it. Make money building cabinets for others. Easy to do with the Junior Bench Saw. It does your mitering, rapping, rabbeting, tenoning, sanding, grinding with ease and accuracy. Special blades cut bakelite. Saws 1 1/2" wood. Driven by 1/3 h.p. motor attached to any light socket.

SOLD ON ABSOLUTE MONEY BACK GUARANTEE
Write for descriptive folder
W. & J. BOICE, 1730 Norwood Ave., Dept. 810, Toledo, O.

20 FT MAST
\$ PREPAID
\$ 10.

Install this steel aerial mast for greater range and better results. Neat, substantial construction. 20 Ft. Mast, \$10. 40 Ft. Mast, \$25. 60 Ft. Mast, \$45. Freight prepaid if remittance is sent with order—otherwise C. O. D. Write for circular.

S. W. HULL & CO., 2048 East 79th Street, CLEVELAND, O.

HUDSON-ROSS
RADIO HEADQUARTERS
sells to dealers only.
Write for discounts.
123 W. Madison St. Chicago

RADIO Buyers' GUIDE
FREE 100 Pages
Get it now, before you buy anything just send your name.
Liberty M. O. House, Dept. 685x, 106 Liberty St., N. Y. C.

WALNART
"TROUBLE-PROOF"
RADIO PRODUCTS

neighborhood of 100 miles by telephone at a wave-length of 15 meters, or a frequency of 20,000 kilocycles. This he did with the aid of reflectors, which brings up the point that if the wave is short enough, or the frequencies high enough, it is possible to build a sort of reflecting screen of parabolic shape which is not too large and cumbersome, and will confine the energy to a considerably smaller beam. This obviously permits small power to be used with remarkable efficiency.

"The 100-meter transmitter of the Westinghouse Co., at its Springfield works, is said to have been copied in Denver (telegraphic transmission without the aid of antenna or ground). The Navy intrafleet transmitter has been copied in Baltimore on its lowest power with only a few hundredths ampere in its antenna, also without the use of antenna or ground. The intrinsic radiation on these short waves is extremely high.

"There is a field of investigation here which, in the opinion of the laboratory, should be entered by the Naval service to keep abreast of other countries. The number of possible channels of communication at these very high frequencies is almost infinite theoretically, and is very large practically."

RADIO STATION IN MANILA

The establishment of a large radio station by the Radio Communication Company of Hongkong was discussed recently before the American Chamber of Commerce of Manila, according to a report to the Department of Commerce. This company has already obtained grants from the Portuguese Government for the erection of a station in Macao, and has plans under way for the erection of stations in Hongkong and Shanghai. It is expected that if such a station is erected in Manila, regular programs of music will be broadcast several times a week. Such a project was contemplated by an American firm about a year ago, but the plans fell through.

U. S. RADIO EXPORTS INCREASE

Radio exports from the U. S. during June totaled \$307,884, against \$295,677 in May and brought the total for the fiscal year up to \$4,062,420, an increase of more than a million dollars over last year.

AMERICA'S FIRST FLOATING BROADCASTER

The U. S. S. *Leviathan* is the first floating broadcast station. It is not officially licensed to broadcast, but is operating on an experimental license with the call WSN, and the U. S. Shipping Board has applied to the Department of Commerce for permission to broadcast while at sea.

During a recent trip to Europe, the *Leviathan* sent out several concerts supplied by this ship's famous band and the artists aboard. These concerts were picked up by several ships which reported them with thanks. A station of the British Broadcasting Co. also intercepted the concerts and re-broadcast them from the company's stations in England, resulting in many letters of appreciation from British fans who enjoyed the entertainment aboard the ship.

Commenting on the experiment, an official of the Shipping Board said that while the broadcasting was not established permanently, the trials had proven that broadcasting of radio concerts at sea was practical and appreciated by thousands of persons out of range of most land broadcasters, and other means of amusement. Little interference is anticipated from the *Leviathan*, and it is pointed out that in New York a number of broadcasters transmit daily although there are several commercial stations in operation and many ships constantly on the air, all operating efficiently and satisfactorily. This is taken as an indication that the sea


FROST-RADIO

Ask Your Neighbor


Striking examples of FROST-RADIO Quality



FROST-RADIO No. 650
Plain Rheostat, \$1.10



FROST-RADIO No. 651
Vernier Rheostat, \$1.25



FROST-RADIO No. 654
Potentiometer, \$1.25

THE high quality of **FROST-RADIO** Genuine Molded Bakelite Rheostats and Potentiometers is strikingly illustrated in the items shown here. The frames are maroon color molded Bakelite, highly polished. Knobs are of the same material, but black in color, and fluted and shaped to permit of close regulation. We use finest quality resistance wire. We triple nickel plate all metal parts. Action of any **FROST-RADIO** Rheostat or Potentiometer is smooth and even. Rheostats made in 6, 25 and 35 ohm plain and vernier types, potentiometers in 200 and 400 ohm types. All have single hole mounting feature.

Your copy of this book Free on request

Your dealer can supply you with **FROST-RADIO** Rheostats and Potentiometers, as well as **FROST-FONES** Plugs, Jacks, Extension Cords, Jack Boxes, Switches, Sockets, Adapters, and other items. Upon request, we will gladly send you copy of our 40 page catalog of all **FROST-RADIO** items. Address Dept. 15F503.



Many thousands of good dealers in every part of the United States and Canada carry **FROST-RADIO** in stock. There is a dealer near you who can supply you with apparatus bearing this well known trade name.

HERBERT H. FROST, Inc.
154 West Lake Street, Chicago, Ill.
New York Cleveland Kansas City Los Angeles

REPAIRING

of all Styles of Amplifier, Detector or Power Tubes

You will like the working characteristics of our tubes, as they are absolutely correct in Vacuum and Filament.

Send them in P.P. and have the satisfaction of knowing that your tubes are as efficient as scientific methods can make them.

5 Watt Tubes, \$3.50. All others, \$2.50

Send them today to

WAYNE RADIO TUBE LABORATORIES

2217 Lafayette St. (At Rear)

Ft. Wayne, Ind.

Insure your copy reaching you each month. Subscribe to Radio News—\$2.50 a year. Experimenter Publishing Co., 53 Park Place, N. Y. C.

\$25 for \$10



THE FAMOUS
THE ACOUSTICAL AMPLIFIER
BEL-CANTO
TRADE MARK
Acoustical Amplifier

Comes to your home direct from the factory thereby

Eliminating Three Intermediate Profits

This handsome Crystalline finished fibre horn 22" high guaranteed for one year against mechanical defects of any kind, contains a distinctive adjustable loud speaking unit, assuring wide range of tone and volume, without distortion. The base of cast iron insures stability, while all other metal parts are composed of highly polished aluminum.

No auxiliary batteries are required to operate the Bel-Canto Loud Speaker. Plugged in direct on second stage, it will give you a new idea of the possibilities of your set.

PRICE \$10

MONEY REFUNDED WITHIN TEN DAYS IF DISSATISFIED

Send check or money order or pay postman \$10.00 upon delivery. We pay the postage to any part of the United States and Possessions.

Coming—Our New Exclusive Head Set—Thinner Than Your Watch—the Only Head Set in the World Eliminating the Uncomfortable Head Band. Weight Less Than Four Ounces.

SENT FREE RADIO LOGGING CHART. GET ONE

BEL-CANTO MFG. CO.
BENSEL-BONIS, INC.
General Office and Factory, Dept. R.N.
417-419-421 East 34th St., New York City

Let **HOMMEL'S** experience guide you



This organization was one of the pioneer wholesale distributors of radio equipment. They have seen hundreds of retailers come and go—they know from experience "what and when and how" dealers can best sell radio supplies and enjoy a satisfactory margin of profit.

HOMMEL'S Dealer Service Department is maintained for your benefit,—their experience and advice will prove helpful to you in many ways, and this service is cheerfully given any time without charge.

Get in touch with us today. — write for the new HOMMEL encyclopedia 256S—profit by HOMMEL'S experience—it is paying hundreds of other dealers—why not you?

LUDWIG HOMMEL & CO
929 PENN AVENUE PITTSBURGH, PA.

broadcasting on a suitable wave-length would be a step in advance, which would not affect adversely the exchange of radio telegraph communications nor decrease the present efficiency in the radio watch maintained for distress signals on 600 meters. The approval of the Department of Commerce is being sought and it is believed that an international understanding will eventually have to be secured in order to eliminate needless interference both afloat and ashore, before ocean radio concerts can be permanently established.

AMERICAN RADIO STATIONS IN EUROPE IMPROVE

Two radio experts of the Navy Yard at Washington have completed the overhauling of the Shipping Board radio receiving station in London and the Naval receiving station at the American Embassy at Paris. Improvements made have greatly increased the efficiency of the two receiving sets and in consequence improved the two trans-Atlantic circuits, it is reported. Improvements made at Annapolis will also tend to improve the long distance transmission of official dispatches to England and France.

In consequence of the added efficiency of the Shipping Board station in London, the officials of the Board may route all European dispatches via London, as that station is apparently better adapted to receive radio messages from the States than is the Paris station. In this event, air mail delivery the same day to Paris would be employed. Improvements at Paris may, however, eliminate this transfer of traffic.

Previously NSS, Annapolis, has been sending official dispatches twice, repeating at a slow rate of speed, to Paris at 4 a. m., after the press is cleared. Sometimes reception has been so bad that delays as long as three days have resulted.

A comparison between radio reception at London and Paris shows that 340 messages comprising 16,878 words were received at London, with the repetition of only 2,174 words, that is, 87 per cent. of the words were received the first time; whereas at Paris, out of 275 messages, including 16,047 words, 5,234 were repeated, in addition to repeating the whole series of messages. Consequently this test, although made some time ago, showed that Paris only received 16 per cent. of the words the first time, causing a great delay. Out of a total of 23,094 words received, 10,468 were repeats.

The personnel of the Shipping Board station in London is said to be anxious to handle more traffic, all scheduled for Paris in fact, unless the recent changes in the set there improves the reception, but the Board has made no announcement approving the plan.

NATIONAL COMMITTEE PLANS MILLION DOLLAR RADIO FUND FOR AILING VETERANS

Once in a century or so, an idealist starts something which gains momentum and size as it is pushed along, like the formation of a gigantic snow ball: This century it was the idea of S. R. Rothafel, of the Capitol Theatre in New York, who thought it would be a boon to sick and injured war veterans if they could hear an occasional radio concert.

Roxy, to use his popular name, was well known in the east, when he conceived the idea a few months ago; now he is known on the other side of the Mississippi and the snow ball, which he started at WEAF, is rolling toward the Pacific coast. It is so large and solid it is not likely to melt before some 200 hospitals are equipped.

His idea has been accepted by the whole country, and a national committee, including the heads of several Governmental Departments at Washington, together with admirals

Red Devil Tools  **Better Made**

"Red Devil" Slip Joint Pliers

Your radio set deserves a pair of "Red Devil" forged steel pliers. As useful as a kit of tools. It's economical to buy two pairs—one for the radio set, one for the home.

At all hardware dealers. Mention style 924—6½ in. 60c a pair.

SMITH & HEMENWAY CO., Inc.
Mfrs. of "Red Devil" Tools
273 Broadway, New York, N.Y.



EASTERN COUPLER and Inductance



Price **\$6.00**
An Unrivalled Value

100% EFFICIENT for the SUPERDYNE CIRCUIT

This circuit, which uses only four tubes, is the ONLY RIVAL of the SUPER-HETERODYNE and surpasses all other circuits for all around efficiency.

Radio engineers all endorse the EASTERN COUPLER for maximum results with the Superdyne Circuit.

Wound with double silk wire on genuine bakelite tubing, with moulded rotor.

This circuit is less expensive to construct than most 3 tube sets.

Picture hook-ups and material list FREE with each coupler.

Mail Orders Filled. Dealers Communicate.

EASTERN COIL CORP.
22 Warren St. Dept. R.N. New York, N. Y.

ATOMITE **THE CRYSTAL FOR POWER + VOLUME**



GUARANTEED

LOUD EVERYWHERE. A SIZABLE CHUNK—SENSITIVE ALL OVER. ATTRACTIVELY MOUNTED

PRICE 50c POSTPAID

NION **PRICE \$1.00 POSTPAID**

FIXED DETECTORS—ARE LOUD AND CLEAR.



NICKEL PLATED Especially Adapted for REFLEX DURABLE

PAT. APPLIED FOR

THE KEYSTONE PRODUCTS CO.
168 Gardenia Avenue, MICHIGAN

ROYAL OAK, MICHIGAN

and generals, has just completed a plan to equip every hospital in the United States, wherever a single war veteran is quartered, with radio receiving facilities. Cities, communities, broadcasters, newspapers, manufacturers and practically everybody has promised co-operation, and to date hundreds of thousands of dollars have been collected or pledged. The aim of the national committee is to raise a million dollars, through the aid of state and municipal committees, the funds to be used solely for equipping local hospitals where veterans of the World War are being cared for. Both the heads of the Army and the Naval medical services have endorsed radio as an efficient aid in the recuperation of government patients.

Already funds sufficient for the military and naval hospitals of the District of Columbia have been raised and the hospitals equipped. New York has collected approximately \$125,000; Chicago several thousands of dollars; Providence has given about \$15,000; and Boston is conducting a campaign for \$50,000. This money is used solely for the purchase of equipment, there is no overhead, and manufacturers are quoting especially low prices.

Soon it was discovered that the scheme was taking everywhere; the burden of the work became too great for "Roxy and his Gang," and he appealed to Maj. General Lejeun, Commandant of the U. S. Marine Corps, and his former commander. Today practically the whole National Government is behind the plan. The executive committee has established National Headquarters of the "Roxy Radio Fund," in the Munsey Building at Washington, D. C.

Experts on radio from the Army, Navy and Bureau of Standards co-operated in designing and installing the first large receiving unit at Walter Reed Hospital, in the District of Columbia, which provides head phones for 1,000 patients, and serves four loud speakers. This model unit worked so well that it has been made the standard of similar equipment for all hospitals.

Surveys of 160 hospitals east of the Mississippi River are already completed or are under way, in order that the individual needs may be in hand when the local district committees complete their canvasses for funds with which to purchase equipment.

The survey itself is now reduced to a simple form, due to the activities and forethought of the experts of the National Committee. A standard form of radio specifications has been adopted, based upon the Walter Reed equipment. A blank form is sent to each hospital, and the data filled in by an attache. He specifies how many patients, what facilities for a central receiving room are available, method of wiring, and the length of wire necessary. He also records the number of insulators needed, switches, bridle rings, receptacles, loud speakers for each assembly room, head phones, which should be ten per cent. over bed capacity of hospital, conduit pipe and even the number of tacks required. To aid him he has the standard specifications and a model wiring diagram of everything from the antenna to the head phones and ground.

WALTER REED EQUIPMENT

The radio programs are received at Walter Reed Hospital on one master receiving set which feeds, by means of an impedance matching transformer, into an audio frequency power amplifier, which, in turn, feeds into the 1,000 phones in parallel through another impedance matching transformer. The lines which run from the output transformer to the various wards and across which the phones are connected, may branch at any point and a double-pole switch is provided at every branch point in order that any trouble which may develop in the system may be isolated and more easily located.

The method of connecting the phones to the line is by means of a two-prong push

CELESTO PANEL
 SHADOW BLACK
 comes in these sizes:

7x9	7x30	6x24
7x10	7x40	6x26
7x12	6x9	6x28
7x14	6x10	6x30
7x18	6x12	6x40
7x21	6x14	8x12
7x24	6x18	8x40
7x26	6x21	9x28
7x28		

**CELESTO
 "SHADOW BLACK"**

THIS is the most beautiful radio panel ever developed! All the unsurpassed insulating qualities of genuine Hard Rubber — and striking beauty besides — because CELESTO Panels are genuine Hard Rubber.

SHADOW BLACK Celesto Panels cannot scratch; they cannot show finger marks.

No illustration can convey to you the actual beauty of SHADOW BLACK Celesto Panels. Go to your dealer today and inspect them! And remember that he stocks a complete line of the standard CELESTO Panels.

TRIANGLE RUBBER & SUPPLY CO.
 68-74 South St. Boston, Mass.

One Thousand Agents Wanted

WE want one thousand agents to sell subscriptions to RADIO NEWS, SCIENCE AND INVENTION, PRACTICAL ELECTRICS AND MOTOR CAMPER AND TOURIST. We will pay a generous commission for this work and help you in every way. Our four publications are leaders in their fields, ready sellers and this is an offer well worth your while. A few spare hours a day will bring you a handsome return. Write regarding our proposition at once and be the first to get started in your vicinity.

EXPERIMENTER PUBLISHING CO.
 53 Park Place New York

**SCIENTIFIC
 FIXED CRYSTAL DETECTOR**
 BEST BY TEST
 Price, \$1.50
 Manufactured By
 SCIENTIFIC RESEARCH LABORATORIES
 502 N. Howard Street Baltimore, Md.

Be a Motion Picture Photographer
 \$100 to \$250 a week. New plan qualifies you quickly in spare time at home. Earn while learning. Also opportunities in Commercial, Studio Portraiture and News Photography.
CAMERA FREE Motion Picture or Professional View Camera. New Booklet explains everything. Write today. New York Institute of Photography, Dept. 5610, 143 West 36th Street, New York City.



Cannon-Ball Headset
\$3.50

If you want to hear the actual tones created miles away, choose Camco Cannon-Ball. It is highly sensitive, comfortable, durable and will give you the service you desire.

Examine the highly polished, aluminum Cases, chrome steel Magnets, special alloy Cores, Formica core heads, silicon steel Diaphragms, black composition Caps, et cetera. Ask your dealer about the resistance, turns per coil, impedance, et cetera. If you were asked to name your own price, we believe you would offer a much higher price for the Cannon-Ball Headset which weighs only ten ounces complete with headband and cord.

But, Cannon & Miller have produced real radio headsets for over 8 years. And large production in the hands of Camco craftsmen specializing on headsets and loud speakers, means a quality phone at a fair price.

Invest your money wisely—Camco Cannon-Ball, \$3.50; Camco Grand, \$4.75, and the



CAMCO
Loud Speaker
\$9.50

The brown fibre, Camco Loud Speaker pictured here is a very pleasant family friend. Twenty-two inches tall. Ten inch bell. Artistic, black enamel metal base and six foot, durable black cord. Complete with a clear, mellow tone Camco Loud Speaker Unit making a quality speaker at a fair price. At your dealers.

DEALERS: Ask your jobber about Camco products or write for complete details.
CANNON & MILLER CO., Inc.
SPRINGWATER, N. Y.

RADIO TUBES
REPAIRED.

Like **\$2.50** and new **\$2.50** guaranteed.
ALL TYPES.

Mail in your burnt-out or broken tubes. Satisfaction guaranteed. Prompt service on mail orders.

OHIO RADIO SALES, Dept. R
723 ROSE BLDG. CLEVELAND, OHIO.
Dealers: Write for our proposition.

Insure your copy reaching you each month. Subscribe to RADIO NEWS—\$2.50 a year. Experimenter Publishing Co., 53 Park Pl., N.Y.C.

plug and receptacle similar to those used for electrical lighting appliances. The phone cords are provided with eyelets instead of the customary tips so that they may be connected or disconnected at will, but all phones connected to the lines must be of the same manufacture and type.

In the temporary buildings the wire (No. 19 copper inside twisted pair) is attached by tacks directly to the walls and is left exposed. The receptacles are mounted at the head of each bed, in wood blocks with brass face plates. The phone cords provided are eight feet long. In the permanent buildings the wire is concealed under wood moulding, which is the height of the beds and is similar to a chair rail around the room. The connections between buildings were carried on bridle rings through corridors connecting the building, No. 17 copper clad outside twisted pair was used.

The entire receiving and amplifying equipment with batteries and charging equipment is housed in a basement room of the main building and is in charge of one man, not a patient, who is responsible for the equipment. It is the duty of this man to take care of the batteries and receiving equipment, to adjust the receiving set and control the volume of sound delivered to the line. A pair of phones is provided in parallel with the rest of the system so that the operator at all times knows the volume with which the patients are receiving the program. As phones are connected and disconnected it is necessary to vary the control to keep the volume the same. The operator must monitor the line continuously. An outlet is also provided in the office of the commanding officer so that he may properly supervise the volume, etc. There are two or more antennae available in order that local or distant stations may be received satisfactorily. A short antenna is used for local reception in order to minimize the noise from atmospheric strays and local disturbances, especially in the summer.

A spare receiving set is provided and so connected with switches that it can be substituted quickly. This makes it possible to select programs while the system is in operation and give continuous programs to the patients and not require them to listen to the noises which may be produced in tuning. Loud speakers are provided in four assembly rooms, and are operated from the same power amplifier.

PRIMARY RADIO FREQUENCY
STANDARDIZATION

A method of high accuracy for the primary standardization of radio frequency has been developed by the Bureau of Standards. Comparison is made between the frequencies of two alternating currents, one of radio frequency and one of an accurately known audio frequency by the use of Lissajous figures produced in a cathode-ray tube. The Lissajous figures were formed on the fluorescent screen by the alternating electric fields from two generating sets applied to two pairs of small condenser plates mounted in the tube at right angles to each other and to the electron stream.

The procedure adopted was to adjust a radio frequency generating set to a known multiple of the audio frequency by the use of the Lissajous pattern produced in the cathode-ray oscillograph.

The standard wavemeter was then brought into resonance with the radio frequency generating set and read for the known frequency. A range from 1½ to 22 times the known audio frequency was covered in this matter. Further extension of the frequency was made by use of an intermediate generating set which could be compared directly with the known audio frequency. The range of the wave-meter standardized in this manner is from 3.5 to 5,000 kilocycles.

The paper describing this work is Bureau

"ULTRA" Radio Reception

THE ULTRADYNE

The Ultradyne is the "Ultra" the finest in High Powered, 8-Tube Radio Receivers. It is designed by Robert E. Laeault, of the Staff of "Radio News," using the famous system of Modulation. It is one of the most consistent Receivers in getting signals from coast to coast. You can build your own ULTRADYNE at home, using the CONSRAD Pattern No. 10. This pattern contains a simple 4-page pamphlet of instruction that anyone can follow, and an extra large blueprint, 30" x 18", showing the complete wiring diagram and layout, full size. The entire pattern is enclosed in a handsome 9 x 12 inches two-color folder.

PRICE
50¢

Prepaid
Pattern No. 10
How to make
the Ultradyne

The Consrad Company
233 Fulton Street
New York City

Consrad

"RADIO'S FOREMOST PUBLISHERS"

WHY PAY MORE?

RECHARGEABLE			
50 Volts	\$5.50	100 Volts	\$10.00
75 Volts	\$7.75	125 Volts	\$12.50

Recharge from any 110 volt A.C. line with small home rectifier. Shipped fully charged and ready for use after adding acid. Will last for years with ordinary care.

6 Volt	\$14.00
80-100 Amps	
6 Volts	\$16.00
100-120 Amps	

2 YEAR GUARANTEE
INDESTRUCTIBLE RUBBER CASE

SERVICE BATTERY CO.
704 East 102nd St., Cleveland, Ohio

of Standards Scientific Paper No. 489, "Primary Radio Frequency Standardization by Use of the Cathode-ray Oscillograph," by G. Hazen and F. Kenyon. Copies may be obtained for 10c each from the Superintendent of Documents, Government Printing Office, Washington, D. C.

U. S. REFUSES TO PUT COMMUNICATIONS UNDER GOVERNMENT

The first Inter-American Conference on Electrical Communications, which met in Mexico City recently, passed conventions controlling cables, telegraphs and radio and adjourned to meet next year at Rio de Janeiro, but the United States is not a party to the agreement, according to Allan H. Babcock, American Delegate, who recently reported to the State Department.

When Secretary Hughes will officially announce the position of the United States is not known, although he has received a copy of the convention passed by the seventeen Southern Republics, and has also the report from Delegate Babcock, on whom the final details of the work fell. Ambassador Warren and Representative White, the other delegates, were unable to remain in Mexico, due to important business in the U. S., and returned to Washington.

The personal opinion of Mr. Babcock, who was interviewed in Washington on his return, is that the United States will not submit to any treaty which would place its communication systems, and the industries back of them, under Government ownership or control. "While recognizing the right of each government to determine its own policy with regard to the ownership and operation of its electrical communications, the United States advocates the principle of private ownership and management, subject to just and reasonable governmental supervision," he said. "This is the basis upon which the comprehensive communication systems of the United States have been developed," he explained; adding that in this country measures adopted for the protection of public interest conform with the principle that governmental supervision of private enterprises must be general in character and must not deny unduly, or interfere with, the rights of management inherent in the ownership of property.

Mr. Babcock believes that Inter-American Electrical Communications can best be extended and improved by encouraging private initiative and the investment of private capital in that field. Capital invested in electrical communication systems, he asserts, should be adequately protected, and the owners should not be deprived of their property without just compensation.

It was for these reasons that the U. S. Delegates felt that they could not even participate in the Inter-American sessions, much less sign the agreements, which make for the establishment of a permanent union for the purpose of promoting government ownership of communication facilities and for the regulation of Inter-American communications in a manner that interferes with the rights of management inherent in the private ownership of such facilities in the United States. The agreement signed by the other American Republics contained provisions applicable only to internal communications, which are not believed to lie within the scope of international conventions. It is not confined to principles, but provides that detailed regulations be drafted later, which would have the same force as the convention proper, committing the signing parties to their acceptance, and also goes farther than was anticipated by the Santiago Resolutions.

Reiterating his statement made at the plenary session on July 16, Mr. Babcock said that on June 11, two conventions were presented on behalf of the United States: The first proposing the revision of the con-

FARAWAY GETS STATIONS FAR AND NEAR—LOUD AND CLEAR



AMAZING RADIO VALUES AT NEW LOW PRICE LEVELS

hear the *PRESIDENTIAL* campaign speeches by radio

With a beautiful Faraway Radio Set in your home you are always assured of a choice seat for that Opera in New York—the Symphony in Los Angeles—for the latest jazz music and market reports from Chicago—entertainment of all kinds from Havana, Dallas, Kansas City and hundreds of other stations.

Users tell us they have no trouble in getting from 15 to 35 stations in a single evening—far and near—loud and clear as a bell.

Operation and Construction

Faraway sets are easily tuned, extremely simple to operate and always dependable. Operate either with dry cells or storage battery. The latest improved type of set construction used only on high priced sets is employed. **SATISFACTION GUARANTEED.**

Faraway Cabinets are ornamental and massive—beautifully done in mahogany. The panel is finished in dull platinum with all calibrations finely etched in black.



MODEL R \$29⁵⁰
2 tube set sells for only.....
MODEL F \$59⁵⁰
4 tube set shown in illustration for use with loud speaker.....

Why Pay \$75 to \$150 for a Radio Set

You'll actually be amazed when you see these magnificent long distance sets priced so ridiculously low. You'll wonder how we can do it.

Our unique selling plan is the answer and we advise you not to buy your radio set until you get it.

There's a big surprise awaiting everyone who writes for our selling literature and money-saving proposition. Mail the coupon TODAY.

Dealers—Agents

Our Faraway proposition offers tremendous possibilities for you. Write quickly for plan and territory.

The Faraway Radio Company

651 W. Third St., Cincinnati, O.

MAIL THIS COUPON

THE FARAWAY RADIO CO.
Cincinnati, Ohio.
Gentlemen:
Without obligation send me:
 Your literature and details of money-saving proposition.
 Agents' Proposition.
 Dealers' Proposition.
Name
Address
City and State.....


ONE THOUSAND AGENTS WANTED

WE want one thousand agents to sell subscriptions to RADIO NEWS, SCIENCE AND INVENTION, PRACTICAL ELECTRICS AND MOTOR CAMPER AND TOURIST. We will pay a generous commission for this work and help you in every way. Our four publications are leaders in their fields, ready sellers and this is an offer well worth your while. A few spare hours a day will bring you a handsome return. Write regarding our proposition at once and be the first to get started in your vicinity.

Experimenter Publishing Co.

53 Park Place

New York



75c
"worth it"

Poly Plug

Eliminates every inconvenience so annoying in the operation of the unsatisfactory screw type plug.

There is no necessity to take Poly Plug apart, no screws to tighten, and what's even more important, positive contact is always maintained.

A wonderful feature of the Poly Plug is the tension slot, allowing the phone cords to be pulled and jarred without disturbing the contact.

At your dealers or sent post-paid on receipt of purchase price.



Polymet Mfg. Corp.
70-74 Lafayette Street
New York City

TERLEE

Here's a Coupler for the New Sodian Tube Circuit

Sensitivity, selectivity, no reradiation and remarkable freedom from static are the features of the new Sodian Tube manufactured by the Connecticut Telephone & Electric Company. But tubes alone won't make the set. Every unit must measure up. The famous high efficiency

Terlee Type "R" Vario Coupler

with its low dielectric losses and low distributed capacity is ideal for this hook-up. Plenty of selectivity and range for finest tuning. Adaptable to either panel or table mounting. \$7.50 each.

Special Sodian Tube Hook-Ups

Get these laboratory-tested hook-ups for the Sodian Tube Circuit—three blue prints with all the necessary details. Our experts have done the experimenting. All you need do is follow the simple instructions and you'll get tone quality equaled only by the crystal detector set with distance equal to a regenerative set. Send for these blue prints today. Price 15c set.

For best results, demand Terlee Products. If your dealer cannot supply you, send your order direct to us.

Terlee Electric & Mfg. Co.
Dept. A-10, 443 So. Dearborn Street
CHICAGO, ILL.

"Makers of Radio's Best for Better Radio Results"

HUDSON-ROSS

Sells only nationally advertised radio apparatus.
Send for discounts.
123 W. Madison St. Chicago

vention for the protection of submarine cables signed in 1884, and the second contemplating the revision of the London Radio Convention of 1912.

Commenting on the latter, Mr. Babcock, who is himself an active radio experimenter, in San Francisco, said:

"It is well known by those familiar with the great advances in the radio art that have taken place since the 1912 conference, that the provisions of the convention drafted there are obsolete and are not applicable to modern conditions and methods of operation. With a view of reaching an agreement which would replace the obsolete provisions of the 1912 Convention with provisions that would encourage the development and extension of radio facilities, it was earnestly desired that the Conference devote its attention to this subject. The draft of the Convention now before this Conference does not in any way take care of the difficulties that exist with respect to international radio communication, and does not deal with the situation in a constructive way. It is hoped that after the Conference adjourns, the proposals submitted will receive further consideration by the Governments represented here. It is the earnest desire of the United States to co-operate fully and whole heartedly in any program which will improve communication services and thereby unite the peoples of this hemisphere more closely and bring about a better understanding and more friendly relations between them. I can not join in recommending to the Pan American Union a Convention embodying principles contrary to the national policies of the United States, and substitute government ownership and operation for private ownership and operation through which its unparalleled communication services have been developed."

BROADCAST INTERFERENCE GREATEST RADIO HANDICAP

On August 1 the Bureau of Standards brought to a close the taking of 50,000 observations in its study of radio distance range, which has been in progress for two years. It had as its aim the securing of statistical data on the actual distances of broadcast reception and the effects of varying conditions such as fading, atmospheric station interference, radiating receiving sets, weather, etc. The observations were made on the signals from stations KDKA, Pittsburgh, Pa., and WLAG, Minneapolis, Minn., by about 200 voluntary observers located at varying distances up to 1000 miles from these stations. These tests were so organized and the recording forms so devised, that it is possible to analyze the complex data with mechanical tabulating machines.

Preliminary results indicate that the major obstacles to broadcast reception in these tests were: other broadcast stations, atmospheric and fading. The analysis of these will require considerable time, but the results will be announced as soon as available.

RADIO BEACON AT DAYTON GUIDES LOST PILOTS

The Army Air Service reports the first practical use of the Signal Corps revolving beacon at McCook Field, Dayton, Ohio, by pilots off their course to Columbus. This beacon, installed some time ago at Dayton, rotates on the principle of a revolving lighthouse, except that, instead of a beam of light, pairs of radio signals are sent out every five seconds. By listening in on a regular radio receiving set the pilot is enabled to steer his plane directly toward or away from the beacon. Keeping the pairs of radio signals at equal intensity makes it necessary for the plane to be either approaching the transmission station or flying from



Lego Wonder Fixed Detector


for
Reflex & Crystal Sets
Something entirely new.
100% Sensitive

**10 Important Features
Read Them Carefully**

- 1—No parts to replace or wear out.
- 2—The use of a NEW MATERIAL that effectively eliminates distorted and interrupted reception, and substitutes clarity and increased volume.
- 3—Absolutely 100% sensitive. No searching for sensitive spot.
- 4—Glass encased, it is immune from sun and dust.
- 5—Especially designed to withstand high voltage in reflex circuits.
- 6—Solidly constructed throughout, it is practically everlasting.
- 7—It is ALWAYS READY—no adjustments of ANY kind needed.
- 8—As good looking as it is efficient. High nickel-plated throughout, and attractively designed. It enhances the appearance of any set.
- 9—Constructed so that it is thoroughly VIBRATION-PROOF.
- 10—Carefully tested, approved and unconditionally guaranteed by its makers.

For Sale by All Dealers 90c. or Sent
Postpaid Insured \$1.00

Lego Corp., 225 W. 77th St., N. Y. C.



100 Volt Type

Your Money Back If You're Not Satisfied with KIC-O

We have thousands of unsolicited letters of recommendation. KIC-O "B" batteries will make good for you, too. Life unlimited. Not harmed by short circuiting, overcharging, idleness. Panel switches give single cell variations. Recharge from any 110-volt A.C. line with small home rectifier. Charge lasts 3 to 6 months in detector plate circuit.

	Price	With Plain Panels
22	\$5.50
32	7.25	11.75
48	9.50	14.00
68	12.50	17.00
100	17.50	22.50
145	23.50	28.50

GUARANTEE
Your money back on any KIC-O Battery if not satisfied within 30 days. Write for full information on "A" and "B" Batteries.

Mounted Rectifier \$2.50
Unmounted Rectifier 1.00

Kimley Electric Co., Inc.
2665 Main Street, Buffalo, N. Y.

KIC-O Storage "B" Batteries—long service, low cost.



One Charger for All Batteries

Charges 2-volt peanut tube batteries, 6-volt A Batteries, 6- and 12-volt automobile batteries, and 1 to 4 B Batteries. It's the

Valley Type ABC Battery Charger
VALLEY ELECTRIC CO., St. Louis, Mo.

Insure your copy reaching you each month. Subscribe to **RADIO NEWS** — \$2.50 a year. Experimenter Publishing Co., 53 Park Pl., N. Y. C.

it, no matter whether the plane is north east, south or west of the station.

While en route to Columbus from Dayton recently, Capt. W. H. Murphy and Lieut. A. J. Lyon of the Air Service undertook to fly by compass on account of foggy weather, but were unable to keep their course. Lieut. Lyon, the pilot, had never used the radio directional station, but as no land marks were visible and the wind was drifting their plane, further aid was needed.

The plane was the Radio DH, P-292, and as soon as the equal radio signal direction finding system was taken into confidence, the plane was set on the correct course and Columbus was reached without difficulty. There was no question as to its use on the return trip, and the result proved equally successful through persistent bad weather and stubborn drift winds. The compass was forgotten, as its reading was incorrect.

Captain Murphy made an interesting experiment on the return trip which leads to the idea that should two planes be traveling the same course, one, for instance, flying from Dayton to Columbus and the other from Columbus to Dayton, they could each keep slightly to the right of the course, thus avoiding collision and still be led to their destinations with great accuracy by the radio directional beam.

WEST COAST STANDARD RADIO TRANSMISSIONS

Arrangements have been made for the transmission of standard frequency signals for the Bureau of Standards by station 6XBM, Stanford University, Palo Alto, Calif. Beginning in September, these signals have given to the western part of the United States the same standard frequency service that is available in the eastern half of the country through the transmissions from the Bureau of Standards laboratory in Washington. In preliminary trials the 6XBM signals have been heard as far east as Minneapolis, Minn.

The signals duplicate those of the Bureau of Standards in schedule, character, and possible methods of utilization. The schedule of transmission on September 5, was similar to the Eastern schedule (also that on Sept. 22), except that the time was Pacific Standard time. The transmissions are from 11:00 p. m. the dates scheduled to 12:32 a. m. On September 5 the frequencies were from 300 to 666 kilocycles (1,000 to 450 meters) and on September 22 they will be from 550 to 1,500 kilocycles (545 to 200 meters).

Esperanto and Radio

An interview with Mr. Franz J. Schade, Gen. Secretary of the Esperanto Club of Austria.

By RICHARD NEWMANN

The question as to how we Esperantists should handle the radio transmission question was taken up during our opening conference in Geneva on April 22 and 23, in association with the International Radio Congress. It is perhaps interesting to note that this movement of ours was especially favored on the side of England, who sees in the Esperanto language a means for practical neutral understanding with the help of which we may hope to acquire a peaceful solution for all sides of the ever-burning problem of international understanding in the ether. The American Radio Relay League is coming to the same result in research now being brought out, namely, that Esperanto may be accepted as the only valid radio world language.

If one considers the ever-spreading scope of the radio movement, which with us is still in its baby-shoes, this question comes



THOR Speaker Lamp

[Patents Pending]

for perfect reproduction—
for beauty in your home!

AWAY with the ugly, awkward horn! Away with the ungainly reproducer that stands out like a sore thumb in the room! *Thor Speaker Lamp*, with its full, mellow, musical tone has come to give perfect reproduction and beauty to your home. It does not look like a loud speaker. The speaker unit is embodied in a beautiful floor or table lamp that harmonizes with the furnishings of your room. Hooked up to your receiver it is a perfect loud speaker—attached to your electric light socket it becomes a charming lighting fixture that improves the decorative effect of the room.

Containing a special speaker unit made by the famous Dictagraph Products Corporation, the *Thor Speaker Lamp* reproduces and amplifies, bringing out perfectly, not only the middle

tones, but the high and low as well. With *Thor Speaker Lamp* you do not have to sit directly in front of a horn to hear distinctly. The *Thor Speaker Lamp* is non-directional, which means that you hear it clearly in every part of the room. *Thor Speaker Lamp*, with its perfect reproducing qualities is entirely void of guttural and throaty sounds, so manifestly present in all horn types of loud speakers.

Thor Speaker Lamp is made in several models. You may choose either floor or table lamp, with either silk (any color) or parchment shades. The base is bronzed polychrome. *Thor Speaker Lamp* costs no more than the ugly, antiquated horn-type loud speaker. Table Lamp, any style, \$35.00 at your dealer's or by *Express Prepaid*.

Franchises in certain territories still open. Dealers are invited to write for full details.

THOR Radio Division of the Golden Gate Brass Manufacturing Co.

1239 - 1243 Sutter Street,

San Francisco, California

AMPERITE
The "SELF-ADJUSTING" Rheostat

PERFECT for every CIRCUIT

Simplifies wiring.
Eliminates hand rheostats.

RADIALL COMPANY
320 W. 42nd St., N. Y.

\$1 10

Write Dept. RN-3 for Free Hook-ups

From Your Dealer

SURE-FIRE D-X CRYSTAL

THE MARVEL OF ALL SYNTHETIC CRYSTALS

Extraordinarily supersensitive all over. Ideal on Reflex circuits. Tested, sealed, guaranteed. Indorsed by N. Y. Mail and Tribune.

50c. Mtd. at all dealers or sent postpaid.

Specialty Service Co., 9 Hanson Pl., Bklyn, N. Y.
Radio, Ltd., Montreal, Can. Canadian Distributors.

Insure your copy reaching you each month. Subscribe to Radio News—
\$2.50 a year. Experimenter Publishing Co., 53 Park Place, N. Y. C.

HARDSOCC RADIO REPRODUCER

COMPLETE WITH 5 FT. CORD

\$10⁰⁰ NEAT
IN APPEARANCE—
EFFICIENT

TONE QUALITY AND VOLUME
SUPERIOR TO MANY SPEAKERS
SELLING FOR TWICE THE PRICE.



Patents Pending
If your dealer cannot supply you give us his name
or order direct.

DISTRIBUTORS WANTED

HARDSOCC

MANUFACTURING CO.
OTTUMWA, IOWA
ESTABLISHED 1880

up, and especially for us in Central Europe with its proportionally narrow frontiers, its multitude of languages and its international communications in this period following the war. Esperanto seems especially to be the means attempted for transmitting to all lands, by radio, political interviews and views of important personages; for sending our music, of course, this utility disappears. I acknowledge, without going further, that the Esperanto movement is not recognized sufficiently on all sides nor is the good that is in it yet appreciated, yet radio seems called upon to get a better appreciation of our Esperanto in wider circles, and both these young achievements of the human brain (namely Esperanto and radio) must compliment one another in its own region.

The fact that its importance is understood is shown by the lively interest manifested from almost all regions and stations and was shown in our recent World Congress held in August at Vienna. Visitors from all countries were present, including representatives from Canada, Mexico, Australia, etc., along with the official representatives of almost every European Government. Unfortunately, our communications with some of the large Austrian radio firms asking them to give their services to the Congress have had no practical results in consequence of technical and financial difficulties, so that during the sitting it was left to a sub-committee to take up the question of radio and its relations to Esperanto.

Naturally during the sitting of the International Congress in Geneva messages in Esperanto were broadcast and appreciated by all participants, even those who up to date have not been taking an interest in Esperanto. (Here it must be remarked that in Switzerland there is to be published a radio journal in Esperanto.) In conclusion I might say that the radio movement will certainly find a valuable ally in Esperanto, to help it to reach in its cultural missions ever increasing numbers.

FOR SALE—A RADIO

By HARRY R. LUBCKE

FOR SALE—one good radio
With a slightly used ground,
Two squealing steps of audio
That really belong in the pound;
Six blown tubes—all gone West
At 10 volts filament they worked best;
"B" battery included, long since gone cold,
But the set works very well, I'm told.

Parts are mounted on "Suremika" panel
Including aerial, ten feet long,
Get ten thousand mile reception,
Have often heard Hong Kong;
Music comes in with silent clearness.
Secret—"Flickerstats" used throughout,
Locals, quiet—due to nearness,
Distant stations fairly shout.

One fine shredded rubber "A,"
One charge will last about a day;
Pancake coils, baked fresh last May,
Grid leak made of hard pressed clay.
Hard blubber sockets with cast iron spring,
Condenser plates, all pure tin,
Reason for selling—bound for Sing Sing,
A darn good set for the shape it's in!

A RADIO LOVE TAP

An uninitiated radio bug was winding an inductance coil when a more experienced friend dropped in.

"What are you hittin' the coil for?" asked the more experienced person.

"I dunno, seemed kinda funny to me too, but the directions said that if you want sharp tuning you should tap the coil every third turn.

Contributed by W. S. Klein.

Stop Tube Noises

BENJAMIN CLE-RA-TONE SOCKET CLEARER RADIO TONE



Shock absorbing.
Tube holding element "floats" on perfectly balanced springs. Takes up all jar and mechanical vibrations which interfere with

clear reproduction. A vital necessity for and used by leading makers of portable sets. Made of molded Bakelite. Under-side of base provided with smooth bosses for accurate mounting. Contact springs keep tube prongs clean. In two sizes, for standard and UV-199, etc., tubes.

RADIO-BATTERY SWITCH



Lightest and neatest switch made. Requires only 1/4-inch hole in panel. Requires no washers. Only one adjustment necessary. The push-pull single contact features give positive contact. When it's in it's off, avoiding accidental cutting in of battery.

Ask your dealer, or send us his name and address and we will supply you through him

BENJAMIN ELECTRIC MFG. CO.
847 W. Jackson Blvd., Chicago
247 W. 17th St. New York
580 Howard St. San Francisco

From Coast to Coast,
from Gulf to Hudson Bay

BRACH VACUUM ARRESTERS

Have Protected
Principal Railway Signal Systems
Police and Fire Circuits
for 19 years

AND RADIO
FOR 11 YEARS

Safety Demands the
Brach Vacuum Arrester
L. S. BRACH MFG. CO.
Newark, N. J.

Radio Book


You need it.

FREE

100 Pages of bargains

Liberty M. A. Mouse, Dept. 686, 106 Liberty St., N.Y.C.

A Pleasant Surprise Awaits the User of the A. C. H. SHARP TUNER DIALS



Why the A.C.H. is different

3 in. DIAL (156-to-1)
4 in. DIAL (215-to-1)

Will improve any receiving set, making difficult tuning easy
Money Back Guarantee

Price 3" size, \$2.50 Price 4" size, \$5.00
Regular fitting 5/16 shaft 3/4 and 3/16, 5¢ each extra
Extra Advantage of the A.C.H.

1. Can be attached or removed from any instrument.
2. Rough tuning same as any dial.
3. Movement so fine that the eye cannot detect but the ear can.
4. Automatically locks instrument so no jar can disturb it.
5. Dial grounded reducing the body capacity to a minimum.
6. Special dial 2 graduations where ordinarily one.

MAIL ORDERS SENT PREPAID IN U. S. A.
A. C. HAYDEN RADIO & RESEARCH CO.
BROCKTON, MASS., U. S. A.

HUDSON-ROSS

Wholesale radio only.
One of the first and still in the lead.
Write for discounts.

123 W. Madison St. Chicago

COCKADAY UNIT—Full Set A, B, C and D Coils
PRICE \$5.50
Three large blue prints, illustrated instructions and material lists for building the 1, 3 and 5 tube Cockaday sets
Price 50¢ (Free with order for unit)
General Radio Winding Co., 214 Fulton St. New York

A SMALL TRIBUTE

ALL the Big Men have sent their best wishes,
 Even Great Men and Mighty enthuse;
 Now, a sea-going Sparks from the Oil
 Tanking Arks
 Sends his "73's" to the News.

For five years you have kept us in details
 Of advancement, and Ham gossip, too;
 There's the Editor's Page full of prophecies
 sage
 Of which many have proven as true.

When occasions have risen you've fostered
 The cause of the Amateur game,
 And the fair-minded views of the RADIO
 NEWS
 Are most prominent cause of its fame.

So keep up your excellent standard
 Of fairness and faith in the Art;
 For we've pointed with pride to our text-
 book and guide
 As the RADIO NEWS, from the start.
 L. F. M.

THE MAIDEN'S APPEAL

*(In view of the fact that a man's heart
 beating at Pittsburgh has been heard in Lon-
 don, the following is not without interest.)*

And does your heart beat true, my love,
 Divided though we be?
 Across the sea so blue, my love,
 Does it still beat for me?

Last night I had an awful bump,
 A fact I won't conceal—
 It did not seem to me to thump
 With quite the proper zeal.

O Henry, let it beat, I beg,
 For me through thick and thin,
 (She took the head-phone from its peg,
 Sat down and listened in.)

Ah, horror, do I hear aright?
 Oh, woe unknown and utter!
 Last night it flagged a bit; tonight
 It does not even flutter.

Pittsburgh I hear on this, my set,
 And Paris comes at call,
 But woe is me, I cannot get
 My Henry's heart at all!

And little joy for me you'll grant,
 In Yankee airs or French
 If Henry's heart has learned to pant
 For some more novel wench.

Now, has he left me on the shelf,
 And found some newer queen?
 Or his wave-length lost itself?
 What does this silence mean?

Quick, quick, a wireless expert fetch,
 And save me from hysterics!
 Has Henry played me false, the wretch;
 Or is it atmospheric?..

Lucio,
 Abstract "Manchester Guardian."


**AIR AND SEA CRAFT NEED MORE
 RADIO CHANNELS**

Those who sail the seven seas, where there is no communication except via radio, and many others who depend solely upon this means of intercommunication feel that, what are technically termed "mobile stations" have not received adequate consideration in the distribution of the radio channels. A strong representation for the mobile services, comprising chiefly ships and aircraft, will be made at Secretary Hoover's radio conference this month, it is believed.

A resumé of the wave allocations made at the last radio conference shows that approximately 110,000,000 people are concerned with radio service from and to 3,100 ships,


New Models BRISTOL Radio Receivers

*Incorporating the Patented
 Grimes Inverse Duplex
 System*




Watch for further
 announcements in
 all leading Radio
 publications.

Improved Bristol Audio-
 phone Loud Speaker—
 gives greater volume, is
 more sensitive and still
 maintains the round, full



tone and its
 distinctive
 freedom
 from distor-
 tion.



Ask for Bulletin No. 3017-S

Manufactured
 by

The Bristol Co.

WATERBURY, CONNECTICUT

*Grimes System Insures Natural
 Tone Quality*



STANDARD RADIO TUBE CO.

The "Standard" guarantee is your protection. All types of Radio Tubes repaired.

- W.D.-11 or 12
- U.V.-199 or C.-299
- C.-11 or 12
- U.V.-201A or C-301-A
- D.V.-1 or D.V.-2
- U.V.-200 or 201
- C.-300 or 301

\$2.25



Every Tube Guaranteed
 New Standard Tubes \$3.00
 Orders Mailed Parcel Post C.O.D.
 Standard Radio Tube Co.
 273 Plane St., Newark, N. J.



LOW LOSS

THREE CIRCUIT TUNERS

Amateur, 70-225 meters\$10.00
 Broadcast, 180-600 meters 10.00

Parcels post and insured prepaid
 Correct Hookup with each

Davenport Radio Laboratories
 647 Cedar St., Davenport, Iowa

\$3.75
\$5.00



SPECIAL

1924 MODEL

Now ready—the new and improved SIBBENEL STORAGE "B" BATTERY. More powerful, higher capacity. They hold a charge exceptionally well and are absolutely noiseless.

Give Five Years Service

A set of SIBBENEL batteries lasts over five years. Plates have a 3000 milliampere service on each charge. Charged from your lamp socket for one cent.

Battery Built in a Solid Rubber Case

The entire battery is built in a neat one piece genuine hard rubber case. Plates measure 2 1/2" x 1 1/4" and are given a fully formed charge at the factory.

Two Year Written Guarantee with each battery


Each battery is 2 1/2 volts, etc.

ASSEMBLED \$4.50 **KNOCKED DOWN \$3.75**

Rectifier \$.75 for A. C. current.
CIRCULAR UPON REQUEST

SIBBENEL
RADIO EQUIPMENT MFG. CO.
29 West Mt. Eden Av.,
New York, N. Y.

Jones Multi-Plugs are supplied for panel or bracket mounting. Also (as illustrated below) with seven 2-foot leads coded for attaching to binding posts of any set.



One Pull

on the Jones MULTI-PLUG instantly disconnects antenna, ground, A and B batteries from your set! One push reconnects! Long cable permits placing batteries out of way—in basement, closet or elsewhere. All leads coded.

Jones MULTI-PLUG

Can't be plugged in wrong. Prevents burning out tubes or shorting batteries. 100 percent foolproof. Enables anyone to connect your set with safety. Standard on Zenith, WorkRite and many other leading sets. Jones Multi-Plugs, complete for panel mounting, \$4; for bracket mounting, \$4.50. Binding Post type, \$5.00. Carried by all jobbers. If your dealer isn't supplied, state his name when ordering. Folder free.

Pat. Applied For
HOWARD B. JONES
616 S. Canal St. Chicago

HUDSON-ROSS

Sells only Guaranteed Radio Apparatus.

Send for discounts.

123 W. Madison St. Chicago



SOLDER WITH INSULATION
At Least 1,000 Miles More Distance

is the usual reward if you can solder without impairing the insulation of your set.
If you are building a radio-frequency amplifier you should read our free booklet: "HOW TO SOLDER RADIO SETS"
Write for it
THE VALLEY FORGE CHEMICAL CO.,
Valley Forge, Pa.

300 aircraft and 900 commercial land stations, all of which stations are allotted only 37 separate channels through the ether. On the other hand, 20,000 amateurs have 33 such channels, and 600 broadcast stations, of interest to about 10,000,000 people, are allowed to operate on 53 separate wave-lengths, although several other forms of communication are available for these people.

Especially in the Navy and Shipping Board, Marine operators and experts believe mobile stations deserve a better proportion of operating wave-lengths, in view of their sole dependence on radio and the importance of it in insuring the safety of life and property at sea.

Commenting on the situation a Naval officer recently stated:

"There is one elemental fact in respect to radio which should govern all discussion of the subject and to which all other considerations should be subordinate. It is that radio is primarily an agency for communication with ships and aircraft, and within this field there is no substitute for it. In nearly, if not quite, all its other applications the same ends may be achieved by other means. The importance of radio for communication with ships and aircraft is so great in connection with the safety of life and military considerations, that no other applications of the art should be allowed to diminish its usefulness.

"In the enthusiasm which has developed over radiophone broadcasting and amateur work, many government agencies, private interests and the public generally, have lost sight almost entirely of the foregoing facts. They have lost sight also of the fact that the efficiency of a transmitter depends somewhat on the size and position of its antenna, and that mobile stations are limited in the amount of wire they can carry and the positions in which they can carry it, whereas, while the optimum frequencies for mobile service are undoubtedly convenient ones for stations on land, such as radiophone broadcast ones, such stations can be readily adjusted to other frequencies without causing a loss of efficiency.

"Allowing a separation of 15 kilocycles between channels, the following table recapitulates the recommendations of the Second National Radio Conference:

Service	People concerned	Radio stations	Number Channels
Total Ships 27,000.		3,100	37
Mobile Aircraft, 1,200	110,000,000	300	
Land Stations, 900.		900	
Special Experimental, 560	560	18	
Amateur, 20,000	20,000	20,000	33
Broadcasting, 10,000,000	600	53	
Unassigned wave lengths			6
Reserved wave lengths			4,020"

BROADCASTING IN CEYLON

The Secretary of State of Ceylon has approved the introduction of wireless broadcasting under state control, though not necessarily operated by the state, Assistant Trade Commissioner Renshaw, at Calcutta, reports to the Department of Commerce.

The Ceylon Government has decided to issue an unlimited number of licenses for receiving sets. Broadcasting will be undertaken by the wireless station at Colombo.

SMITHSONIAN INSTITUTION GOES ON THE AIR

In carrying out its motto: "For the Increase and Diffusion of Knowledge Among Men," the staid and conservative Smithsonian Institution at Washington has turned to broadcasting as the most efficient means of disseminating knowledge.

The Englishman, James Smithson, who died in 1829, bequeathing his estate to the United States to found, at Washington, an establishment for spreading information throughout the country, would no doubt ap-

You'll get

Powerful Amplification from MODERN "Push-Pull" Transformers

Here's why—

1. Perfectly balanced.
2. Capable of the greatest possible amplification.
3. Distortion reduced to a minimum.
4. Adds clarity and volume to any set.
5. Can be used in any "PUSH-PULL" circuit now available with any of the standard tubes now on the market.
6. Carefully made, thoroughly tested and fully GUARANTEED.
7. Coils are wound on our own specially designed winding machines in our own factory.


PRICE PER MATCHED PAIR, \$12.50

Sold by all good dealers. Bulletin Free on request.


THE MODERN ELECTRIC MFG. CO.
Toledo, Ohio

MODERN Long - Wave 30 K. C. Transformers, each \$5.00
MODERN Standard Audio Transformers, each \$5.00

MODERN famous one-tube Reflex Audio Transformers, each \$5.50



HALLDORSON



Audio Frequency Transformer

Test the unsurpassed volume, tone quality and clearness with this transformer against any other regardless of price. Results guaranteed. Material of the highest grade used throughout—silicon steel core with air gaps to prevent distortion—bakelite terminal insulation—phosphor bronze shield. A product of the highest technical skill, unmatched in appearance and operation. Designed to be used for all stages.

Ratio, 4 to 1 - Price, \$4.00

Dealers and Jobbers:— Write for our attractive discounts.

THE HALLDORSON COMPANY
1772 Wilson Avenue Chicago, Illinois

HALLDORSON

Consider These Points

Established 14 years; Expert Instructors; Adequate Equipment; Free Employment Service; Dormitories; Restaurants; Swimming Pool. Our graduates now sail the seven seas.

Resident and Home Study Courses. Write for Illustrated Booklet.

Y. M. C. A. RADIO INSTITUTE
158 East 86th Street, New York City

BRANCH MANAGERS WANTED FOR BLUE SEAL GUARANTEED RADIO
If you have \$500 to \$1,000, and have a store or can get suitable space in a store, tell us about it and we will consider appointing you as our representative in your community.

BLUE SEAL MANUFACTURING CO.
1406-8 South Michigan Ave., Chicago, Ill.

Insure your copy reaching you each month. Subscribe to **RADIO NEWS** — \$2.50 a year. Experimenter Publishing Co., 53 Park Pl., N. Y. C.



A Five Tube Cockaday Receiver

A Brilliant Radio Achievement

The owners of the new "Five Tube Cockaday" have no further desire in respect to a radio receiver. They receive local and long distant broadcast at all times in the year. They have an instrument that is reliable, has little to get out of order, is extremely selective and presents a handsome appearance in any home. The New Cockaday is a receiver that compares favorably with the finest on the market, not only in practical operation but also in appearance.

"Conrad" Pattern No. 11, "How to Build a Five Tube Cockaday," shows you how to construct the original, Authentic Five Tube Cockaday Receiver using the simplest and most direct method known. A complete set of Blueprint Patterns consisting of a full sized sheet 19" x 28" is furnished together with a four page instruction sheet giving details of all construction operations and any special information. Everything is drawn full size so that no extra measurements of any kind are necessary. Comes complete in handsome two-color folder, size 9x12 inches.

SOLD BY ALL RADIO
DEALERS

Or direct from us.

PRICE
50¢

Prepaid

Pattern
No. 11

Conrad

"RADIO'S FOREMOST PUBLISHERS"

The Conrad Co.

233 Fulton Street
New York City

plaud the modern means of accomplishing his ideals, if he knew of the recent action of his executors. Interpreting his purpose as covering practically all intellectual activities of man, scientific research, and exploration have figured as the principal factors in the Institution's increase of knowledge. Until recently, the chief means of disseminating scientific and general knowledge has been through the publication of reports and the exhibits of the National Museum, a branch of this Institution now known throughout the civilized world.

In September the Institution will undertake a definite program of weekly scientific talks over the radio from Station WRC, covering practically every branch of science, but so spoken as to appeal to lay listeners as well as those better informed. The program under the direction of Dr. Austin H. Clark of the National Museum, who has also secured the co-operation of the Carnegie Institution, and several scientific bureaus of the Government.

The first broadcast speech by a member of the Smithsonian staff was that of Dr. Charles G. Abbot, Director of the Astrophysical Observatory, who spoke last November on the heat of the sun's rays and his experiments with a solar cooker. The initial talk was so successful that in the spring other savants who could discuss natural history in a popular style, went on the air. Among the radio talkers were Dr. Clark, who spoke on "Giants in the Animal World," Superintendent Hollister of the Zoological Park, who told of keeping and feeding wild animals, and Dr. Merrill, who spoke on shooting stars. Other subjects covered in eighteen Smithsonian talks, included "Children of Greenland," "American Plants," "Dinosaurs, the Terrors of Past Ages," "The Non-Magnetic Ship, *Carnegie*," and "Big Game of North America." One unique stunt was the broadcasting of real Indian music rendered by natives, to which the Smithsonian officials themselves listened on a radio set installed in the main building. Radio fans bothered by static heard a talk of great interest recently, when Dr. Mauchly of the Carnegie Institution spoke on "Atmospheric Electricity."

Although Smithson, the founder of the Institution, probably never thought of transmitting speech either with or without wires, it was recently learned that during one of his lectures, Joseph Henry, first secretary of the Smithsonian, said he regarded even the best copper wire as an impediment in the transmission of electric currents. He admittedly did not know how to dispense with the electrical communication, but thought that the men in his audience would live to see wireless telegraphy. This was 75 years ago, and today the Institution he headed is broadcasting its information to the country by radio telephony.

NOT WET ENOUGH

MRS. DORCAS: I couldn't hear the prohibition lecture that was broadcast.

DORCAS: Perhaps there was something wrong with the dry battery.—James J. O'Connell.

A JOINT REPORT

Newspaper headline—"Keep Joints Clean."

ONE READER TO ANOTHER: "That's right, they ought to—but I shouldn't talk to strangers about it; what's your line of business?"

"Oh, that's all right, I agree perfectly. I'm a detective. And you—?"


"I assemble radio sets."

CHORUS: "Oh H—!"—Jack Bront.

HAR — HAR!

TED: "Is there any duty on radio parts?"

NED: "No. I guess they come under the head of roar materials."—James J. O'Connell.



Earle E. Liederman the Muscle Builder

HOW STRONG ARE YOU?

Can You Do These Things?

Lift 200 lbs. or more overhead with one arm; bend and break a horse-shoe; tear two decks of playing cards; bend spikes; chin yourself with one hand!

Can you do any of them? I can and many of my pupils can. It is remarkable the things a man can do if he will make up his mind to be strong. It is natural for the human body to be strong. It is unnatural to be weak. I have taken men who were ridiculed because of their frail make-up and developed them into the strongest men of their locality.

I Want You for 90 Days

These are the days that call for speed. It once took four weeks to cross the ocean—now it takes less than one. In older days it took years to develop a strong, healthy body. I can completely transform you in 90 days. Yes, make a complete change in your entire physical make-up. In 30 days I guarantee to increase your biceps one full inch. I also guarantee to increase your chest two inches. But I don't stop till you're a finished athlete—a real strong man. I will broaden your shoulders, deepen your chest, strengthen your neck. I will give you the arms and legs of a Hercules. I will put an armor plate of muscle over your entire body. But with it comes the strong, powerful lungs which enrich the blood, putting new life into your entire being. You will be bubbling over with strength, pep and vitality.

A Doctor Who Takes His Own Medicine

Many say that any form of exercise is good, but this is not true. I have seen men working in factories literally kill themselves with exercise. They ruined their hearts or other vital organs, ruptured themselves or killed off what little vitality they possessed.

I was a frail weakling myself in search of health and strength. I spent years in study and research, analyzing my own defects to find what I needed. After many experiments, I discovered a secret of progressive exercising. I increased my arms over six and a half inches, my neck three inches and other parts of my body in proportion. I decided to become a public benefactor, and impart this knowledge to others. Physicians and authorities on physical culture have tested my system and pronounced it to be the surest means of acquiring perfect manhood. Do you crave a health that goes with it? If so, spend a pleasant half hour in learning how to attain it. The knowledge is yours for the asking.

Send for My New 64-Page Book

"Muscular Development"

IT IS FREE!

It contains forty-three full-page photographs of myself and some of the many prize-winning pupils I have trained. Some of these came to me as pitiful weaklings, imploring me to help them. Look them over now, and you will marvel at their present physiques. This book will prove an impetus and a real inspiration to you. It will thrill you through and through. All I ask is 10 cents to cover the cost of wrapping and mailing. This will not obligate you at all, but for the sake of your future health and happiness, do not put it off. Send today—right now, before you turn this page.

EARLE E. LIEDERMAN

Dept. 3610 305 Broadway New York City

EARLE E. LIEDERMAN
Dept. 3610, 305 Broadway New York City

Dear Sir:—I enclose herewith 10 cents, for which you are to send me, without any obligation on my part whatever, a copy of your latest book, "Muscular Development." (Please write or print plainly.)

Name
Street
City State

OPPORTUNITY AD-LETS

Follow these advertisements every month. Reliable advertisers from all over the country offer their most attractive specials in these columns.

Classified advertising rate eighteen cents a word for each insertion. Ten per cent discount for 6 issues, 20 per cent discount for 12 issues. Name and address must be included at the above rate. Cash should accompany all classified advertisements unless placed by an accredited advertising agency. No advertisement for less than 10 words accepted.

Objectionable or misleading advertisements not accepted. Advertisements for the Dec. issue must not reach us later than Oct. 1st.

CIRCULATION LARGER THAN THAT OF ANY OTHER RADIO PUBLICATION

EXPERIMENTER PUBLISHING CO., INC., 53 Park Place, New York, N. Y.

Agents Wanted

Get into the Tailoring Game—one of the most profitable of all lines in the selling field. Experience isn't necessary, and spare time will do. We teach you how to sell our line, and supply you with everything necessary to go out and make from \$10 to \$20 a day from the very first day. Our selling outfit is the finest ever gotten together and shows almost 150 large samples of finest quality woolsens. You do no delivering with our line. You just write your orders. We do the rest. Your profits run big and you get them cash with order. If you want to get into this most profitable business, write us quick. Address Dept. 258, Goodwear Chicago, Inc.

Agents Wanted in every city and town to sell standard radio apparatus. Attractive discounts given. If interested write us at once stating age and radio experience. Wilmington Electrical Specialty Co., Inc., 405 Delaware Ave., Wilmington, Delaware.

General Agents—Service Men! Genuine Gold Letters for store windows easily applied. 20 per cent cash commission on all orders from local agents appointed by you anywhere. 50 per cent discount on your own orders. Free samples. Metallic Letter Co., 422 N. Clark St., Chicago.

Agents—Write for Free Samples. Sell Madison "Better-Made" Shirts for large Manufacturer direct to wearer. No capital or experience required. Many earn \$100 weekly and bonus. Madison Mills, 564 Broadway, New York.

Big Money and fast sales. Every owner buys gold initials for his auto. You charge \$1.50; make \$1.35. Ten orders daily easy. Write for particulars and free samples. American Monogram Co., Dept. 133, East Orange, N. J.

We want Salesmen and Agents, either whole or side line, to sell our low priced radio books to the trade. Excellent proposition for live wires. The E. I. Company, Publishers, 233 Fulton St., New York City.

Big Money and Fast Sales. Every owner buys gold initials for his auto. You charge \$1.50, make \$1.44. 10 orders daily easy. Samples and information free. World Monogram Co., Dept. 27, Newark, N. J.

Earn \$10 daily silvering mirrors, plating, refinishing metalware, headlights, chandeliers, bedsteads. Outfits furnished. Bolanger-Deete Laboratories, 1133 Broadway, New York.

Business Opportunities

Make \$100 Weekly in Spare Time. Sell what the public wants—long distance radio receiving sets. Two sales weekly pays \$100 profit. No big investment, no canvassing. Sharpe of Colorado made \$955 in one month. Representatives wanted at once. This plan is sweeping the country—write today before your county is gone. Ozarka, 813 Washington Blvd., Chicago.

Advertise. hundred magazines, three issues, 10c word. Pennell Company, Covington, Kentucky.

Chemistry

Learn Chemistry at Home—Dr. T. O'Connor Slean, noted educator and scientific authority, will teach you. Our home study correspondence course fits you to take a position as chemist. See our ad on page 581 of this issue. Chemical Institute of New York, 66 West Broadway, New York City.

For Advertisers

24 Words—355 Rural Weeklies \$14.20. Admeyer, 4112-R Hartford, St. Louis.

For Inventors

Inventors' Educator: 900 Mechanical Movements. 50 Perpetual Motions. How to procure and sell patents. Mechanical Movements greatly assist inventors, suggest new ideas. Explains how to select an attorney and avoid patent sharks. Price \$1.50. Postage free. Albert E. Dieterich, 690 Ouray Building, Washington, D. C.

Health

Free—Stop using tobacco. We will give free information how to conquer habit easily and permanently. Results guaranteed. Anti-Tobacco League, Box M, Omaha, Neb.

Help Wanted

We Want Salesmen and Agents, either whole or side line, to sell our low priced radio books to the trade. Excellent proposition for live wires. The E. I. Company, Publishers, 233 Fulton St., New York City.

Help Wanted—Continued

Earn \$25 Weekly, spare time, writing for newspapers, magazines. Experience unnecessary; details free. Press Syndicate, 973, St. Louis, Mo.

All Men, Women, Boys, Girls, 17 to 65 willing to accept Government Positions \$117-\$250 traveling or stationary; Write Mr. Ozment, 251, St. Louis, Mo., immediately.

Detectives Needed Everywhere. Travel. Experience unnecessary. Write George Wagner, former Government Detective, 1968 Broadway, N. Y.

Men—Age 18-40, wanting Ry. Station-Office positions, \$115-\$250 month, free transportation, experience unnecessary. Write Baker, Supt. 44 Wainwright, St. Louis.

Instruction

Learn Chemistry at Home—Dr. T. O'Connor Slean, noted educator and scientific authority, will teach you. Our home study correspondence course fits you to take a position as chemist. See our ad on page 581 of this issue. Chemical Institute of New York, 66 West Broadway, New York City.

Used Correspondence Courses bought and sold. Bargain catalogue 1,000 courses free. Students' Exchange, Dept. 5, 47 West 42 St., New York.

Miscellaneous

Men, something you want, send name and address with a 2 cent stamp. Quality Mail Sales Co., 591 Broadway, N. Y.

Motorcycles, Bicycles

Don't Buy a Bicycle Motor Attachment until you get our catalog and prices. Shaw Mfg. Co., Dept. 6, Galesburg, Kansas.

News Correspondents

Earn \$25 Weekly Spare Time writing for newspapers, magazines. Experience unnecessary; details free. Press Syndicate, 972 St. Louis, Mo.

Patent Attorneys

Patents. Send drawing or model for examination and report as to patentability. Advice and booklet free. Highest references. Best results. Promptness assured. Watson B. Coleman, Patent Lawyer, 644 G Street, N. W., Washington, D. C.

Lacey Patent-Sense. See page 516.

Inventors—Should write for our Free Guide Books and "Record of Invention Blank" before disclosing inventions. Send model or sketch of your invention for our Free Examination and Instructions. Radio, Electrical, Chemical, Mechanical and Trademark experts. Terms reasonable. Victor J. Evans & Co., 922 Ninth, Washington, D. C.

Patents—Send for form "Evidence of Conception" to be signed and witnessed. Form, fee schedule, information free. Lancaster and Alwine, Registered Patent Attorneys in United States and Canada, 269 Ouray Bldg., Washington, D. C.

Patents

Inventions Commercialized. Patented or unpatented. Write Adam Fishor Mfg. Co., 278, St. Louis, Mo.

Personal

Lonesome—Join our club—make acquaintances everywhere. Big illustrated book with descriptions and photos, sent in plain wrapper for ten cents. Bonafide Co., Dept. 58, Kansas City, Mo.

Exchange cheery letters with new friends. Write Betty Lee, Inc., Box 820 City Hall Station, New York City. Stamp appreciated.

Printing

American Gummed Labels Stick! Roll or Flat. Catalog Free. Old Tye Press, Dover, N. J.

Radio

Boys! Don't Overlook This. The "Rasco" Baby Detector. Greatest detector ever brought out with molded base. Fully adjustable. See former advertisements in this publication, or our catalog. Detector with Galena Crystal, complete 50c, the same detector with Radiocite Crystal, 75c prepaid. Send for yours today. Radio Specialty Company, 96-98 Park Place, New York City.

Attention!—50 Vacuum tube hook-ups. The greatest collection of vacuum tube circuits ever brought under two covers at such insignificant cost. These diagrams will be found in the great "Rasco" catalog, which contains raw materials and parts in a greater profusion than any other catalog. 15c in stamps, or coin, will bring the catalog to you. Radio Specialty Co., 96-98 Park Place, New York City.

Condensers. 11-23-43 Plate Never been used. \$2.50—\$3.50—\$5.00 values. Made by prominent manufacturer and guaranteed perfect or money refunded. Will sell for \$1.25—\$1.75—\$2.50. Only five of each. A. L. Parke, 56 Montgomery St., Waterbury, Conn.

Is your Neut Right? To revitalize unneutralizable Neutrodes, we devised this Kludag Const to Coast Circuit. Uses same panel, etc., as Neut, except three less parts. Merely rewire. Success certain. Necessary stabilizer. 22 feet gold sheathed wire, circuit and complete, simple instructions—\$5.00 prepaid. Many have already rebuilt their Neuts—and written wonderful testimonials. Thousands will do it. Be First—have the finest fire tube set in your neighborhood, revitalize others' Neuts. Description, etc.—10c. Radio Lists—2c. Stamps accepted. Kludag Laboratories, Kent, Ohio.

Radio Fans and B C L's qualify for License during spare time one week. Qualifying records \$1.50. Licensed students free. Method \$2.50. Dodge Radio Shortkut, Dept. N, Manaroneek, New York.

Mysteries of the Air Solved: Reception intensified; soldering done away with; wear and tear overcome; difficulties of installation removed; never failing service obtained. The Doyle Aerial Clamp does all of these. 1-wire clamp, 25c; 2-wire, 50c; 3-wire, 75c; 4-wire, \$1.00; 5-wire, \$1.25. Money or money order. Agents wanted everywhere. B. Jarvis Doyle, Patentee, Dept. AC-26, Washington, D. C.

Black Fibre Panels—Nicely finished 3/16" thick. 1c sq. in. Cut to order any size. Immediate delivery. Postage prepaid. Panel Supply, Box 306, Lowell, Mass.

Ultradyné Kit; the Improved, 8 tube super-heterodyne; voice tested. Write for discounts. Phillipson Radio Co., 33 Alcahedon, Battle Creek, Mich.

Magnavox M4. List \$25. Introductory \$21. Radio Central, Dept. B, Abilene, Kansas.

Radio Panels—black fibre, high dielectric strength. 1c sq. in. Panel Supply, Box 306, Lowell, Mass.

The How and Why of Radio Apparatus, by H. W. Secor, E. E. This newest book on radio matters fulfills a distinct gap in wireless literature. In that, while the treatment is made as understandable and as free from mathematics as possible, it at the same time incorporates a wealth of technique and instruction for the Radio Amateur—the Radio Operator—the Installation and Designing Expert—as well as teachers and students of the subject in general. A very broad field has been covered by the author, at the same time giving a great deal of information not found in other text books. If you are engaged in any branch of the Radio or allied arts at all you will surely need this latest contribution to radio literature, which is destined to be found on every radio man's book shelf before long. A glance at the following list of chapters gives but a very scant idea of the extensive and useful radio knowledge provided in its text. The Induction Coil; The Alternating Current Transformer; Radio Transmitting Condensers; The Spark Gaps; Radio Transmitting Inductances; Radio Receiving Tuners; Radio Receiving Condensers; Detectors; Telephone Receivers; Radio Amplifiers; Construction of a Direct Reading Wavemeter and Deereometer; Antenna Construction; The Calculation and Measurement of Inductances; Appendix containing very useful tables, covering all subjects treated in this very unusual book. This newest of Radio Works, cloth bound in Vellum de Luxe, Gold Stamped and Hand Sewed, has 160 pages. Size of book, 6x9 inches. The How and Why of Radio Apparatus, Postpaid, \$1.75. Experimenter Publishing Co., Book Dept., 53 Park Place, New York City.

Experimental Electricity Course in 20 Lessons. By S. Gernsback and H. W. Secor, E. E. A course of the theory and practice of Electricity for the Experimenter. Every phase of experimental electricity is treated comprehensively in plain English. New experiments are described and explained and nearly every application of Electricity in modern life is given. 160 pages—400 illustrations. Flexible cloth cover, 75c. postpaid. Stiff cloth cover, \$1.25 postpaid. Experimenter Publishing Co., Book Dept., 53 Park Place, New York City.

How to Make Radio Frequency Amplifiers. This book is for the more advanced amateur, showing the construction of the Radio Frequency Amplifying Transformer and giving complete constructional data. It shows the application of Radio Frequency to amplifying units that the amateur may already possess and gives 15 hook-ups showing practically every use of Radio Frequency Amplifying Transformers can be put to. 32 pages—15 illustrations; bound in beautiful two-color cover. Prepaid 25c. The E. I. Company, 233 Fulton St., New York City.

Radio (Continued)

Guaranteed Genuine Tubes, \$3.75 postpaid. Nashua Sales Service, Dept. RNI, 16 Hanover Street, Nashua, N. H.

Free—Radio Tuning Unit. Eliminates body capacity. To the first 500 answering this Ad. and sending six cents to cover postage and packing. American Radio Sales Company, 620 Monadnock Bldg., Chicago.

Are You Planning To Manufacture Radio Parts? Here is a chance to save a lot of money. We offer slightly used tool equipment for 19 standard parts. Write for particulars. Box 183, RADIO NEWS.

Amateurs—Five and Ten Watt Transmitters. Accomplished much DX at reasonable prices. Important! Write! Other Guaranteed Apparatus also. BROV. S. Strobel, 3923 N. 6th St., Phila., Pa.

Radio Tube Repairs. Expert Satisfaction Guaranteed. Prices: UV-200, \$2.25; 201A, 199, etc., \$2.50; 202, \$3.50 (350-500V.) Service. S. Strobel & Co., 3923 N. 6th St., Phila., Pa.

Salesmen Wanted

A Salesman wanted in every town or city within 25 miles of a broadcasting station to sell Radiogem, the complete radio receiving set that retails for \$2.50. With Radiogem there is nothing else to buy—the outfit includes the Radiogem receiving apparatus, 1,000 ohm phone, and aerial outfit. The cheapest radio outfit on the market—yet as practical as the most expensive. Big money to the right men. Send \$2.00 for sample outfit. The Radiogem Corp., 66-R West Broadway, New York City.

Scenery to Rent

Settings for Opera, Plays, Minstrels, Plush Drops. Address Amelia Grain, Philadelphia.

Song Poems Wanted

Poems Wanted—Sell your song-verses for cash. Submit Miss. at once, or write New Era Music Co., 152 St. Louis, Mo.

Stammering

St-Stu-t-tering and Stammering cured at home. Instructive booklet free. Walter McDonnell, 121 Potomac Bank Bldg., Washington, D. C.

Stamps and Coins

California gold. Quarter size 27c; half-dollar size 53c; Half-dime and Catalog 10c. Norman Schultz, Colorado Springs, Colo.

158 Genuine Foreign Stamps. Mexico War Issues, Venezuela, Salvador and India Service. Guatemala, China, etc., only 5c. Finest approval sheets 50 to 60%. Agents wanted. Rise 72c. Lists Free. We buy stamps. Estab. 20 years. Hussman Stamp Co., Dept. 148, St. Louis, Mo.

Stamps. 105 China, etc., 2c. Album (500 illustrations) 3c. Bulard, Station A7, Boston.

Telegraphy

Telegraphy—Both Morse and Wireless taught thoroughly. Big salaries. Wonderful opportunities. Expenses low; chance to earn part. School established fifty years. Catalog free. Dodge's Institute, Cour St., Valparaiso, Ind.

Wanted to Buy

Full Value Paid for Old Gold, Jewelry, Watches, Diamonds, crowns, bridges, dental gold, silver, platinum, gold or silver ore; magneto points, old false teeth. Packages returned if our offer is not satisfactory. United States Smelting Works (The Old Reliable) 120 So. State St., Dept. 16, Chicago, Ill.

Buy for Results


The original and correct design and superior construction of Yaxley Approved Radio Products guarantee the best results for you.



Approved Radio Products Rheostat Gives fine tuning without use of vernier attachments. Has one nut mounting in single panel hole. Can be turned in any position to suit your wiring layout. You will like these and the other features of this new efficient rheostat. Fully guaranteed. 6, 20 or 30 ohm, with knob, \$1.35 6, 20 or 30 ohm, with dial, \$1.60

Potentiometer Same construction as Rheostat 200 or 400 ohm, \$1.85. Jacks Plugs Switches Resistance Units, etc.

Ask your dealer, or send his name with your order to YAXLEY MFG. CO. Dept. A, 217 No. Desplains St., Chicago



FROM FACTORY TO USER

High Grade Radio Cabinets sturdy built and fine looking. Built from select genuine black walnut or birch. Elegantly finished. Tops on all cabinets hinged. Fronts of cabinets are rabbeted to take panel. Walnut cabinets have continuous piano hinges and lid holders. Birch cabinets have regular hinges. (No lid holders). Walnut cabinets finished in French walnut. Birch cabinets finished in Adam brown mahogany. (Panel not included). Money back if not satisfied.

For Panel	Deep	Birch No Base	DeLuxe Black Walnut	Monarch Black Walnut
6x7	7"	\$1.75	\$3.75	\$4.40
6x10 1/2	7"	2.25	4.65	5.35
6x14	7"	2.75	5.45	6.20
6x21	7"	3.25	5.90	6.80
7x12	7"	2.80	5.50	6.50
7x14	7"	3.00	5.80	6.70
7x18	7"	3.25	6.00	6.80
7x21	7"	3.60	6.50	7.40
7x24	7"	4.10	7.25	8.00
7x26	7"	4.75	7.80	8.50
7x27	7"	5.00	8.50	9.00
7x28	7"	5.25	9.50	10.00
7x30	7"	6.00	10.00	11.00
7x24	10"	5.60	9.25	10.00
7x26	10"	6.25	9.80	10.50
7x27	10"	6.50	10.75	11.50
7x28	10"	6.75	11.50	12.00
7x30	10"	7.00	12.00	12.50
8x40	8"	6.00	11.50	12.50
9x14	10"	3.95	6.40	7.00
9x21	10"	5.00	7.70	8.25
9x24	10"	6.00	9.50	10.50
12x14	10"	4.25	7.00	8.00
12x21	10"	4.75	9.50	10.50

Mounting Boards all sizes in stock. F. O. B. Milwaukee, Wis. Circular showing our complete line sent on request. Our Utility Beauty Cabinets are really beautiful. Our Monarch cabinets are the best obtainable. UTILITY SUPPLY COMPANY 439-27th Street Milwaukee, Wis.



\$4.00 SPECIAL INTRODUCTORY PRICE

For a limited time only, and to introduce this new and superior Storage "B" Radio Battery to the Public, we are selling it for \$4.00. Regular Retail Price is \$6.00. You save \$2.00 by ordering NOW. A finer battery cannot be built than the

World Storage "B" Battery (12 CELLS—24 VOLTS)

To ten million homes with Radio Sets—and to countless millions of prospective buyers—the WORLD Storage "B" Battery brings a new conception of battery economy and performance. Here is a battery that pays for itself in a few weeks—will last for years and can be recharged at a negligible cost. And you save \$2.00 by ordering now.

A Superior Battery Equipped With Has heavy duty 2 1/8 in. x 1 in. x 1-4 in. plates and plenty of acid circulation. Extra heavy glass jars allow ready observation of charge and prevent leakage and seepage of current. It holds its charge, while idle, at constant voltage. You will find this battery a boon to long distance reception. It does away with a great many noises so often blamed on "static." Mail your order today.

SEND NO MONEY

Just state number of batteries wanted and we will ship day order is received. EXTRA OFFER: 4 batteries in series (96 volts), \$16.00. Pay Expressman after examining batteries, 5 per cent discount for cash in full with order. Send your order NOW and save \$2.00.

WORLD BATTERY COMPANY Makers of the famous World Radio "A" Storage Battery 1219 S. Wabash Ave., Dept. 75, Chicago, Ill. SAVE \$2.00 BY ORDERING NOW!

SEND US YOUR BROKEN OR BURNED OUT RADIO TUBES

REPAIRED AND LIKE NEW Tube Cost each tube \$2.50 plus 25c. MANUFACTURING CO. New York City Prompt Attention—All Makes



A Book of Bare Faced FACTS About the Body

What answer did you get, when you first asked your father or mother where babies come from? Did they tell you anything to satisfy your natural, childish curiosity? Did they post you, as you grew up into the age of puberty, on the great facts of life? Have you ever learned ANYTHING about those facts which did not come from a dirty source?

It's the Crime of our age and generation—a satire on our so-called civilization—that the vital facts about the human body which every young man and young woman ought to know and understand, should be kept concealed from them; that an old-maidish prudery and sense of false shame should permit young people to marry and bring children into the world while utterly ignorant of the frightful consequences their own physical condition may visit upon their innocent offspring.

Two thousand years ago, in the civilization of ancient Rome, they did things differently. "Nosce teipsum"—KNOW THYSELF—was the watchword of the race which ruled the world. Learn the facts on which are based Health, Strength, Virility, and the ability to transmit undimmed the Vital Spark of Life.

I have spent a quarter century studying these facts, experimenting with them, classifying their own physical condition into concrete, condensed, easily understood form in one of the most fascinating books you ever read. "Do it with Muscle." It's FREE—yours for the asking. Send for it NOW, enclosing a dime (10c) to pay mailing expense. You'll wish you could have had it years ago. Fill out and mail me the coupon NOW.

LIONEL STRONGFORD

Physical and Health Specialist over 25 years Dept. 1625 Newark, New Jersey

FREE CONSULTATION COUPON Mr. Lionel Strongford, Dept. 1625, Newark, N. J. —Send me FREE my Private copy of "DO IT WITH MUSCLE" for which I enclose one dime (10c) towards mailing expense. I have marked (X) before the subject in which I am interested.

- .. Cold
- .. Catarrh
- .. Asthma
- .. Hay Fever
- .. Obesity
- .. Headache
- .. Thinness
- .. Rupture
- .. Lumbago
- .. Neuritis
- .. Neuralgia
- .. Flat Chest
- .. Deformity (Describe)
- .. Successful Marriage
- .. Rheumatism
- .. Pimples
- .. Blackheads
- .. Insomnia
- .. Short Wind
- .. Flat Feet
- .. Stomach Disorders
- .. Constipation
- .. Biliousness
- .. Torpid Liver
- .. Indigestion
- .. Nervousness
- .. Poor Memory
- .. Vital Losses
- .. Impotency
- .. Weak Eyes
- .. Despondency
- .. Diabetes
- .. Female Disorders
- .. Increased Height
- .. Youthful Errors
- .. Manhood Restored
- .. Falling Hair
- .. Gastritis
- .. Heart Weakness
- .. Poor Circulation
- .. Skin Disorders
- .. Round Shoulders
- .. Lung Troubles
- .. Stoop Shoulders
- .. Muscular Development
- .. Great Strength
- .. Prostate Troubles
- .. Neurasthenia

Name

Age Occupation.....

Street

City State.....

If you have taken my "Regular" or "Advanced" Courses, kindly indicate same by making a cross in box for this purpose below.

I have taken your "Regular" Course ()

I have taken your "Advanced" Course ()

I have received your book "Promotion and Conservation of Health, Strength and Mental Energy." Date.....

LISTEN-IN RADIO RECORD



REGISTERED U.S. PAT. OFF. THE ONLY "LISTEN-IN" BOOK

KEEP A RECORD OF STATIONS HEARD, DIAL SETTINGS, RECEIVING CONDITIONS, ETC.

Flexible cloth binding. Gold stamping. 160 pages. Printed on Bond Paper. Contains introductory article "How to Receive Radio Broadcast," by Lloyd C. Greene, Radio editor Boston Globe. Many Radio Hints and Tips. Complete list of Broadcasting Stations and double page map of United States.

PRICE 75 cents At Your Dealers or Sent Prepaid on Receipt of Price

LISTEN-IN PUBLISHING CO. 119 MAIN ST. CAMBRIDGE, MASS.



For Sharper Tuning Use Allen-Bradley Products

Selectivity depends upon the combined efficiency of all parts of your radio set. One poor device in your hook-up frequently offsets the effectiveness of the rest of the set. For this reason, only well-known, tested radio parts, such as Allen-Bradley products, should be selected for maximum efficiency and selectivity.



\$1.85
For All Tubes

* **Bradleystat** This remarkable radio filament rheostat, utilizing graphite discs, instead of coiled wire, stands supreme for noiseless, stepless control. It is standard equipment on many fine sets.
PERFECT FILAMENT CONTROL



\$1.85
¼ to 10 Megohms

* **Bradleyleak** Proclaimed by Crosley, Kennedy, Amrad, Cockaday, Flewelling, and other leading radio experts, as the perfect grid leak. A range of ¼ to 10 megohms assures maximum efficiency for all tubes.
THE PERFECT GRID LEAK



\$2.00
No. 10
10,000 to 100,000
No. 25
25,000 to 250,000
No. 50
50,000 to 500,000 ohms

Bradleyohm A highly-praised adjustable resistor for radio circuits. It is made in three sizes, and provides a marvelously smooth and noiseless variation that assures rapid adjustment to the point of highest efficiency.
THE PERFECT RESISTOR



\$2.00
for 200 ohm
\$3.00
for 400 ohm

Bradleyometer Another Allen-Bradley contribution to radio. Made in two sizes for all types of radio frequency circuits. No coiled wire to slip or break in operation.
THE PERFECT POTENTIOMETER



60c
for A or B batteries

Bradleyswitch A totally-enclosed convenient battery switch for A or B-battery circuits. Requires only one hole in panel for mounting, and is completely protected against accidental injury. Saves batteries and tubes.
PERFECT BATTERY SWITCH



Allen-Bradley Co.
Electric Controlling Apparatus

287 Greenfield Ave.



Milwaukee, Wis.

Manufacturers of graphite disc rheostats for over twenty years.


Allen-Bradley Co.
287 Greenfield Ave., Milwaukee, Wis.
Please send me a complete set of your bulletins of Allen-Bradley radio products.

Name

Address



*These Exclusive
Features Assure Better
Reception*



A
Perfect contact. Both sides of tube prong cleaned when inserted—no contact or wear on soldered end.

B
All metal parts *silver* plated—perfect contact for the life of the set. Silver may tarnish but its contact resistance does not change.

C
One piece contact construction. The binding post is NOT a part of the circuit—the wire to the socket always touches the contact strip which carries the current direct to the tube prong—no joints to cause losses.

D
Convenient terminals for soldering—full length to allow bending down for under-wiring. Ears hold wire in place for soldering.


E
Extra handy binding posts—tight connections with either wrench or screw-driver. Lock washers hold terminals rigid.

F
Wide spacing of current carrying parts both in air and insulation—true low-loss construction.

G
A minimum of both metal and insulation for low capacity. Shell of thin Bakelite—the base of genuine Thermoplax.

H
The tube is held in place by merely a vertical motion—no twisting to separate bulb from base

The attractive orange shell helps identify this better socket, but the famous C-H trade mark both on the socket and on the orange and blue box is your genuine protection



The shell is ORANGE
Bakelite—the base genuine
Thermoplax

At Last—A Radio Socket Worthy of This Famous Trade Mark

After months of experiment and research the Cutler-Hammer engineers announce this masterpiece of radio socket design. With features never before found in any socket, it brings to your set a degree of efficiency that means added miles of range and hours of clearer, more enjoyable reception.

Capacity has been absolutely minimized—without sacrifice of mechanical strength, and its base of ebony black Thermoplax in beautiful color contrast with the thin shell of orange Bakelite adds as much to the appearance of any set as this socket's construction does to its efficiency.

You'll like all of its many exclusive features—the silvered bronze contacts that afford *permanently* perfect contact; the slotted binding nuts; the handy terminals for soldering; the wide spacing of current carrying parts.

You'll like its appearance—neatness—small size. You'll like the way the tube is inserted and removed without twisting. And best of all, you'll like the price, 90c. *This socket that meets the specifications of the most exacting radio engineer costs no more than most of those on the market today.* Until all dealers have been stocked, you can be supplied direct from the factory at the retail price plus 10 cents for packing and postage. Be sure you have the genuine—it will pay you in every way to refuse all substitutes.

THE CUTLER-HAMMER MFG. CO.

Member Radio Section, Associated Manufacturers of Electrical Supplies

MILWAUKEE, WISCONSIN

RADIO SOCKET



Radiotron
WD-11



Don't Buy *Just Tubes!*



*This symbol
of quality is
your protec-
tion.*

It isn't a genuine WD-11
unless it's a Radiotron.
It isn't a genuine WD-12
unless it's a Radiotron.
It isn't a genuine UV-199
unless it's a Radiotron.
It isn't a genuine UV-200
unless it's a Radiotron.
It isn't a genuine UV-201-a
unless it's a Radiotron.

If you go into a reliable store and ask for a vacuum tube, you will probably get a genuine Radiotron, because most reputable dealers carry nothing else. And most buyers mean "Radiotron" when they say "tube." But the wise man says "Radiotron." And he takes the precaution to look for the name on the base, and the RCA mark on the glass. Those names have a history of invention, research and development back of them that has resulted in the production of the finest tubes possible today. And they have a history of *best performance* right within every fan's experience. That's why knowing fans buy by the name: Radiotron.

Radio Corporation of America

Sales Offices:

233 Broadway, New York

10 So. LaSalle St., Chicago, Ill.

433 California St., San Francisco, Cal.

Radiotron

REG. U. S. PAT. OFF.